CONTRACT NO. 01624

Backsfed.020124

STATE OF MONTANA
DEPARTMENT OF TRANSPORTATION
BID PACKAGE

Sealed bids for construction of this project will be received by the Montana Department of Transportation, Construction Contracting Bureau, Room 101, 2701 Prospect, Helena, Montana until 9:00 a.m. on August 8, 2024. All bids will then be publicly opened, reviewed for correctness, and then publicly read.

Federal Aid Project(s):

STPX 24(56) WS 3-Johnson Wetland Mitigation

Bid proposals, Plans, Standard Specifications, Detail Drawings, and Standard Contract Forms are on file for examination and may be obtained from the Construction Contracting Bureau of the Montana Department of Transportation, 2701 Prospect Avenue, P.O. Box 201001, Helena, Montana 59620-1001.

Prime bidders use the Electronic Bid System or bid on-line through Bid Express to produce a bid containing Proposal Forms, Schedule of Items, and Disadvantaged Business Enterprises (DBE) Requirements (if applicable).

CONTRACT #01624
AWARDED ON: AUGUST 20, 2024
TO: REHBEIN ENTERPRISES, INC

MONTANA DEPARTMENT OF TRANSPORTATION

Loran Frazier, Chairperson
Montana Transportation Commission

Christopher Dorrington
Director of Transportation

Contract No.01624
HB:ST:8583000AWD

AWARD COPY

CURRENT QUESTIONS & ANSWERS

104 - WS 3-JOHNSON WETLAND MITIGATION - August 08, 2024

Notifications

No Notices available for this project.

Amendments

No Amendments available for this project.

Clarifications

No Clarifications available for this project.

Questions

-1-

Submitted: Thursday 18-JUL-2024 08:47 AM
Company: Bjorn Johnson Construction
Contact: Kassie Tippett
Hello,
I am needing the CAD files for this project. Please let me know if there is any questions.
Thank you, Kassie

Answer
Submitted: Wednesday 24-JUL-2024 11:29 AM
The design files for the requested project are posted here: **DESIGN FILES**
The requested files do not represent the staked project, but are only design files. The Department cannot guarantee the accuracy of the electronic data, particularly as it may be called up by your computer, nor does any data in these files supersede the data in the contract documents.
In addition, the Department will not make any revisions to the electronic files pertaining to the staked project, change ordered work, or changes that are made during construction to fit field conditions.

-2-

Submitted: Friday 02-AUG-2024 10:12 AM
Company: JAG Contracting LLC
Contact: Jason Long
Will MDT want or require a geologist to document the work and log lithology and supervise well installation?

Answer
Submitted: Tuesday 06-AUG-2024 11:04 AM
A geologist will not be required to be on-site. A well log completed by a water well driller will be sufficient.

MONTANA DEPARTMENT OF TRANSPORTATION
SCHEDULE OF ITEMS

CONTRACT ID: 01624

PROJECT: STPX 24(56) 8583056000 WS 3 - JOHNSON WETLAND MITIGATION

SECTION: 0001 - AQUATIC RESOURCE MITIGATION

PROP LINE NO.	ITEM NUMBER	ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY
0010	104030010	MISCELLANEOUS WORK	UNIT	10,000.00
0020	105070000	CONTRACTOR SURVEY AND LAYOUT	LS	1.00
0030	107000060	NOXIOUS WEED CONTROL	UNIT	1,000.00
0040	109200005	MOBILIZATION	LS	1.00
0050	202020358	ABANDON WELL	EACH	3.00
0060	202020542	REMOVE DEBRIS	LS	1.00
0070	203020100	EXCAVATION-UNCLASSIFIED	CUYD	22,771.00
0080	203020200	EXCAVATION-UNCLASS BORROW	CUYD	972.00
0090	203020337	WIRE MESH STABILIZATION	SQFT	13,650.00
0100	203080100	TOPSOIL-SALVAGING AND PLACING	CUYD	7,475.00
0110	208010150	TEMPORARY EROSION CONTROL-LS	LS	1.00
0120	208010200	TEMPORARY EROSION CONTROL-FIXED	UNIT	500.00
0130	301020340	CRUSHED AGGREGATE COURSE	CUYD	145.00
0140	603013417	PIPE-CORR POLYETHYLENE 18 IN	LNFT	40.00
0150	603017030	DEWATERING	LS	1.00
0160	603587020	REMOVE PIPE CULVERT	LNFT	20.00
0170	607100009	FENCE - WILDLIFE FRIENDLY FW	LNFT	4,700.00
0180	607100014	FENCE - PANEL/SINGLE - WILDLIFE	EACH	15.00
0190	607100015	FENCE - PANEL/DOUBLE - WILDLIFE	EACH	7.00
0200	607100440	FARM GATE-METAL-TYPE G-3	LNFT	32.00
0210	607100450	FENCE-PEDESTRIAN PASS	EACH	1.00
0220	607150015	REMOVE FENCE	LNFT	260.00
0230	610100060	WETLAND SEEDING - UPLAND	ACRE	7.50
0240	610100065	WETLAND SEEDING - WETLAND	ACRE	10.20
0250	610100575	COIR EROSION CONTROL NET	SQYD	351.00
0260	613100105	ANCILLARY ARMOR	CUYD	65.00
0270	615010020	IRRIGATION DIVISION BOX	EACH	1.00
0280	615010062	IRRIGATION STRUCTURE	LS	1.00
0290	618030015	TRAFFIC CONTROL-FIXED	UNIT	500.00
0300	618030080	TRAFFIC CONTROL-LS	LS	1.00
0310	622011086	SEPARATION GEOTEXTILE - HIGH	SQYD	450.00

TABLE OF CONTENTS
FEDERAL AID PROJECT(S) STPX 24(56)

1. PROJECT DESCRIPTION [102] 5
2. CONTRACT TIME – FLEX TIME PROCEED DATE [108] (REVISED 1-21-16) 5
3. CONTRACT DEFINITIONS (101) (ADDED 1-11-24) 6
4. CONTRACT DOCUMENTS [102] (REVISED 3-7-24) 6
5. PRE-BID INSPECTION 6
6. PRE & POST CONSTRUCTION MEETINGS 6
7. DISADVANTAGED BUSINESS ENTERPRISES (DBE) REQUIREMENTS [102] (REVISED 2-23-23) 7
8. DBE QUOTES [102] (REVISED 3-10-16) 7
9. DBE USAGE [102] (REVISED 11-16-23 M) 7
10. SMALL BUSINESS ENTERPRISES REQUIREMENTS [102] (ADDED 5-16-24) 7
11. LABOR REQUIREMENTS [102] (REVISED 9-5-19) 7
12. CERTIFIED PAYROLL COMPLIANCE ELECTRONIC PAYROLL SUBMISSION [102] (REVISED 8-08-24) 8
13. NEW SUBCONTRACTORS [102] (ADDED 4-04-24) 8
14. SOIL BORING INFORMATION [102] (REVISED 1-16-14) 8
15. BIDDER'S PROPOSED AGGREGATE SOURCE(S) [103] (REVISED 4-28-22) 9
16. CONTRACTOR SURVEYING AND LAYOUT [105] (REVISED 7-10-14) 9
17. PARTNERING [105] (ADDED 1-11-24 M) 9
18. STEEL PRICE ADJUSTMENT [106] (REVISED 2-22-24) 9
19. BUILD AMERICA, BUY AMERICA (BABA) [106] (REVISED 1-11-24) 9
20. INDIAN RESERVATION WORK [107] (REVISED 8-11-22 M) 11
21. RESERVATION REQUIREMENTS [107] (REVISED 2-27-14 M) 11
22. SUBCONTRACTING CONSULTANTS [108] (REVISED 2-27-14 M) 12
23. NOTICE TO BIDDERS [108] (ADDED 11-21-08) 12
24. ENVIRONMENTAL SPECIFICATIONS [208] (ADDED 9-9-21M) 12
25. STORM WATER PERMITTING REQUIREMENTS UNDER THE NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) [208] (REVISED 8-31-23) 12
26. CLEAN WATER ACT SECTION 404 PERMIT AND SECTION 401 CERTIFICATION 15
27. GRIZZLY BEAR – ENDANGERED SPECIES ACT 17
28. DESIGN CHANGES 17
29. TEMPORARY ROUTE CONSTRUCTION 17
30. SITE PREPARATION 17
31. REMOVE DEBRIS 18

32. ABANDON EXISTING MONITOR WELLS 18
33. TOPSOIL SALVAGING AND PLACING 18
34. EXCESS EXCAVATION.....18
35. CONTROL OF SURFACE AND SUBSURFACE WATER 19
36. IRRIGATION STRUCTURE 19
37. FENCE REMOVAL AND DISPOSAL 19
38. CLASS GENERAL CONCRETE [551] (ADDED 11-16-23).....20
39. REVEGETATION.....20

SECTION II
Nondiscrimination Notice (Tribal)
Permit Maps – Quad
Permit Maps – Location
MOU
PSA
Logs of Boring

SECTION III
Standard Provisions & Requirements

SPECIAL PROVISIONS

FEDERAL AID PROJECT NO(S). STPX 24(56)

(REVISED 6-27-24)

The following special provisions are hereby made part of the contract and supplement and/or supersede any sections of the Standard Specifications of Road and Bridge Construction, adopted by the Montana Department of Transportation and the Montana Transportation Commission and all supplements thereto in conflict therewith.

The following documents are hereby incorporated by reference into this contract:

- "Question and Answer Forum": https://www.mdt.mt.gov/business/contracting/qacurrent.shtml
- "Standard Specifications for Road and Bridge construction": https://www.mdt.mt.gov/other/webdata/external/const/specifications/2020/SPEC-BOOK/2020-SPEC-BOOK-5-1.pdf
- The most recent version of the Detailed Drawings: https://www.mdt.mt.gov/business/contracting/detailed_drawings.shtml
- The most recent version of the Materials Manual: https://www.mdt.mt.gov/other/webdata/external/materials/materials_manual/MDT-MATERIALS-MANUAL-062724-LETTING.pdf

The latest version of the Standard Specifications, Biannual updates, and revision summaries can be found at the following website: https://www.mdt.mt.gov/business/contracting/standard_specs.shtml

The Question-and-Answer Forum opens at 5:00 p.m. on the bid letting advertisement date and closes at 10:00 a.m. on the Monday before the bid letting. If Monday is a state holiday, the forum will close on Friday before the bid letting at 3:00 p.m. Answers provided by the Department to the questions, clarifications, and notifications can be posted up to 5:00 p.m. on the day before the letting.

The U.S. Department of Transportation (DOT) operates a toll-free number at 1-800-424-9071, 24 hours a day - 7 days a week. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use this number to report such activities. All information will be treated confidentially, and callers may remain anonymous.

The Department attempts to provide reasonable accommodations for any known disability that may interfere with a person participating in any service, program, or activity of the Department. Alternate accessible formats of this document will be provided upon request. If reasonable accommodation is needed to participate in Department bid lettings, call the Civil Rights Bureau at 444-6331 or TTY 406-444-7696 [TTY 1-800-335-7592 (toll free)].

1. PROJECT DESCRIPTION [102]

Construct wetlands, provide reclamation and revegetation, irrigation improvements, and fencing on the WS 3 - Johnson Wetland Mitigation project in Lake County, Section 25 of Township 18 North, Range 20 West.

The 60-acre property is within the boundaries of the Flathead Indian Reservation and is bordered by a combination of tribally owned and privately-held lands. Access the site via Repass Trail and construct a new approach to the site as shown in the plans.

2. CONTRACT TIME – FLEX TIME PROCEED DATE [108] (REVISED 1-21-16)

A. General. This provision modifies Subsection 108.02 of the Specifications.

B. Notice to Proceed. The notice to proceed will be issued with an effective date of July 14, 2025. The Contractor may change the notice to proceed date to an earlier date if written notification is received at least ten calendar days in advance of the date selected and the selected date is approved by the Project Manager. Include an updated schedule with the notification.

C. Contract Time. Contract time assessment will begin on the notice to proceed date issued by the Department or as changed by the Contractor, whichever is earlier. Work is to be completed in 90 working days.

3. CONTRACT DEFINITIONS (101) (ADDED 1-11-24)

The following definitions have been revised or added:

1) Addendum. A contract revision developed after advertisement and before opening proposals. Addenda includes the Question and Answer Forum and amendments.

2) Amendment. Contract revision to the electronic bid files including added bid items, deleted bid items, or bid item quantities.

3) Contract. The written agreement between the Department and the Contractor detailing the obligations of the parties for performing the prescribed work. The contract includes the proposal; signed contract award form; contract bond; Q&A forum; specifications; general and detail plans; Detailed Drawings; Notice to Proceed; Materials Manual; change orders; extra work orders; and authorized contract time extensions required to complete the project.

4) Question and Answer Forum (Q&A forum). Information which documents contract amendments and addenda posted during advertisement and prior to the opening of proposals. Q&A Forum information includes notifications, clarifications and the answers provided by the Department to questions posed by prospective bidders. Unanswered questions posed by prospective bidders are not considered modifications to the contract. Questions posed by prospective bidders are considered contextual information only.

4. CONTRACT DOCUMENTS [102] (REVISED 3-7-24)

The following documents are now available within the Contractors Reference Material on the Department's Contracting and Bidding webpage https://www.mdt.mt.gov/business/contracting/ :

1) Table of Contractor's Submittals. (Revised 3-7-24)

2) Traffic Control Rate Schedule (Revised 3-9-23)

3) Erosion Control Rates

5. PRE-BID INSPECTION

Prior to bidding, the prospective bidder may access the property to evaluate the proposed project prior to the submission of their bid.

6. PRE & POST CONSTRUCTION MEETINGS

Due to the nature of the wetland mitigation projects, a pre-construction meeting is required to discuss the special conditions within the various permits and authorizations for the project, as well as the post-construction review of the 404 permit into the crediting and monitoring phase of the project with the USACE.

A. Pre-Construction: Provide at least 2 weeks notice to the MDT Engineering Project Manager prior to the initiation of construction activities so a preconstruction meeting can be coordinated with MDT Environmental Services and CSKT personnel.

B. Post-Construction: The Contractor must provide notice to MDT Engineering Project Manager at least 2 weeks prior to the completion of construction activities so an on-site post-construction review of the project can be completed with CSKT and Corps Interagency Review Team. The intent of the meeting is to review the Section 404 permit and the initial release of wetland credits and the monitoring phase of the project with the USACE and CSKT through coordination with MDT Environmental Services personnel to confirm project compliance with the project plans, specifications, and permit conditions prior to contractor demobilization from the project site.

7. DISADVANTAGED BUSINESS ENTERPRISES (DBE) REQUIREMENTS [102] (REVISED 2-23-23)

The DBE goal for this contract is 0.00%. Use the AASHTOWare Project BidsTM Electronic Bid System (EBS) to print the DBE submittal and timing requirements. If the contract does not have a project-specific goal, the field will display in the AASHTOWare Project BidsTM bid file as a blank field.

List the DBE commitments in the EBS file. An on-line DBE Directory is available at: https://app.mdt.mt.gov/ess-dbe/.

If the DBE goal cannot be met, show a good faith effort per the Good Faith Effort Criteria and supporting forms, available at: http://www.mdt.mt.gov/publications/forms.shtml. Submit the Good Faith Effort documentation within 48 hours of the bid opening.

8. DBE QUOTES [102] (REVISED 3-10-16)

The Department has a quick and easy way for you to request quotes from Montana DBE-certified companies. The information goes to the DBE companies that same day. The on-line form is located at web site: https://app.mdt.mt.gov/dbeqt/.

Call the Department DBE Supportive Services, 1-800-883-5811, for further assistance. Using this online request form will be considered for good faith efforts, but it does not constitute meeting all requirements of good faith efforts.

9. DBE USAGE [102] (REVISED 11-16-23 M)

Contract specific goals are not placed on contracts; however, the Department has an overall 6.3% DBE goal it must achieve. To assist contractors in determining their DBE commitment level, the Department has reviewed the estimates for this contract, and has established an aspirational goal of 10.9% DBE usage. Although not a contract requirement, the Department believes that the aspirational goal can realistically be achieved through race neutral measures based on current availability of DBEs and standard competitive procurement processes. While the utilization is not mandatory to be awarded the project, continuing utilization of DBE firms on contracts supports the success of Montana's DBE Program.

Any project listing a 0% DBE aspirational goal does not mean that a DBE may not be used on that project. A 0% DBE aspirational goal may have been established due to any of the following reasons:

- Limited identified subcontracting opportunities;
- Minimal contract days; and/or,
- Small contract dollar amount.

Contractors are encouraged to identify any opportunities to subcontract to DBEs.

The Department's DBE directory may be found at the following website: https://app.mdt.mt.gov/ess-dbe/.

10. SMALL BUSINESS ENTERPRISES REQUIREMENTS [102] (ADDED 5-16-24)

Rescind "DBE requirements" and replace with "DBE and SBE requirements" within the following subsections:

1) 102.02 Contents of Bid Package.
2) 102.07 Bidding Requirements.
3) 102.08J Rejection of Bid Proposal.

11. LABOR REQUIREMENTS [102] (REVISED 9-5-19)

Pay the minimum wage rates contained elsewhere in the bid package. Comply with the required contract provisions contained in the form FHWA 1273 included with this contract. To obtain more information, contact the Department's Construction Engineering Services Bureau at 2701 Prospect, Helena, MT (406)475-2258, (800)335-7592 (TTY) or (406)444-7297 (Fax). The

local employment service office, designated by the Workforce Service Division, Department of Labor & Industry, for this project is Polson.

Executive Orders 13658 and 13706 do not apply to this contract.

12. CERTIFIED PAYROLL COMPLIANCE ELECTRONIC PAYROLL SUBMISSION [102] (REVISED 8-08-24)

The Contractor and all subcontractors must use AASHTOWare Project Civil Rights & Labor™ (CRL) to submit Certified Payrolls (CPRs). Assist and ensure that all subcontractors submit CPRs electronically into CRL within 7 calendar days following the Contractor's scheduled payment date. Employees must be paid, and payrolls submitted weekly.

Ensure that all subcontractors have submitted their Vendor Access Form which can be found on the following page: https://www.mdt.mt.gov/business/contracting/prevailing-wage.aspx to the Department and have received their login IDs prior to work.

Provide the information to all subcontractors subject to the FHWA 1273 requirements. This information is also available using the Search Awarded Contracts located at: https://app.mdt.mt.gov/ess-awardedproj/.

Failure to meet the payroll submission requirements may result in withholding payment to the Contractor or subcontractor for bid item quantities installed for each monthly estimate cycle.

13. NEW SUBCONTRACTORS [102] (ADDED 4-04-24)

The contract amount will be increased by a maximum of $10,000 via change order if the Prime Contractor uses a DBE or SBE certified firm that has not worked on a federal-aid MDT contract in the past three years. The incentive amount will be applied in accordance with the following table.

Subcontract Amount	Added Contract Amount
≤ $15,000	$1,000
$15,001-$50,000	$2,500
$50,001-$100,000	$5,000
≥ $100,000	$7,500

Note: The table is representative for one subcontract.

Payment will be made once the subcontract has been fully executed and will be paid under the bid item NEW DBE-SBE INCENTIVE.

14. SOIL BORING INFORMATION [102] (REVISED 1-16-14)

The Department routinely conducts subsurface investigations and laboratory testing to collect soil, rock and groundwater information ("geotechnical information") within the anticipated limits of upcoming projects and maintains a comprehensive set of this information in its geotechnical file. For this contract, geotechnical information has been collected by the Department and logs of boring summarizing this information have been included in the Special Provisions and Plans. "Logs of Borings" in the Special Provisions and Plans are based on an interpretation of the field investigation and laboratory testing data, and do not include all the geotechnical information that may be available. The geotechnical information contained in the "Logs of Borings" has been edited or abridged and may not reveal all the geotechnical information which might be useful or of interest to the bidder.

The comprehensive set of geotechnical information is considered too voluminous to include in the bidding package. The geotechnical information that the Department has is available for review or copying upon request. Rock core samples are regularly retained as well. All bidders are expected to fully review all of the geotechnical information prior to submitting

their bid. The prime bidder is responsible for ensuring that a firm submitting a subcontractor quote for the prime's use is aware of all available geotechnical information.

Submission of a bid without fully reviewing the Department's comprehensive set of geotechnical information or accepting a quote from a subcontractor without verifying that the subcontractor reviewed all available geotechnical information is a business decision by the bidder. Failing to fully review all available geotechnical information waives the contractor from making any claim, whether termed "superior knowledge", "justifiable reliance", "differing site condition", or otherwise, against the Department for any information that may be included in the comprehensive geotechnical information file and not shown, or not fully shown, in the “Logs of Borings” contained in the contract documents.

Soil, rock, and groundwater conditions shown on the logs of boring apply only at the specific boring locations and at the time the borings were made. They are not warranted to be representative of subsurface conditions at other locations or times. Groundwater conditions commonly vary seasonally and from that encountered during drilling. Determination of a material's classification is based in part on judgment and opinion. The Department assumes no responsibility for any variation or misinterpretation of the classification of materials.

Utilize the Question and Answer forum to request additional geotechnical information or to submit questions regarding the geotechnical information. To review all available geotechnical information, submit a request in writing to the Department’s Geotechnical Section to schedule a time to review the available geotechnical information. Requests for access should be made a minimum of 10 business days prior to the bid opening.

15. BIDDER’S PROPOSED AGGREGATE SOURCE(S) [103] (REVISED 4-28-22)

No later than 7 calendar days after the date of bid-opening (the date of bid opening to count as the first full day), submit to ECCB form MDT-CON-106-02-3 in accordance with Subsection 103.11.

16. CONTRACTOR SURVEYING AND LAYOUT [105] (REVISED 7-10-14)

Furnish Contractor Survey and Layout in accordance with Subsection 105.08.2.

17. PARTNERING [105] (ADDED 1-11-24 M)

In accordance with Subsection 105.05.1, this contract requires Level (II) facilitation.

18. STEEL PRICE ADJUSTMENT [106] (REVISED 2-22-24)

In accordance with Subsection 106.09.1, the base price per pound of steel for this contract is: $0.95.

19. BUILD AMERICA, BUY AMERICA (BABA) [106] (REVISED 1-11-24)

Furnish construction materials manufactured in the United States. Construction materials include articles, materials, or supplies that are or consist primarily of:

- Non-ferrous metals.
- Plastic and polymer-based products (including polyvinylchloride, composite building materials, and polymers used in fiber optic cables).
- Glass (including optic glass).
- Fiber optic cable (including drop cable).
- Optical fiber.
- Lumber.
- Drywall, and
- Engineered wood.

Construction materials exclude cement and cementitious materials, aggregates including stone, sand, or gravel, or aggregate binding agents (e.g., asphalt binder) or additives (e.g., polymer modifiers and admixtures).

Manufacturing processes for the construction material must occur in the United States. Manufacturing processes for each of the bulleted construction materials above are defined in 2 CFR 184.6 and are summarized below.

a) Non-ferrous metals: Initial smelting or melting through final shaping, coating, and assembly.

b) Plastics: Initial combination of plastic, polymer based, or composite materials until item is in its final form.

c) Glass: Initial batching and melting, annealing, cooling, and cutting.

d) Fiber Optic Cable: Initial ribboning, buffering, and fiber stranding and jacketing.

e) Optical Fiber: Initial preform fabrication through completion of draw.

f) Lumber: Initial debarking, treatment, and planing.

g) Drywall: Initial blending of gypsum, cutting, and drying of sandwiched panels.

h) Engineered Wood: Initial combination of constituents until item is in its final form.

BABA preference applies to articles, materials, and supplies that are consumed in, incorporated into, or affixed to a project. It does not apply to tools, equipment, and supplies brought to the construction site and removed at or before the completion of the project (e.g., temporary aluminum scaffolding). Buy America preference does not apply to equipment and furnishings that are used at or within the finished infrastructure project but are not permanently affixed to the structure (e.g., movable chairs, desks, or computer equipment used at or within the project but are not integral or permanently affixed to a structure).

2 CFR 184 applies to all construction materials on projects receiving federal financial assistance funds. Submit Form MDT-MAT-407 “Manufacturer’s Certificate of Compliance” for every material identified as a construction material in the Department’s Materials Manual Section MT 601 furnished to the project. For all other materials, documentation will be required upon request. Do not incorporate construction materials into the project until all required documentation is submitted to the Department. Ensure that suppliers and manufacturers understand the BABA and contract requirements to supply the required documentation.

The Department will not accept items installed until all supporting documentation has been reviewed and is found to be in accordance with the contract requirements. Insufficient or unavailable documentation or documentation showing products containing construction materials of foreign origin are grounds for removal and replacement at the contractor’s expense.

The Department has designated contract materials as “construction materials” by their respective 9-digit material codes in section MT 601 of the Montana Materials Manual. However, the Department recognizes there will be situations where a product or material may not fit the designation indicated in section MT 601. In these cases, submit documentation demonstrating or justifying the supplier or manufacturer’s position that their specific item has been misclassified to the Project Manager at least 10 business days in advance of installation. the Department, in conjunction with FHWA, will review the submitted documentation and decide as to how that specific product or material will be classified. These determinations will be final and will require the appropriate necessary documentation as defined above.

The US DOT has found that it is in the public interest to issue a waiver of BABA’s domestic preferences in certain situations. For Construction Materials, the domestic preference may be waived if the total value of non-compliant material is under $1,000,000 or 5% of the total applicable project costs, whichever is less. Submit actual individual material costs, minus manufacturing costs outside the defined manufacturing processes outlined above, along with justification in the form of invoices, bills of lading, or other appropriate documents to the Department if requesting the waiver.

The above waiver does not apply to iron and steel and the existing de minimis standard for iron and steel under 23 CFR 635.410(b)(4) continues to apply.

Projects with a total contract value of $500,000 or less are exempt from all domestic preference regulations including steel and iron.

20. INDIAN RESERVATION WORK [107] (REVISED 8-11-22 M)

Because all or part of this project is located within the external boundaries of an Indian Reservation, the following requirements apply:

1) Read, fully understand, and agree to the provisions here included.

2) Inquire with the designated Tribal official and become familiar with the Tribal requirements, written or not, for work on the Reservation, and submit bid with full knowledge, understanding and acceptance of them. Understand and accept that:

a) the Tribal laws, ordinances, regulations, and requirements have been established by the Tribe as a sovereign entity on the Reservation.

b) The Department has no authority or ability to affect those requirements, and

c) Neither the Tribal government nor any Tribal official or employee is acting in any way as an agent of the Department or the Transportation Commission. The Department and Commission have no control over the actions, inaction, requirements or comments of any Tribal government or employee, and are not bound by them.

3) If Tribal requirements will in any way increase the costs of performing the project, consider those and include all increased costs in bid prices.

4) Ensure that all proposed subcontractors are also fully aware of the Tribal requirements and accepted them when they gave quotes.

5) Understand and agree that employees, and all subcontractors and their employees, are responsible to the Tribe to adhere to and abide by all Tribal laws, ordinances and regulations on work performed on the Reservation, specifically including all Indian hiring and contract fee requirements.

6) Dealings with the Tribe and its requirements, other than those related to the Clean Water Act, aquatic resources permitting, and/or cultural resources, are solely between the Contractor and the Tribe, and must be addressed in the appropriate forum between them alone.

7) By submitting a bid, agree to defend, protect, indemnify, and save harmless the Department and State from any cost or delay caused or allegedly caused by or due to the failure of bidder or any subcontractor to fully comply with Tribal law, ordinance or regulation, or by claimed interference by the Tribe. Claims from such failure or claimed interference will not be considered extra work or compensable delay, but actual, documented and verified interference by Tribal government may be grounds for a contract time extension. Understand that any requests must fully comply with the Contract's claims procedure.

8) By submitting a bid, do so with full understanding and acceptance of all provisions of the Bid Package.

9) For bidder inquiries to the Tribe, or for more information about Tribal requirements other than those related to the Clean Water Act, aquatic resources permitting, and/or cultural resources, it is required to contact the Tribe directly. The point of contact designated by the Tribe for bidders to contact is the liaison listed in the attached Memorandum of Understanding, the main tribal phone number is: 406-675-2700

10) If a Pre-Bid Conference for the project is provided for in the Contract, a designated, authorized agent of the Bidder attends the Conference.

21. RESERVATION REQUIREMENTS [107] (REVISED 2-27-14 M)

The work on this project is being performed on the Confederated Salish & Kootenai (CSKT) & Flathead Indian Reservations. Included in this proposal package are a Memorandum of Understanding (MOU) and a Project Specific Agreement (PSA). These documents detail agreements between the State and the Confederated Salish & Kootenai (CSKT) Tribe that are made a part of this contract. The Contractor must adhere to all requirements contained in these documents. Questions regarding the MOU and PSA will be addressed at the pre-bid conference or if there is no pre-bid for the project, submit the question to the Department’s Question and Answer Forum.

22. SUBCONTRACTING CONSULTANTS [108] (REVISED 2-27-14 M)

The following consultants performed work on the project.

- DOWL
- Ethnotech

23. NOTICE TO BIDDERS [108] (ADDED 11-21-08)

This project is funded in whole or in part by funds received from the Federal Highway Administration (FHWA), and its construction is wholly contingent on the state's continued receipt of those federal funds. If the federal funds are reduced or not received, the Department may choose to terminate the contract for convenience under the provisions of Subsection 108.10. Any bidder on this project, by submitting its bid, understands and accepts the possibility of the contract being terminated in the event federal funds are reduced or not available and by submitting a bid, each bidder waives any claims for costs or damages other than as specifically allowed by Subsection 108.10.2. In particular, bidders understand and accept that no payment will be allowed for any claimed anticipated profit for work not performed.

24. ENVIRONMENTAL SPECIFICATIONS [208] (ADDED 9-9-21M)

The Contractor is required to review and meet the specifications of the following subsections:

Migratory Bird Treaty Act Compliance – Vegetation Removal	Subsection 208.03.4A(1)
Work in Bear Habitat	Subsection 208.03.4E
AIS Watercraft and Equipment Inspection	Subsection 208.03.2D

25. STORM WATER PERMITTING REQUIREMENTS UNDER THE NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) [208] (REVISED 8-31-23)

A. Description. The EPA regulates storm water discharges under the NPDES program. If the bid package contains blank erosion control plans, a construction storm water discharge permit authorization will be required. If not, a storm water discharge permit authorization may be required for this project depending on Contractor’s operations. Sum the disturbance area (as defined by EPA) identified in the contract with the area of disturbance caused by contractor operations to determine if the permit acreage threshold is exceeded. Contractor operations can include, but are not limited to, the following support activities: staging areas, access roads, material storage areas, temporary concrete, or asphalt batch plants, borrow areas, areas used for fill placement, etc. If the summed disturbance area is one acre or more, use the EPA authorization to discharge under the NPDES General Permit for Discharges from Construction Activities (General Permit) for this project. In order to facilitate permit transfer, separate NOI packages are required for areas within the right-of-way and areas outside of the right-of-way. A NOI package includes a Notice of Intent, with a topographic map, a SWPPP, the erosion control plans, and supporting documentation.

Blank Erosion Control Plans, and a topographic map, are provided with the plans if the plans include greater than 1 acre of disturbance. The blank erosion control plans supplied by the Department do not include Contractor furnished material sources, staging areas, plant sites, or any other site that is not within the project limits. Permit these sites separately. Although permitted separately, the areas of disturbance are considered cumulative with the project disturbance area when determining the requirement for permit coverage. A SWPPP partially completed with “MDT sections” filled in will be provided if permit coverage is sought.

B. Materials. Follow the requirements described in the Department’s *Erosion and Sediment Control Best Management Practices Manual (December 2016).* Rescind Section 208

detailed drawings. Submit to the Project Manager for review and acceptance BMPs proposed for use that are not included in the Manual.

C. Construction Requirements.

1) NPDES Permit Required.

Submit one NOI package for ground disturbance areas shown in the plans or within the right-of-way. Complete the erosion control plans as required by the general permit. Complete the “Contractor sections” of the SWPPP. Ensure the “Contractor sections” do not conflict with the information the Department provided. Do not modify the SWPPP or the Department’s responses. Notify the Project Manager when returning the SWPPP to the Environmental Services Bureau. Return the completed signed SWPPP to the Department at the following address:

Environmental Services Bureau
Attention: Environmental Services Bureau Chief
Montana Department of Transportation
2701 Prospect Ave
PO Box 201001
Helena, MT 59620-1001

Within 7 business days of receiving the completed signed SWPPP, the Department will review the SWPPP. If the Contractor’s portions of the SWPPP are not complete, the SWPPP will be returned to the Contractor for completion. If the Contractor’s portion of the SWPPP is complete, the Department’s Environmental Services Bureau Chief will sign and certify the SWPPP and send the executed SWPPP to the Project Manager. The SWPPP is not executed until it is signed and certified by both parties. The Department’s review of the Contractors’ portion of the SWPPP is limited to the completeness of responses. The Contractor is responsible for the accuracy.

Notify tribes as specified in Section 9.5 of the general permit. Obtain any necessary tribal reviews and approvals as specified. If the EPA or applicable tribes require revised or additional information, submit updated copies of this information to the Project Manager and Environmental Services Bureau within 5 business days of the correspondence.

After execution of the SWPPP, submit a certified NOI to EPA at least 14 calendar days prior to commencing earth-disturbing activities and any applicable tribal authorities as specified in the general permit. Submit electronic NOI to EPA through EPA’s Electronic NPDES eReporting Tool (NeT) Home Page at: https://www.epa.gov/npdes/submitting-notice-intent-noi-notice-termination-not-or-low-erosivity-waiver-lew-under.

The Department is not responsible for delays caused by incomplete or inaccurate submittals by the Contractor.

Email copies of the certified NOI, EPA’s confirmation letters, and applicable tribal approval letters to the Project Manager and to the Environmental Services Bureau at mdtenoi@mt.gov prior to conducting any ground disturbance activities. Include copies of these documents in the executed SWPPP.

Comply with the requirements of the General Permit and implement the SWPPP. Do not begin ground disturbing activities until the above referenced documents are received by the Project Manager and the Environmental Services Bureau and confirmation from EPA is provided to the Project Manager stating coverage under EPA’s CGP is now active for both the contractor and the Department.

Furnish and install public signage as required by the EPA Construction General Permit. Payment for sign(s) is included in the Temporary Erosion Control-Lump Sum bid item.

Submit a separate NOI package to EPA for ground disturbance and support activity areas outside the right-of-way and not shown in the plans. Contractor furnished material sources, staging areas, plant sites, or any other Contractor caused ground disturbance outside the right-of-way and not shown in the plans, are the Contractor's responsibility and must be submitted under a separate NOI package from the ground disturbance within the right-of-way.

The Contractor is the sole permittee until stabilization is complete and the general permit authorization is terminated or transferred to another entity. The Department is not responsible for delays caused by incomplete or inaccurate submittals to EPA by the Contractor.

Provide a copy of the NOI Package submitted to EPA and confirmation for receipt of a complete NOI Package from EPA to the Project Manager prior to conducting any ground disturbance activities.

Be responsible for all temporary erosion, sediment, and pollution prevention controls for Contractor furnished material sources, staging areas, plant sites, or any other Contractor caused ground disturbance outside the right-of-way and not shown in the plans.

Complete and document all inspections in accordance with the requirements of the General Permit. Use the Department's most current inspection form or other form that conforms to the requirements of the permit. Provide a copy of all inspection reports to the Project Manager within 7 calendar days of the inspection.

Report potential noncompliance in accordance with applicable regulations, guidance, and permit conditions. Submit to the Project Manager within 7 calendar days of sending or receiving all correspondence to or from regulatory agencies regarding potential noncompliance or violations.

The temporary erosion and sediment control measures and devices to prevent pollution and control sediment transport and soil erosion will be inspected as part of the final inspection to ensure they are maintained and functioning properly. Do not transfer or terminate the general permit coverage until the BMPs are inspected and accepted and all records required under the permit, including inspection and monitoring reports, are furnished to the Project Manager. The Department may require that certain BMPs be replaced by another type of BMP as a condition of permit transfer. Ensure permit conditions and responsibilities are met until permit coverage is assumed by the Department. The Department will notify the Contractor in writing when permit coverage has been assumed. Defend and hold the Department harmless from any violations, claims, enforcement actions, penalties or fines issued for Contractor activities or recordkeeping that occurred prior to the transfer of the General Permit authorization.

2) NPDES Permit not Required.

The BMP-Administration item is included in contracts that may not meet criteria for a NPDES permit but include ground disturbing activities. Complete BMP inspections and install BMPs, if necessary, in accordance with Section 208, if no storm water permit is required. Utilize form MDT-ENV-014, Water Pollution Control Inspection Report. A certified SWPPP Administrator is not required to conduct the inspections if no permit is required.

D. Method of Measurement. Fees and monitoring costs associated with obtaining and maintaining the NPDES general permit coverage for ground disturbance areas within and outside the right-of-way are not measured separately for payment.

If no permit is necessary, include the cost of all erosion control, devices, and inspections in the BMP-Administration bid item.

E. Basis of Payment. No additional payment will be made for monitoring costs associated with the General Permit. Include these costs in the Temporary Erosion Control-Lump Sum bid item.

For project including the BMP-Administration item, include the cost of all erosion control, devices, and inspections in the BMP-Administration bid item. Partial payment for the BMP-Administration will be monthly based on the lump sum contract price in accordance with Table 208-2 in Subsection 208.05.1.

Payment for BMPs required by an event or extra work, and approved by the Project Manager, will be measured and paid for in accordance with the Erosion Control Rate Schedule contained in the contract at a unit price of $1.00 per unit.

26. CLEAN WATER ACT SECTION 404 PERMIT AND SECTION 401 CERTIFICATION

A. Description. This provision describes the project work that has been authorized under Sections 404 and 401 of the Clean Water Act (CWA) and the associated conditions that must be adhered to for compliance with CWA requirements.

B. Section 404 CWA Nationwide Permit 27 Description. The permanent features of this project are authorized under a US Army Corps of Engineers Nationwide Permit 27 – Aquatic Habitat Restoration, Enhancement, and Establishment Activities, (Army Corps File Number NWO-2018-00230-MT).

1) The permit for this project authorizes the following project work to be performed within waters of the US.

a) Development of 10.47 wetland mitigation credit acres (49.91 functional mitigation units) through grading, plugging of drainage ditches, exclusion of cattle, replanting, and prolonging the duration of soil saturation through the application of irrigation water. These activities will result in the relocation of 0.21 acre of existing wetlands, temporary impacts to 1.14 acres of wetlands and permanent impacts to 8,373 linear feet (0.21 acre) of drainage ditches. Section 25, Township 18N, and Range 120W. Latitude 47.29485, Longitude -114.08771.

2) This authorization is valid until March 14, 2026

3) Obtain the Nationwide Permit 27 Fact Sheet that fully describes the Nationwide Permit 27 and lists the General Conditions that must be adhered to for this authorization to remain valid. Adhere to the General Conditions.

C. Section 404 CWA Nationwide Permit 33 Description. Obtain authorization for the temporary features of this project (e.g. work bridges, work pads, cofferdams, diversions, etc.) under US Army Corps of Engineers Nationwide Permit 33 – Temporary Construction, Access, and Dewatering.

1) Acquire an additional Section 404 Permit and 401 Certification authorization for temporary discharges that are:

a) Located within 100 feet of the water source in natural spring areas;

b) Within the boundaries of any Tribal Reservation or Tribal trust lands;

c) Within the following waterways and their impoundments: Kootenai River, Missouri River, Yellowstone River, Bitterroot River, Clark Fork River (tributary to the Columbia River), Flathead River, Flathead Lake, and Milk River; or,

d) Within Special River Management Zone of the Upper Yellowstone River.

Prepare and submit a joint application in accordance with Section 208.03.3. MDT is not responsible for delays caused by incomplete or inaccurate submittals by the Contractor.

2) For all other temporary discharges, submit a written description to the Project Manager detailing the temporary facilities planned for the project, along with the associated restoration plan. Allow 5 working days for the Project Manager to review the plan and confirm CWA 404 pre-construction notification is not required. For temporary discharges authorized under Nationwide Permit 33 without pre-construction notification, the authorization is valid until March 14, 2026.

3) Obtain the Nationwide Permit 33 Fact Sheet that fully describes the Nationwide Permit 33 and lists the General Conditions that must be adhered to for this authorization to remain valid. Adhere to the General Conditions.

D. CWA Section 404 Regional Conditions. Obtain the 2021 Nationwide Permits Regional Conditions, Omaha District, State of Montana, Effective February 25, 2022, that also apply to this project and must be adhered to for these authorizations to remain valid. Adhere to the Regional Conditions, including but not limited to the following:

1) Temporary fills in wetlands must be placed on a horizontal marker layer, such as fabric or certified weed-free straw, to delineate the pre-project ground elevation and facilitate complete fill removal and site restoration.

E. All erosion control blanket or fabric used in or adjacent to waters of the United States must be comprised of degradable material to ensure decomposition. Do not use material

that includes stabilized netting or stabilized open mesh, as these products take a long time to degrade, and they can trap small animals, birds, amphibians and fish. This prohibition also applies to mesh materials used for wattles, rolled materials, and bank wraps. Erosion control blanket or fabrics that break down within 24 months are acceptable. Non- degradable blankets or fabric may be allowed on a case-specific basis if it will be buried beneath riprap or structures and it is not likely to be exposed. Non-degradable blanket or fabric that becomes exposed within waters of the United States must be removed.

F. CWA Section 401 Water Quality Certification is granted for Nationwide Permit 27 by the Confederated Salish and Kootenai Tribes (CSKT), provided that certain general and special conditions are met.

1) Obtain the water quality certification requirements issued by CSKT on December 11, 2020. Adhere to those general and special conditions, including but not limited to the following.

a) Obtain all other permits, licenses, and certifications that may be required by federal, state, or tribal authorities. Primary relevant tribal permit will be ALCO and/or SPO permit (Ordinance 64a or 87a). Others may apply. It is the applicant's responsibility to know the tribal and local ordinances and complete all necessary permissions before commencing work.

(1) The CSKT Shoreline Protection Office determined that this wetland mitigation project was not a project in accordance with the 87A tribal ordinance on March 21, 2019.

b) Copies of the CWA 401 Water Quality Certification should be kept on the job site and readily available for reference.

c) CSKT and US Environmental Protection Agency (EPA) representatives may inspect the authorized activity to determine compliance with the terms and conditions of the permit.

d) All equipment used in waters of the U.S. must be inspected for fluid leaks and invasive species prior to use on a project. All fluid leaks shall be repaired and cleaned prior to use of when discovered, or if the fluid leak cannot be repaired, the equipment shall not be used on site. All equipment is to be inspected and cleaned before and after use to minimize the spread or introduction of invasive or undesirable species.

e) Adhere to the notification requirement of the 401 Water Quality Certification. Notify the CSKT prior to commencing work on the project. Contact CSKT at (406) 675-2700 extension 7203 or extension 7360. Provide confirmation of this notification to the Engineering Project Manager. Notification shall include at minimum the following information:

(1) Project location (Lat., Long.; exact point on map);

(2) NWP that will be used and the specific activity that will be authorized under the NWP;

(3) Amount of permanent and temporary fills;

(4) A short summary of the proposed activity, and all other federal, state, tribal or local permits or licenses required for the project;

(5) complete contact information of both the applicant and contractor (name, name of the company or property if applicable, telephone, mobile, and email);

(6) Summary of BMPs that will be used; and

(7) A summary of communications with CSKT water quality staff, including any concerns or issues.

(8) Notify CSKT and EPA at least 7 days before the completion of construction and operations begin.

f) Except as specified in the application, no debris, silt, sand, cement, concrete, oil or petroleum, organic material, or other construction related materials or wastes shall be allowed to enter into or be stored where it may enter into waters of the U.S.

g) Silt fences, straw wattles, and other techniques shall be employed as appropriate to protect waters of the U.S. from sedimentation and other pollutants.

G. Copies of the 2021 Nationwide Permit Fact Sheets for Nationwide Permits 27 and 33, the 2021 Nationwide Permit Regional Conditions for the State of Montana, and CSKT's 401 Water Quality Certification Requirements for the 2021 Nationwide Permits are available upon request from Environmental Services or on the web at http://www.mdt.mt.gov/business/contracting/environmental/cwa.shtml .

Coordinate with the engineering project manager if you have questions regarding this authorization. Proposed changes to the permanent structures should be directed to the project manager for coordination with the District Project Development Engineer in the Environmental Services Bureau. Temporary facility permitting and/or general permit questions should be directed to the project manager for coordination with the District Environmental Engineering Specialist.

27. GRIZZLY BEAR – ENDANGERED SPECIES ACT

A. Description. This project is located within grizzly bear habitat. Comply with this provision to minimize impacts to the grizzly bear, which is a federally listed species under the Endangered Species Act.

B. Requirements.

1) Follow the requirements of Subsection 208.03.4(E) for all project activities.

2) Notify the Project Manager of any animal carcasses found in the area. The Project Manager will contact MDT Maintenance to promptly remove and dispose of carcasses.

3) Notify the Project Manager of any bears observed in the vicinity of the project. The Project Manager will promptly inform the MDT District Biologist at of bear observations.

4) Conduct project-related activities outside of construction limits in accordance with the measures above and Subsection 208.03.4(E).

C. Method of Measurement and Basis of Payment. Requirements in this provision are not measured for payment.

28. DESIGN CHANGES

If the Contractor or Project Manager propose an alteration to the existing wetland project design during construction, the Project Manager is required to coordinate with the MDT Environmental Services Bureau and designated MDT Wetland Mitigation Specialist - Lawrence Urban (406-444-6224) prior to the start of work related to design changes. MDT may coordinate with both the USACE and CSKT as it relates to wetland credits and permitted design work.

29. TEMPORARY ROUTE CONSTRUCTION

A. Description. This work is the construction, maintenance, and reclamation of a temporary access road to project work areas. Use permitted temporary wetland impact locations as necessary to access construction locations. Additional impacts to wetlands beyond those shown in the plans are the responsibility of the contractor.

B. Construction Requirements. Submit an access plan to the Project Manager for approval 14 calendar days prior to construction. Develop temporary access routes for access to project work areas. Restore the access routes and all appurtenances to original or better condition upon completion of the work. Scarify compacted wetland soils and revegetate impacted areas.

C. Basis of Payment. All costs associated with this provision and its requirements are incidental to and included in payment for other items of work.

30. SITE PREPARATION

A. Description. This work consists of clearing, grubbing and preparing the project site and stockpile location prior to construction activities.

B. General. The project site refers to the entire 60-acre property. Limit clearing of vegetation to the staked construction limits of the project site.

C. Construction Requirements. The site preparation work required for the project site and stockpile location includes removal and disposal of all stone, rubbish, and other surface litter from the project site. See Remove Debris special provision for removal of non-vegetative debris.

D. Method of Measurement and Basis of Payment. Site preparation is not measured for payment. Include the cost in the unit bid price for Unclassified Excavation.

31. REMOVE DEBRIS

A. Description. The work of this section supplements the Standard Specification Section 202, Removal of Structures and Obstructions with the following:

B. Construction. Remove and legally dispose of all non-vegetative debris from the construction site including trash, tires, machined wood, cans, posts, discarded fencing, metal drums and other debris. Do not incorporate debris into fill material.

C. Method of Measurement and Basis of Payment. Removal of debris at the locations identified in the plans will be paid under the lump sum bid item for Remove Debris.

32. ABANDON EXISTING MONITOR WELLS

A. Description. Abandon and replace three (3) groundwater monitoring wells. Wells to be abandoned and replaced are shown on the plans. Final locations of these wells will be determined by MDT. Do not disturb other monitoring wells adjacent to the project without first contacting the Project Manager.

B. Construction Requirements. Abandon wells in accordance with ARM 36.21.810, ARM 36.21.670, and the definitions contained in ARM 36.21.634.

Abandon and Replace. The Contractor is responsible for all costs associated with abandonment and replacement of monitoring wells. Replacement wells must be drilled and installed in the same approximate location as the abandoned well. Replacement wells must be installed by a licensed well contractor to a depth of 12 feet (bgs) using 2-inch ID schedule 40 PVC pipe. Abandon and replace three (3) groundwater monitoring wells identified in the plans. MDT will identify the new locations for these wells during construction. Replacement well installation must occur prior to winter shutdown.

C. Measurement and Payment. Abandon and replace existing monitoring wells are measured and paid on a per each basis at the unit price for Abandon Well.

33. TOPSOIL SALVAGING AND PLACING

A. Description. This task includes salvaging and replacing topsoil from the areas indicated in the Plans.

B. Construction Requirements. Salvage suitable wetland topsoil to a minimum depth of 6 inches from the areas indicated in the Topsoil Salvaging detail prior to excavation. Depending on location, silt fence may be required to prevent surface sediment erosion. See Temporary Erosion and Sediment Control-Lump Sum in the supplemental Specifications.

Upon completion of site grading, haul and place salvaged topsoil to an approximate 6-inch thickness, at a minimum, in all Wetland Cells prior to seeding. Create a roughened, unfinished surface.

C. Method of Measurement and Basis of Payment. Topsoil Salvaging and Placing will be paid under the bid item for Topsoil Salvaging and Placing per subsection 203.04.5.

34. EXCESS EXCAVATION

A. Description. This project will generate excess material to be disposed of off-site.

B. Construction Requirements. Dispose of all excess excavation materials in a legal manner off-site.

C. Method of Measurement and Basis of Payment. Disposing of excess excavation is included in the unit price for Unclassified Excavation measured with Subsection 203.04.1.

35. CONTROL OF SURFACE AND SUBSURFACE WATER

A. Description. The contractor is responsible for control of surface water, subsurface water, and drainage during the construction period. Irrigation water will be diverted at the head gate at MDT's direction during construction activities. All temporary fills, crossings, and culverts necessary to promote drainage during construction will be installed and removed at the Contractor's expense prior to acceptance of the work. Any claims arising from damages as a result of the construction or failure of these temporary works will be the Contractor's responsibility. It is the responsibility of the Contractor to control the surface and sub-surface water and drainage in any excavation area, dewatering placement area and material stockpile area. Should construction activities encounter groundwater or inadequate drainage, the Contractor may be directed by the Project Manager to construct drainage facilities or develop a de-watering plan at the Contractor's expense.

B. Basis of payment. Dewatering or the control and drainage of surface/sub-surface water is included in the unit price for Dewatering as a lump sum.

36. IRRIGATION STRUCTURE

A. Description. Provide and install a prefabricated 60-degree V flume capable of measuring flows up to 600 gallons per minute (1.34 cfs).

B. Materials. Furnish a flume manufactured of fiberglass reinforced plastic, of one-piece construction, and with an attached 12-inch diameter stilling well. Include a laminated staff gage that measures in feet and cfs.

C. Construction.

1) Provide prefabricated flume product data to Project Manager for approval 28 calendar days prior to purchasing materials.

2) Provide prefabricated flume shop drawings and installation procedure to Project Manager for approval 14 calendar days prior to installation. Install flume in accordance with the manufacturer's recommendations.

3) Install the flume centered within the concrete structure to the elevations and location shown in the drawings and level from side-to-side and front-to-back.

4) Brace the flume internally and restrain per the manufacturer's recommendations to maintain the intended position during installation.

5) Grout the flume into position using non-shrink grout.

D. Method of Measurement. Irrigation Structure is measured as a lump sum.

E. Basis of Payment. Payment for the completed and accepted quantities is made under the following:

Pay Item	Pay Unit
Irrigation Structure	Lump Sum

Payment at the contract unit price is full compensation for all resources necessary to complete the item of work under the contract.

37. FENCE REMOVAL AND DISPOSAL

A. Description. Remove and dispose of all existing fence as shown in the plans that are located on MDT property within the interior of the site and around the perimeter as shown in the plans. Existing fence on the west side of the property was recently installed and is to remain in place.

B. Construction Requirements. Remove fence at the locations indicated in the plans and terminate adjacent parcel fencing at the intersection with the new wildlife friendly fence. Construction agreements have been secured with neighboring landowners to provide for fence and panel installation. All posts and wiring, fencing appurtenances, including downed fencing,

must be completely removed. Avoid damaging existing wetlands to remove the existing fence. Dispose of all existing fence materials off-site. Coordinate with adjoining property owners/lessees to ensure livestock do not enter the property during fence removal and construction.

C. Measurement and Payment. Removal of the existing fence is measured and paid under Subsections 607.04.7 and 607.05. Disposal of existing fence in excess of lineal feet of new fence is included in the unit bid price for Remove Fence per linear feet. Disposal of existing fence equal to that of lineal feet of new fence is considered incidental to the work described above and is not measured or paid separately.

38. CLASS GENERAL CONCRETE [551] (ADDED 11-16-23)

The Project Manager may allow “cast in place” placement of Class General Concrete without a formal mix design for items not related to sidewalks, curbs, or gutters. Submit a batch proportioning sheet meeting the requirements for Class General Concrete in accordance with Table 551-2 three calendar days prior to placement. Include all material in the mixture on a cubic yard basis. Class General Concrete will be tested and accepted in accordance with MT 601.

39. REVEGETATION

A. Description. All disturbed areas associated with the completion of this project are to be seeded as specified below; including any and all access routes.

B. Materials. Use the following seed mixture and rates.

1) Use the following seed reclamation mixture and rates for all newly constructed wetlands. Use substitute species only if the recommended species are unavailable and substitutions are approved by the MDT Reclamation Specialist – Darcy Goodson (406-444-7657) in the Environmental Services Bureau.

Wetland Seed Mixture – Wetland			
Scientific Name	Common Name	Variety	Pounds PLS/ acre
Calamagrostis canadensis	Bluejoint reedgrass	Sourdough	1.0
Deschampsia cespitosa	Tufted hairgrass	Peru Creek or Nortran	1.0
Elymus glaucus	Blue wildrye	Elkton	6.0
Glyceria striata	Fowl mannagrass	VNS	2.0
Carex aquatilis	Water sedge	VNS	1.0
Carex pellia	Wooly sedge	VNS	1.0
Carex nebrascensis	Nebraska sedge	VNS	1.0
Camassia quamash	Small camas	NVS	3.0
Juncus ensifolius	Dagger- leaf rush	VNS	0.25
Juncus torreyi	Torrey’s rush	VNS	0.25
		GRAND TOTAL	16.5

2) Use the following seed mixture and rates for all remaining disturbed areas not eligible for seeding with the wetland seed reclamation mixture and all upland areas. Use substitute species only if the recommended species are unavailable and substitutions are approved by the MDT Reclamation Specialist – Darcy Goodson (406-444-7657) in the Environmental Services Bureau.

Wetland Seed Mixture – Upland			
Scientific Name	Common Name	Variety	Pounds PLS/ acre
Elymus Trachycaulus	Slender wheatgrass	Pryor	2.0
Elymus glaucus	Blue wildrye	Elkton	6.0
Elymus lanceolatus	Thickspike wheatgrass	Critana	5.0
Nassella viridula	Green needlegrass	Lodorm	2.0
Elymus canadensis	Canada Wildrye	VNS	5.0
Festuca campestris	Rough Fescue	VNS	2.0
Cleome serrulata	Rocky Mtn Beeplant	VNS	3.0
Ratibida columnifera	Prairie Coneflower	Stillwater	0.5
Gaillardia aristata	Blanketflower	Meriwether	1.0
Asclepias spp.	*Showy or Common Milkweed	VNS	2.0
		GRAND TOTAL	28.5

*Use separate seed box for drill seeding Milkweed

C. Construction Requirements.

1) Provide seed mixture submittals for approval by the EPM.

2) Complete final grading and topsoil replacement to plan specifications.

3) Complete seeding immediately following excavation of wetland cells or, completion of ditch blocks, or final topsoil placement regardless of time of year. Seeding of the site must be completed prior to December 1st. This is to prevent weeds from becoming established prior to seeding.

4) Broadcast seed the Wetland Seeding – Wetland areas with equipment capable of accurate distribution of the seed mix.

5) Drill seed the Upland buffer areas in accordance with Subsection 610 with the Wetland Seed Mixture – Upland.

6) Scarify the seeded area immediately following seeding with a chain or spike-tooth harrow. It is recommended that the contractor use an ATV to conduct this task. The Project Manager may waive scarification if the ground is inundated or too saturated for operation of the ATV.

7) Refer to Subsection 713.08 for more information.

D. Measurement and Basis of Payment. Payment will be made separately as Wetland Seeding – Wetland and Wetland Seeding – Upland in acres.

END OF SECTION I

MDT NONDISCRIMINATION AND DISABILITY ACCOMMODATION NOTICE

Montana Department of Transportation ("MDT") is committed to conducting all of its business in an environment free from discrimination, harassment, and retaliation. In accordance with Federal law, MDT prohibits any and all discrimination and protections are all inclusive (hereafter "protected classes") by its employees or anyone with whom MDT does business:

Federal protected classes

Race, color, national origin, sex, sexual orientation,
gender identity, age, disability, income-level & Limited English Proficiency

For the duration of this contract/agreement, the PARTY agrees as follows:

(1) Compliance with Regulations: The PARTY (hereinafter includes consultant) will comply with all Acts and Regulations of the United States relative to Non- Discrimination in Federally and State-assisted programs of the U.S. Department of Transportation and the State of Montana, as they may be amended from time to time, which are herein incorporated by reference and made a part of this contract.

(2) Non-discrimination:

a. The PARTY, with regard to the work performed by it during the contract, will not discriminate, directly or indirectly, on the grounds of any of the protected classes in the selection and retention of subcontractors, including procurements of materials and leases of equipment, employment, and all other activities being performed under this contract/agreement.
b. The PARTY will provide notice to its employees and the members of the public that it serves that will include the following:
    i. A statement that the PARTY does not discriminate on the grounds of any protected classes.
    ii. A statement that the PARTY will provide employees and members of the public that it serves with reasonable accommodations for any known disability, upon request, pursuant to the Americans with Disabilities Act as Amended (ADA).
    iii. Contact information for the PARTY's representative tasked with handling non-discrimination complaints and providing reasonable accommodations under the ADA.
    iv. Information on how to request information in alternative accessible formats.

(3) Participation by Disadvantaged Business Enterprises (DBEs):

a. If the PARTY receives federal financial assistance as part of this contract/agreement, the PARTY will make all reasonable efforts to utilize DBE firms certified by MDT for its subcontracting services. The list of all currently certified DBE firms is located on the MDT website at mdt.mt.gov/business/contracting/civil/dbe.shtml

b. By signing this agreement, the PARTY assures MDT that:
The contractor, sub recipient or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR part 26 in the award and administration of DOT-assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the recipient deems appropriate.

c. The PARTY must include the above assurance in each contract/agreement the PARTY enters.

(4) Solicitation for Subcontracts, Including Procurement of Materials and Equipment: In all solicitations, either by competitive bidding, or negotiation, made by the PARTY for work to be performed under a subcontract, including procurements of materials, or leases of equipment, each potential subcontractor or supplier will be notified by the PARTY of the PARTY's obligation under this contract/agreement and all Acts and Regulations of the United States related to Non-Discrimination.

(5) Information and Reports: The PARTY will provide all information and reports required by the Acts, Regulations, and directives issued pursuant thereto and will permit access to its books, records, accounts, other sources of information and its facilities as may be determined by MDT or relevant US DOT Administration to be pertinent to ascertain compliance with such Acts, Regulations, and instructions. Where any information required of a contractor is in the exclusive possession of another who fails or refuses to furnish the information, the PARTY will so certify to MDT or relevant US DOT Administration, as appropriate, and will set forth what efforts it has made to obtain the information.

(6) Sanctions for Noncompliance: In the event of a PARTY's noncompliance with the Non-discrimination provisions of this contract/agreement, MDT will impose such sanctions as it or the relevant US DOT Administration may determine to be appropriate, including, but not limited to:

a. Withholding payments to the PARTY under the contract/agreement until the PARTY complies; and/or
b. Cancelling, terminating, or suspending the contract/agreement, in whole or in part.

(7) Pertinent Non-Discrimination Authorities: During the performance of this contract/agreement, the PARTY, for itself, its assignees, and successor in interest, agrees to comply with the following non-discrimination statutes and authorities; including but not limited to:

- Title VI of the Civil Rights Act of 1964 (42 U.S.C. § 2000d *et seq.*, 78 stat. 252), (prohibits discrimination on the basis of race, color, national origin); and 49 CFR Part 21;

- The Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970, (42 U.S.C. § 4601), (prohibits unfair treatment of persons displaced or whose property has been acquired because of Federal or Federal-aid programs and projects);

- Federal-Aid Highway Act of 1973, (23 U.S.C. § 324 *et seq.*), (prohibits discrimination on the basis of sex);

- Section 504 of the Rehabilitation Act of 1973, (29 U.S.C. § 794 *et seq.*), as amended, (prohibits discrimination on the basis of disability); and 49 CFR Part 27;

- The Age Discrimination Act of 1975, as amended, (42 U.S.C. § 6101 *et seq.*), (prohibits discrimination on the basis of age);

- Airport and Airways Improvement Act of 1982, (49 U.S.C. § 471, Section 47123), as amended, (prohibits discrimination based on race, creed, color, national origin, or sex);

- The Civil Rights Restoration Act of 1987, (PL 100-209), (broadened the scope, coverage, and applicability of Title VI of the Civil Rights Act of 1964, The Age Discrimination Act of 1975, and Section 504 of the Rehabilitation Act of 1973, by expanding the definition of the terms "programs or activities" to include all of the programs or activities of the Federal-aid recipients, sub-recipients, and contractors, whether such programs or activities are Federally funded or not);

- Titles II and III of the Americans with Disabilities Act, which prohibits discrimination on the basis of disability in the operation of public entities, public and private transportation systems, places of public accommodation, and certain testing entities (42 U.S.C. §§ 12131-12189) as implemented by Department of Transportation regulations at 49 CFR parts 37 and 38;

- The Federal Aviation Administration's Non-Discrimination statute (49 U.S.C. § 47123) (prohibits discrimination on the basis of race, color, national origin, and sex);

- Executive Order 12898, Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations, which prevents discrimination against minority populations by discouraging programs, policies, and activities with disproportionately high and adverse human health or environmental effects on minority and low-income populations;

- Executive Order 13166, Improving Access to Services for Persons with Limited English Proficiency, and resulting agency guidance, national origin discrimination includes discrimination because of Limited English Proficiency (LEP). To ensure compliance with Title VI, you must take reasonable steps to ensure that LEP persons have meaningful access to your programs (70 Fed. Reg. at 74087 to 74100);

- Title IX of the Education Amendments of 1972, as amended, which prohibits you from discriminating because of sex in education programs or activities (20 U.S.C. § 1681 *et seq.*).

- Executive Order 13672 prohibits discrimination in the civilian federal workforce on the basis of gender identity and in hiring by federal contractors on the basis of both sexual orientation and gender identity.


(8) Incorporation of Provisions: The PARTY will include the provisions of paragraph one through seven in every subcontract, including procurements of materials and leases of equipment, unless exempt by the Acts, the Regulations and/or directives issued pursuant thereto. The PARTY will take action with respect to any subcontract or procurement as MDT or the relevant US DOT Administration may direct as a means of enforcing such provisions including sanctions for noncompliance. Provided, that if the PARTY becomes involved in, or is threatened with litigation by a subcontractor, or supplier because of such direction, the PARTY may request MDT to enter into any litigation to protect the interests of MDT. In addition, the PARTY may request the United States to enter into the litigation to protect the interests of the United States.

WATERSHED #3 - JOHNSON WETLAND MITIGATION
STPX 24(56)
AQUATIC RESOURCES MITIGATION
CONTROL NUMBER 8583000
PROJECT LOCATION QUAD MAP - LAKE COUNTY

MONTANA DEPARTMENT OF TRANSPORTATION

N

0 500 1,000 2,000
Feet



AWARD COPY


WATERSHED #3 - JOHNSON WETLAND MITIGATION
STPX 24(56)
AQUATIC RESOURCES MITIGATION
CONTROL NUMBER 8583000
PROJECT LOCATION STATE MAP - MONTANA

MONTANA MDT DEPARTMENT OF TRANSPORTATION

N

0 15 30 60
Miles

SECTION II



AWARD COPY

RECEIVED
MONTANA DEPARTMENT
JUN - 1 2020
OF TRANSPORTATION
LEGAL SERVICES

MEMORANDUM OF UNDERSTANDING

BETWEEN

THE MONTANA DEPARTMENT OF TRANSPORTATION

AND

THE CONFEDERATED SALISH AND KOOTENAI TRIBES OF THE FLATHEAD RESERVATION

This Agreement is entered into by and between the Montana Department of Transportation ("MDT") and the Confederated Salish and Kootenai Tribes of the Flathead Reservation ("Tribes") (collectively referred to herein as the ("Parties")).

I. Parties

MDT is an executive state agency with responsibility for federal-aid and state highways located within the State of Montana.

The Tribes are a federally-recognized Indian tribal government residing on the Flathead Indian Reservation ("Reservation").

II. Statement of Intent

The intent of this Agreement is to continue the cooperative relationship existing between MDT and the Tribes, carrying forward and building upon the principles and commitments set forth in the 2000 Memorandum of Agreement between the Tribes, MDT, and the Federal Highway Administration. This Agreement is intended to govern all MDT construction, maintenance, facilities, and architectural and engineering projects on the Reservation.

The Parties intend to negotiate and execute Project Specific Agreements ("PSA") to govern specific requirements of individual projects, provided, however, that anything contained in a PSA that is inconsistent with or in conflict with this MOU will be interpreted so as to be consistent with this MOU. The Tribes agree to promptly review the proposed PSAs and sign all approved PSAs within thirty days from receipt.

III. Government to Government Relationship

The Tribes recognize the State of Montana as a sovereign power. Out of deference and respect for the State of Montana, the Tribes will honor and give effect to those laws of the

state that are consistent with federal law and that are respectful of the rights of the Tribes and Tribal members.

The Tribes recognize that MDT is the custodian of the federal-aid and state highways with a duty to plan, develop, operate, maintain and protect these highways and appurtenant structures for present as well as future use. The Tribes further recognize that adequate and integrated systems of highways, roads, and streets are essential to the general welfare of the state and are necessary for the preservation of the public peace, health, and safety and as a contribution to the national defense.

MDT, as a state executive agency, recognizes the Tribes as a sovereign power. Out of deference and respect for the Tribes, MDT will honor and give effect to those laws of the Tribes that are consistent with federal law and that are respectful of the rights of the State, its citizens, and other persons who are under the protection of its laws.

MDT recognizes that the Reservation is a perpetual homeland that the Tribes reserved for themselves pursuant to the terms of the Hellgate Treaty, with the objective of securing for themselves and future generations the health, well-being, and cultural survival of the Salish, Pend d'Oreille, and Kootenai people. MDT also recognizes that the Tribes reserved the right in common with the citizens of the United States to travel upon all public highways pursuant to the terms of the Hellgate Treaty. MDT further recognizes and will honor the unique culture of the Tribes.

MDT and the Tribes will work in a government-to-government relationship and hereby pledge to work diligently and cooperatively, to the extent their governmental resources allow, to facilitate the planning, development, operations, maintenance and protection of federal-aid and state highway projects on the Reservation. Additionally, MDT and the Tribes recognize the trust responsibility to the tribes of the U.S. Department of Transportation and the Federal Highway Administration, and these agencies' legal requirement to protect the well-being of the Tribes.

MDT and the Tribes recognize that a wide range of options are available in transportation design that will provide safe roadways, efficient traffic flow, and that will have minimal environmental impacts, and that differing designs may have disparate impacts on the communities, environment, and cultural resources of the Flathead Reservation, as well as the long-term sovereignty of the Tribes. MDT and the Tribes therefore commit to continuing to seek innovative approaches to transportation that will best meet and protect all of these concerns.

MDT will consult and coordinate with the Tribal Council on all MDT projects being planned, developed, and/or constructed on the Reservation.

The Tribes will diligently review and respond to MDT proposals for MDT projects being planned, developed, and/or constructed on the Reservation.

MDT and the Tribes will each make diligent inquiry toward identifying potential conflicts

between the laws of the State of Montana and of the Tribes that are relevant to this Agreement, and in the event that such conflicts are identified, MDT and the Tribes pledge to work together toward resolving them. Tribal Ordinances in effect at the time of the execution of a PSA for a particular project and shown at that project's pre-bid conference will apply to that project until its completion.

IV. Specific Issues

A. Scoping I Project Nomination

MDT will notify the Tribes of all projects contemplated for implementation on the Reservation and invite the Tribes' comment and/or participation in determining whether or not to nominate a contemplated project for placement on MDT's five-year schedule of projects. MDT will periodically, but not less than once every six months, provide to the Tribes an updated five- year schedule and status report for MDT's projects on the Reservation.

B. Survey / Data Gathering / Environmental / Design

1. In order to clearly define the location and scope of a project, the Parties agree to cooperate in providing MDT with access to Tribal parcels for purposes of preliminary inspection and survey in conformance with the requirements of 25 CFR § 169.101. The Tribes hereby waive the requirement that MDT submit a damage deposit and MDT agrees to indemnify the Tribes, as is allowed under 25 CFR§ 169.103. MDT hereby agrees to pay damages promptly when they are sustained as a result of MDT's inspection and survey actions.

2. In an effort to keep one another fully informed, each party, upon request of the other party, will provide the public record information in their respective possession that is pertinent to a proposed project to the requesting party, to the extent administrative resources allow.

3. MDT and the Tribes will establish a Technical Design Committee ("TDC"). The TDC will consist of one permanent representative each from MDT, the Tribes, and the U.S. Department of Transportation/Federal Highway Administration (FHWA)(invited). The TDC may invite additional duly authorized representatives of other government agencies to join the TDC temporarily for oversight of an individual MDT project when that MDT project will have direct physical impacts on the jurisdictional property of a temporary representative' s agency.

The TDC's purpose is to oversee all preconstruction activities for all MDT Reservation projects, including maintenance and safety projects, so as to develop alternatives for environmental review, select a preferred alternative for design, and to facilitate the production by MDT of technical plans for construction of the selected preferred alternative. The TDC will meet on an as-needed basis and will render decisions by consensus. In the event that the TDC cannot reach consensus on a design issue, then within ten days of

impasse: (a) the MDT representative will report the issue to the MDT Director; (b) the Tribal representative will report the issue to the Tribal Council; and (c) each other governmental representative will report the issue to her/his respective agency's decision-maker with authority over the issue. The MDT Director, the Tribal Council, and the decision-maker for any other represented governmental agency, or their respective delegees, will then arrange to meet as soon as reasonably possible to review the issue and seek resolution. MDT and Tribes may mutually identify a third party to arrange and chair meetings, and to provide meeting documentation.

4. MDT and the Tribes will work cooperatively toward analyzing the environmental impacts related to a project as required by the National Environmental Policy Act ("NEPA") and by the Montana Environmental Policy Act ("MEPA"). In achieving such cooperative analysis, the Tribes will provide a representative to participate on NEPA\MEPA interdisciplinary teams who will represent the Tribes in all NEPA/MEPA related meetings and processes.

5. Within the NEPA/MEPA process, the Parties will exercise due diligence to develop one mutually acceptable preferred alternative for a project.

6. Within the NEPA/MEPA process, the Parties will jointly consult with the lead Federal Agency, plus U.S. Fish and Wildlife Service regarding issues related to the Endangered Species Act, and with the U.S. Army Corps of Engineers and U.S. Environmental Protection Agency regarding issues related to the Clean Water Act.

C. Permitting

1. Construction Water Use

a. For any project that MDT is constructing on the Reservation, MDT and the Tribes will consult to identify and select the source and location for temporary withdrawal of water for construction purposes.

b. When selecting potential sources and locations for temporary withdrawal of water for construction purposes, the Parties will identify multiple sites and consider:

i. whether water is available;

ii. whether there is access to the withdrawal site;

iii. the impact that the project's proposed withdrawal and use will have on other water users;

iv. the impact that the project's proposed withdrawal and use will have on the environment; and

v. the practicality and cost effectiveness of using that withdrawal source and location for fulfilling the project's construction purposes.

c. When selecting a source and location for temporary withdrawal of water for construction purposes, the Parties will favor sources and locations which:

i. avoid and minimize impacts to other water users and to the environment;

ii. are most practical and cost effective for fulfilling MDT's construction purposes; and

iii. to the extent known by Parties, are not objected to by local water users.

d. The Parties will establish the multiple sources and locations for temporary withdrawal of water for construction purposes for any MDT project on the Reservation, and any related terms, conditions or limitations on such withdrawal, in the PSA for that project.

2. Cultural/Historic Resource Protection

a. MDT will enter into one or more contracts for purposes of identifying, documenting, protecting, and preserving historic and cultural resources that may be impacted by an MDT Reservation project. Such agreement(s) will be in the form of one or more contracts for services by and between MDT and its selected consultant. MDT' s Missoula District Administrator, or her/his designee, will provide notice and an opportunity to bid on any such contracts to the Tribal Preservation Department.

b. MDT will act in accordance with the Tribes' Cultural Resource Protection Ordinance ("CRPO"), Ordinance No. 95, which, among other obligations, requires a written application to the Tribes' Cultural Preservation Office for any undertaking that may affect cultural resources on lands within the exterior boundaries of the Flathead Reservation.

3. Water Quality: The Tribes will complete review and certification actions required pursuant to § 401 of the Clean Water Act for Reservation portions of MDT construction projects.

4. Aquatic Land Protection: MDT will apply for a permit pursuant to:

a. the Tribal Aquatic Lands Protection Ordinance 87-A for any MDT project that may cause physical alteration of aquatic lands, wetlands, or Reservation waters; and

b. the Tribal Shoreline Protection Ordinance 64A for any MDT project that will require construction or maintenance, on the bed and banks of a Reservation navigable water body below high water mark, of a wharf, dock, pier, breakwater, jetty, groin, bulkhead, marina or other structure.

5. Wetlands: MDT will inventory, delineate and perform functional assessments of wetlands in advance of proposed projects in accordance with current U.S. Army Corps of Engineers' ("COE") manual and functional assessment methods approved by the COE and the Tribes. MDT will disclose the results of the inventory in advance of proposed projects. MDT will work in cooperation with the Tribes to, in order of priority, avoid, minimize, rectify, reduce and compensate for impacts to wetland resources that are directly or indirectly attributable to MOT's Reservation projects. There will be no net loss of wetlands functions and values within the Reservation attributable to MDT's projects. Wetland mitigation projects to compensate for unavoidable impacts to wetlands attributable to MDT's projects will take place on the Reservation, and will be jointly designed by MDT and the Tribes. MDT will strive to mitigate for unavoidable impacts to wetlands in advance of the impact. MDT will notify the Tribes in advance of all meetings of the Interagency Wetlands Review Team where MDT will present information regarding wetlands impacts or wetlands mitigation on the Reservation. Wetland mitigation locations, types, methods and standards will be selected and applied pursuant to the Wetlands

Conservation Plan for the Flathead Indian Reservation, Montana, December 1999; Chapter 7 Wetland Mitigation Guidelines for the Flathead Indian Reservation. The specific wetland mitigation requirements for a project will be established by the Parties in that project's PSA.

D. Right of Way Acquisition / Negotiation Process for Indian/Tribal Trust Lands

1. Conveyance of interests in real property and grants of rights of way between MDT and the Tribes will be done in accordance with:

a. 23 CFR Part 710 (Right of Way and Real Estate)
b. 25 CFR Part 169 (Rights of Way over Indian Land);
c. 49 CFR part 24 (Uniform Relocation Assistance and Real Property Acquisition Regulations for Federally Assisted Programs); and
d. MDT Right of Way Operations Manual.

2. It is the agreed policy of the Parties that the acquisition of any interest or use right in Tribal property by MDT for highway purposes will not result in a significant loss in acreage or a net loss in value by the Tribes. To effectuate this policy, the Parties further agree that the preferred method for compensating the Tribes for acquisition of Tribal property by MDT for highway purposes will be by exchange.

3. Property exchanged will be equal in value and, as closely as reasonably possible, equal in area.

4. Property for exchange will be valued at fair market value. Fair market value will be determined by mutual agreement of the Parties. In the event that the Parties cannot agree on fair market value, then the Parties will agree to have fair market value determined by an appraisal conducted by a licensed professional appraiser that is hired jointly and paid for equally by the Parties.

5. Any individual exchange transaction will be completed within a ten-year period of time, unless such period is extended by mutual written agreement of the Parties.

6. MDT will provide to the Tribes an annually updated list of all properties owned by MDT that are located on the Reservation that are in excess of MDT's present and foreseeable future highway needs and that are available for exchange.

7. The Tribes will provide MDT with a periodically updated statement regarding the Tribes' determination of acceptability and priority of properties on MDT' s excess property list. In the event that there are properties not listed on MDT's excess property list that the Tribes want to acquire and that maybe available for acquisition by MDT, the Tribes will advise MDT of their perception of availability and their relative desire for acquisition.

8. Property will be conveyed by individual exchange agreements or other conveyance

mutually acceptable to the Parties.

E. Construction and Maintenance Projects

1. MDT and the Tribes will enter into a PSA for each MDT construction and maintenance project to be performed on the Reservation. The PSA will be negotiated and executed after completion of final design/scope of work but before completion of final contract for bid. The PSA will address issues and duties specific to that project. Projects performed on the Reservation directly by MDT personnel will be exempt from the requirements of Sections IV (F), (G), (H) and of this MOU.

2. Unless the Parties agree in a PSA that a Pre-Bid Conference is not required, MDT will host a Pre-Bid Conference on the Reservation for each Reservation project. MDT will make attendance at the Pre-Bid Conference a mandatory prerequisite for submission of a bid by a prospective contractor. The Tribes will send representatives to the Pre-Bid Conference, including the Indian Preference Coordinator. At the Pre-Bid Conference:

a. the Tribes' Indian Preference Coordinator will inform MDT and all prospective contractors in attendance of the Tribes' laws, rules and regulations directly related to the administration and performance of an MDT prime contract and any related subcontracts and employment; and

b. MDT and the Tribes will jointly lead a discussion of the unique nature of the project and the specific methods and/or measures for constructing the project that differ from MDT' s usual construction methods and/or measures.

3. MDT may fund Tribal staff positions, with construction engineering funds, when necessary to provide for adequate Tribal participation in construction oversight activities. In the event that the Parties want to provide for such funding, then the Parties will agree to the amount and scope of use of such funding on a project-by-project basis and memorialize that agreement in the PSA for each particular project. Tribal oversight does not relieve MDT of its inspection responsibilities.

4. MDT will host a Pre-Construction Conference on the Reservation for each of its Reservation projects. MDT will make attendance at the Pre-Construction Conference mandatory for the prime contractor and for each major subcontractor. MDT and the Tribes will send representatives to the Pre-Construction Conference, including all of those staff members who are to be identified to the contractor on MDT' s project organizational chart. At the Pre-Construction Conference:

a. MDT will lead a discussion regarding the project and sequence of operations;

b. MDT will have its prime contractor lead a discussion of its intended construction methods, schedule, and other prominent project-related topics; and

c. the Tribes will lead a discussion regarding avoidance and minimization of project-related economic, cultural and environmental impacts.

5. The Tribes will be party to weekly or agreed upon frequency of construction meetings with MDT and its contractors. These construction meetings will identify and discuss future

and ongoing construction related projects and issues.

6. Construction Borrow Materials:

a. MDT and the Tribes will cooperate in identifying highway construction borrow and surface materials sources on the Reservation, particularly those sources that may have potential for long term use by both Parties.

b. MDT will encourage the use of highway construction borrow materials from Tribal and/or Indian allottee sources for a construction project on the Reservation when such materials are:

i. available in a quantity sufficient for the project;

ii. available in a quality that conforms with state and federal specifications for use as highway construction material;

iii. competitively priced relative to other local sources (When determining whether materials are "competitively priced," the Parties will consider all relevant factors, including: availability, quality, quantity, royalty, haul, stripping, production, access, and reclamation.); and

iv. located in borrow sites that are readily accessible by road and are relatively close in proximity to the construction project

c. The specific actions which MDT will undertake to encourage use of Tribal and/or Indian allottee highway construction borrow materials will be established in the project's PSA.

d. Reclamation of impacts attributable to MDT's project at a borrow or mine site will be performed as required by applicable Tribal, federal, and/or state laws and regulations. Upon request by the Tribes, MDT will review a site identified by the Tribes as a potential construction borrow materials source to determine if it is in the public interest to require MDT's construction contractor to use borrow materials from that site as provided pursuant to 23 C.F.R. § 635.407. If MDT, in consultation with FHWA, finds that it is in the public interest to use such a site, then MDT will:

i. require its contractor to use materials from that site; and

ii. jointly, with the Tribes, develop the mining and reclamation plan for the site.

7. To ensure that all projects are finalized in a way that is satisfactory to both parties upon the completion of a construction or maintenance project (including but not limited to site reclamation), a final walk-through will be performed. Within 30 days of the completion of the work, MDT and the Tribe will perform a joint review of the site, documenting any deficiencies on form MDT-CON-105_17_1F.

F. Indian Preference Employment

1. Policy: MDT and the Tribes, by this Section IV(G), jointly seek to facilitate full employment of Indian people on the Reservation by promoting Indian economic self-

sufficiency through the granting of preference to qualified Indian employees whenever consistent with Federal law.

2. TERO Fee:

a. The Tribes will assess an Indian Preference Contracting fee ("TERO fee") against MDT for all MDT highway construction contracts performed on the Reservation in an amount equal to 3% of the contract' s total value. The contract' s total value amount will be calculated to include the 3% Indian preference increment in its sum. For projects that are located only partly on the Reservation, the TERO fee assessment will be pro-rated to be equivalent to the ratio of miles of project within the Reservation to total miles of project. The TERO fee will be assessed and administered by the Tribes in a manner that is consistent with:

i. applicable Tribal law, rules and practices as applied to all other entities; and

ii. applicable Federal regulations and policy.

b. MDT will collect the TERO fee for the Tribes by withholding the fee from each progress and final payment made to its contractor in an incremental amount equal to 3% of each such progress and final payment. MDT will then submit each incremental payment to the Tribes within ten (10) days of payment to the contractor.

3. Indian Preference Employment: MDT and the Tribes will provide for Indian preference employment on MDT projects on the Reservation pursuant to the terms of this MOU.

4. Indian Preference Coordinator: The Tribes will establish and maintain the position of Indian Preference Coordinator whose duties include but are not limited to the following:

a. establish and administer an Indian Preference Hiring Hall;

b. negotiate, administer and enforce employment compliance plans with MDT contractors cooperatively with MDT;

c. monitor employer compliance;

d. recruit, identify and select trainee candidates; and

e. liaison between the Tribal Council, MDT, and MDT contractors on all issues related to Indian preference employment.

5. Hiring Hall: The Indian Preference Coordinator will establish and administer an Indian Preference Hiring Hall as a resource providing referral services for qualified Indian applicants, without regard or restriction to affiliation or membership in a particular tribe, seeking work and contractors/subcontractors seeking qualified Indian employees.

a. Applicants will be recruited, identified and selected by the Indian Preference Coordinator in a manner consistent with this MOU and with Indian preference law, rules, and standard practices. Such law, rules, and practices, for purposes of this MOU, will allow employers to maintain a "core crew" of employees who are exempt from Indian preference employment requirements. For purposes of this MOU "core crew" is defined to include a person who is either in a supervisory position or who has an ownership interest in the firm or another key position such that the employer would risk likely financial damage or loss if the position is not filled with a

demonstrably qualified employee.

b. When qualified Indian applicants are not available, the project contractor and subcontractors may utilize other recruitment sources.

c. Upon receipt of a request for an applicant, the Indian Preference Coordinator will have two working days to locate a qualified Indian applicant and one additional working day to have the selected applicant report to the job site. If the Indian Preference Coordinator determines that no qualified Indian applicants are available prior to the expiration of the two working day search period, then she/he will immediately notify the contractor of such unavailability so that the contractor can utilize other recruitment sources.

d. Employers may not use job qualification criteria or personnel requirements which bar Indians from employment, unless such criteria or requirements are justified by business necessity. Such criteria must be justified in writing to the Indian Preference Coordinator prior to implementation. The Indian Preference Coordinator and the employer will jointly determine whether an employee is qualified for a job craft or skill. The burden of proof will be on the employer in all disputes of minimum qualification standards and on termination of Indian preference employees when the employer determines that the employee is not qualified.

e. Indian preference employees will be given the same schedule opportunities and number of work hours as similarly situated non-Indian employees.

f. In all lay-offs and reductions in force, no Indian preference employee will be terminated when a non-Indian employee in the same job classification is still employed.

6. Compliance Plan: MDT will direct each of its contractors for construction and maintenance projects to be performed on the Reservation to negotiate an Indian Preference Employment Compliance Plan ("Compliance Plan") with the Indian Preference Coordinator. MDT will not authorize any contractor to commence work on a project until the Compliance Plan has been approved by the Indian Preference Coordinator. The Compliance Plan will:

a. be on a form provided by the Indian Preference Coordinator;

b. be submitted by the contractor to the Indian Preference Coordinator for approval not less than ten days before work begins;

c. provide for prime contractor responsibility for compliance in the prime contract and at every tier in associated subcontracts;

d. provide the Indian Preference Coordinator with authority to access the job site for purposes of performing on-site inspections as necessary to determine compliance;

e. identify the reporting protocol that the contractor will follow to document compliance; and

f. stipulate to possible sanctions for non-compliance including:

i. changes in contractor procedures and policies as necessary to become compliant;

ii. suspension of contractor operations until an identified violation is cured; and

iii. other actions as are reasonable and necessary for the purpose of enforcing

the Compliance Plan.

7. Reports: Every contractor and subcontractor having a contract with a value in excess of $25,000 will submit to the Indian Preference Coordinator:

a. project payroll reports (i.e. wages and hours) within one week of payroll disbursement, but whether such reports include any individual's social security number is entirely at the discretion of the contractor;

b. disciplinary action reports regarding Indian preference employees within two working days of taking disciplinary action;

c. promotion reports within two working days of giving any promotion;

d. layoff/RIF notice 24 hours prior to making any layoffs or reductions in force; and

e. trainee reports for Indian trainees on the Project

f. The Indian Preference Coordinator will submit to MDT a report of findings if there are any anomalies, discrepancies, or issues of non-compliance in any of these reports.

8. Non-compliance:

a. When the Indian Preference Coordinator has reason to believe that an employer is out of compliance with the Compliance Plan, then the Indian Preference Coordinator will issue notice of noncompliance to the alleged violator, with a copy to MDT. Such notice will be served on the alleged violator either personally or by registered mail. The notice will state the nature of the alleged violation, identify the type of sanction that the Indian Preference Coordinator may seek for each alleged violation, notify the alleged violator of her/his right to answer, and the potential consequences for failing to answer. The notice will, when possible, suggest measures for cure of the alleged acts of non-compliance including suggested methods and time. The notice will specify the actions to be taken by the Indian Preference Coordinator if the alleged violation is not cured.

b. A contractor who is served a notice of non-compliance will be provided 15 days to answer. The answer may be in either written form or personal contact. The answer will either admit or deny the alleged violations, raise all affirmative defenses, and state whether the contractor will undertake curative measures. If an answer states that a contractor will undertake curative measures specified in the notice, then the contractor will be granted a reasonable amount of time to implement such measures. If curative measures are implemented within a reasonable time and to the satisfaction of the Indian Preference Coordinator, then no further action will be taken.

G. Indian Training

MDT and the Tribes will provide for training opportunities for Indian trainees on MDT projects on the Flathead Reservation. Such opportunities will consist of placement of trainees by MDT with a contractor when such opportunities can be implemented within an MDT contract without creating undue difficulty or unreasonable risk for the contractor. The number and type of such trainee opportunities for a project will be determined pursuant to

negotiations between MDT and the Tribes' Indian Preference Coordinator and specified in that project' s PSA. MDT and the Tribes will identify said training opportunities no less than six (6) months prior to signing of the PSA by both parties.

H. Indian Contracting

MDT will select prime contractors and subcontractors based on applicable federal and state law and not pursuant to Tribal Indian preference rules. MDT and the Indian Preference Coordinator will work together to promote Disadvantaged Business Enterprises ("DBE") contractors for work on or near the Reservation. MDT will utilize DBE contractors on federal-aid construction contracts on or near the Reservation. DBE goals will be established on federal-aid projects on or near the Reservation to reflect the construction capabilities of DBE firms.

I. Access Management

1. MDT will form an exceptions committee to review all requests regarding access to federal-aid and state highways on the Reservation. The exceptions committee will function according to committee bylaws attached hereto as Appendix #1, and at a minimum will:

a. meet as necessary;

b. include three permanent representatives, one each from MDT, the Tribes, and the county in which the access in question is located and may also include duly authorized representatives of other government agencies who are invited by the permanent representatives to join the exceptions committee temporarily for oversight of an individual MDT project when that MDT project will have direct impacts on the jurisdictional property of a temporary representative' s agency; and

c. render recommendations to MDT based on the consensus of the representatives regarding grant of new access or change in existing access.

2. MDT will follow the recommendations of the exceptions committee regarding grant/denial of new access or change in existing access whenever possible and consistent with its authorities and duties for managing and controlling highway access pursuant to state law.

J. Tribal Law & Order / Accident Reports

For purposes of gathering comprehensive safety data, the Tribal Law and Order Department will provide copies of Tribal officers' investigative reports regarding traffic accidents which are under the jurisdiction of the Tribes to the Montana Highway Patrol. These reports may be submitted in forms and at times agreed upon by Tribal Law and Order and the Montana Highway Patrol.

V. Duration / Termination / Renewal

A. This MOU will become effective upon the signature of both of the Parties and will continue in effect for a term of five years unless earlier terminated by the Parties.

B. Either party upon sixty days written notice to the other may terminate this MOU.

C. Approximately six months prior to the expiration of this MOU, the Parties will meet to review this MOU and identify issues of concern. The Parties will then seek to resolve these concerns by good faith negotiation so that mutually acceptable terms and conditions are available to the Parties in the event the Parties want to renew the MOU for an additional five-year term.

VI. Amendments / Severability

A. Any amendment or variance affecting this MOU will only be made in writing with the concurrence of both parties.

B. The Parties agree that if any portion of this MOU is declared invalid or is otherwise determined to be without force or effect, the remainder of this MOU will remain in full force and effect.

VII. Party Contacts

Michael T. Tooley, Director, MDT, or his designee or successor, will be the liaison for MDT. All notices and communications between the Parties with respect to this MOU will be directed to him at the following address:

Michael T. Tooley, Director
Montana Department of Transportation
2701Prospect Avenue
P.O. Box 201001
Helena, Montana 59620-1001

B. Shelly R. Fyant, Chairman, Tribal Council, or his designee or successor, will be the liaison for the Tribes. All notices and communications between the Parties with respect to this MOU will be directed to him at the following address:

Shelly R. Fyant, Chairman
Confederated Salish and Kootenai Tribes
42487 Complex Boulevard P.O. Box 278
Pablo, Montana 59855

VIII. Negative Declaration

Nothing in this MOU or in any conduct undertaken pursuant to it will be deemed as enlarging or diminishing the jurisdiction of either of the respective Parties, or as a waiver of sovereign immunity, or as an admission or liability of any kind.

IX. Signatures

In Witness Whereof, this Memorandum of Understanding is hereby approved and executed on the latest date shown below.

For MDT:

Michael T. Tooley, Director Date 6/1/2020

For the Tribes:

Shelly R. Fyant, Chairwoman Date 18 May 2020

Approved for Legal Content:

Tim Fox, Montana Attorney General Date

Project Specific Agreement between the Confederated Salish and Kootenai Tribes and the Montana Department of Transportation

Project Name: WS 3-Johns Wetland Mitigation, STPX 24(55), UPN 8583000

Project Type: Wetland Mitigation

Project Route: N/A (Refer to Attachment A for Location)

Letting Date: Late 2023

This Project Specific Agreement ("PSA") is entered into as specified in the Memorandum of Understanding ("MOU") dated June 1, 2020, between the Confederated Salish and Kootenai Tribes ("Tribes") and the Montana Department of Transportation ("MDT").

The purpose of this PSA is to describe the specific cooperative efforts the parties will perform and have agreed to in conjunction with the portion of this Project taking place within the boundaries of the Flathead Reservation. Nothing contained in this PSA shall be inconsistent or in conflict with the MOU. If anything is inconsistent, the MOU shall control. In the event the above-specified Project is not awarded, this PSA is null and void and a new PSA will be drafted.

Specific Issues:

A. A pre-bid conference will not be held on this project.

B. A preconstruction meeting for this project will be held prior to the start of the project. Attendance at the preconstruction meeting is mandatory for the prime contractor and for each major subcontractor. The Tribes will be invited to attend the preconstruction meeting.

C. The prime contractor and its subcontractors may obtain construction borrow materials for the Project from any lawful source.

D. An Indian Preference Contracting fee ("IPC fee") of three percent (3.0%) will be assessed against the portion of the contract cost taking place within the boundaries of the Flathead Reservation. MDT will collect the IPC fee for the Tribes by withholding the fee from each progress and final payment made to its contractor in an incremental amount equal to 3% of each such progress and final

payment. MDT will then submit each incremental payment to the Tribes within ten (10) days after having made payment to the contractor.

E. Indian Hiring Requirements

1. Before beginning work on the Flathead Reservation, MDT will require its prime contractor and all subcontractors to each negotiate an Indian Preference Employment Compliance Plan with the Tribal Indian Preference Coordinator in accordance with the MOU and will direct its prime contractor and subcontractors to abide by the Indian Preference laws, rules and procedures required by the MOU.

2. MDT and the Tribes understand and agree that the prime contractor and/or its subcontractors will not employ any trainees on the Project.

F. Water to be used by the contractor for the Project may be obtained by the prime contractor from any lawful source desired by it. There will be no Tribal charges to the contractor for Project water unless the prime contractor negotiates and obtains water from a Tribally owned source.

G. The prime contractor and all its subcontractors will procure all permits required by Tribal regulations before commencing work on the project.

H. The Tribes are aware of the Project's scheduling and support it.

I. The contractor will assist and cooperate with the Tribes and MDT in fulfilling and enforcing the Montana State Weed Law (MCA 7-22). The objectives are to prevent, control and restrict the spread of noxious weeds during construction of the project.

1. Seed rights-of-way or portions thereof devoid of competing vegetation as soon as practical, pursuant to the seeding provisions of Project design specifications. All seed used for this purpose must be certified noxious weed seed free, and records of sources, lots, or batches and evidence of certifications must be provided to the Weed Board on demand.

2. All fill, borrow or gravel sources must be noxious weed free.

3. Obtain organic materials used for surface mulch, erosion control, water barriers, or frost and weather protection of green concrete from noxious weed seed free sources.

4. Clean equipment and trucks before moving from noxious weed infested areas to areas free of noxious weeds.

Tom McDonald, Chairman
Confederated Salish & Kootenai Tribes

Date: 4-25-23

Malcolm "Mack" Long, Director
Montana Department of Transportation

Date: April 28th, 2023

Approved for Legal Content

Legal Services,
Confederated Salish & Kootenai Tribes


Date: 4/6/23

Approved for Legal Content

Legal Services,
Montana Department of Transportation

Date: 4/28/23

Attachment A



Melinda Charlo

From: Abby Dupuis
Sent: Tuesday, April 25, 2023 9:35 AM
To: Melinda Charlo
Subject: council action

Council action of 4/25/2023:

Melinda Charlo, Indian Preference Office, requested approval of a project specific agreement with the Montana Department of Transportation for the WS 3 - Johnson Wetland Mitigation, STPX 24(55), UPN 8583000. The project will be let in late 2023 and completed in 2024.

MOTION by Len TwoTeeth to approve the project specific agreement with the Montana Department of Transportation for the WS 3 - Johnson Wetland Mitigation, STPX 24(55), UPN 8583000. Seconded by Jim Malatare. Carried, unanimous (8 present).

Boring Log Descriptive Terminology

Key to Soil Symbols and Terms

SOIL CLASSIFICATION CHART

MAJOR DIVISIONS			SYMBOLS GRAPH	SYMBOLS LETTER	TYPICAL DESCRIPTIONS
COARSE GRAINED SOILS (MORE THAN 50% OF MATERIAL IS LARGER THAN NO. 200 SIEVE SIZE)	GRAVEL AND GRAVELLY SOILS (MORE THAN 50% OF COARSE FRACTION RETAINED ON NO. 4 SIEVE)	CLEAN GRAVELS (LITTLE OR NO FINES)		GW	Well-graded gravels, gravel sand mixtures, little or no fines.
				GP	Poorly graded gravels, gravel-sand mixtures, little or no fines.
		GRAVELS WITH FINES (APPRECIABLE AMOUNT OF FINES)		GM	Silty gravels, gravel-sand-silt mixtures.
				GC	Clayey gravels, gravel-sand-clay mixtures.
	SAND AND SANDY SOILS (MORE THAN 50% OF COARSE FRACTION PASSING ON NO. 4 SIEVE)	CLEAN SANDS (LITTLE OR NO FINES)		SW	Well-graded sands, gravelly sands, little or no fines.
				SP	Poorly graded sands, gravelly sands, little or no fines.
		SANDS WITH FINES (APPRECIABLE AMOUNT OF FINES)		SM	Silty sands, sand-silt mixtures.
				SC	Clayey sands, sand-clay mixures.
FINE GRAINED SOILS (MORE THAN 50% OF MATERIAL IS SMALLER THAN NO. 200 SIEVE SIZE)	SILTS AND CLAYS	LIQUID LIMIT LESS THAN 50		ML	Inorganic silts and very fine sands, rock flour, silty or clayey fine sands or clayey silts with slight plasticity.
				CL	Inorganic clays of low to medium plasticity, gravelly clays, sandy clays, silty clays, lean clays.
				OL	Organic silts and organic silty clays of low plasticity.
	SILTS AND CLAYS	LIQUID LIMIT GREATER THAN 50		MH	Inorganic silts, micaceous or diatomaceous fine sandy or silty soils, elastic silts.
				CH	Inorganic clays of high plasticity, fat clays.
				OH	Organic clays of medium to high plasticity, organic silts.
HIGHLY ORGANIC SOILS				PT	Peat and other highly organic soils.

NOTE: DUAL SYMBOLS ARE USED TO INDICATE BORDERLINE SOIL CLASSIFICATIONS

Order of Descriptors

- Group Name
- Consistency or Relative Density
- Moisture Condition
- Color
- Particle size descriptor(s) (coarse grained soils only)
- Angularity of coarse grained soils
- Other relevant notes

Criteria For Descriptors

Consistency of Fine Grained Soils

Consistency	N-Value (uncorrected)
Very Soft	< 2
Soft	2 - 4
Medium Stiff	5 - 8
Stiff	9 - 15
Very Stiff	16 - 30
Hard	> 30

Apparent Density of Coarse Grained Soils

Relative Density	N-Value (uncorrected)
Very Loose	< 4
Loose	4 - 10
Medium Dense	11 - 30
Dense	31 - 50
Very Dense	> 50

Moisture Condition

Dry	-Absence of moisture, dusty, dry to the touch.
Moist	-Damp, but no visible water.
Wet	-Visible free water.

Definition of Particle Size Ranges

Soil Component	Size Range
Boulder	> 12 in (300 mm)
Cobble	3 in (75 mm) - 12 in (300 mm)
Gravel	No. 4 Sieve (4.75 mm) to 3 in (75 mm)
Sand	No. 200 (0.075 mm) to No. 4 Sieves (4.75 mm)
Silt	< No. 200 Sieve (0.075 mm)*
Clay	< No. 200 Sieve (0.075 mm)*

*Atterberg limits and chart below to differentiate between silt and clay.


Notes

See Soil Boring Information Special Provision.

SPT (Standard Penetration Test-ASTM D1586):
The number of blows of a 140 lb (63.6 kg) hammer falling 2.5 ft (750 mm) used to drive a 2 in (50 mm) O.D. Split Spoon sampler for a total of 1.5 ft (0.45 m) of penetration.
Written as follows:
first 0.5 ft (0.15 m) - second 0.5 ft (0.15 m) - third 0.5 ft (0.15 m) (ex: 1-3-9)
Note: if the number of blows exceeds 50 before 0.5 ft (0.15 m) of penetration is achieved, the actual penetration rounded to the nearest 0.1 ft (0.03 m) follows the number of blows in parentheses (ex: 12-24-50 (0.09 m), 34-50 (0.4 ft), or 100 (0.3 ft)).WR denotes a zero blow count with the weight of the rods only.
WH denotes a zero blow count with the weight of the rods plus the weight of the hammer.

MC=Moisture Content, LL=Liquid limit, PL=Plastic Limit
-200%=percent soil passing 200 sieve, DD=Dry Density

Soil Classifications are Based on the Unified Soil Classification System, ASTM D2487 and D2488. Also included are the AASHTO group classifications (M145). Descriptions are based on visual observation, except where they have been modified to reflect results of laboratory tests as deemed appropriate.



Angularity of Coarse-Grained Particles

Angular	-Particles have sharp edges and relative plane sides with unpolished surfaces.
Subangular	-Particles are similar to angular description, but have rounded edges.
Subrounded	-Particles have nearly plane sides, but have no edges.
Rounded	-Particles have smoothly curved sides and well-rounded corners and edges.

Example soil description: Sandy FAT CLAY (CH), soft, wet, brown. (A-7)

Boring Log Descriptive Terminology
Key to Rock Symbols and Terms

Rock Type	Symbol	Rock Type	Symbol	Rock Type	Symbol
Argillite		Dolomite		Quartzite	
Basalt		Gneiss		Rhyolite	
Bedrock (other)		Granitic		Sandstone	
Breccia		Limestone		Schist	
Claystone		Siltstone		Shale	
		Conglomerate			

Order of Descriptors

- Rock Type
- Color
- Grain size (if applicable)
- Stratification/Foliation (as applicable)
- Field Hardness
- Other relevant notes

Criteria For Descriptors
Grain Size

Description	Characteristic
Coarse Grained	-Individual grains can be easily distinguished by eye
Fine Grained	-Individual grains can be distinguished with difficulty

Stratum Thickness

Thickly Bedded	3-10 ft (1-3 m)
Medium Bedded	1-3 ft (300 mm - 1 m)
Thinly Bedded	2-12 in (50-300 mm)
Very Thinly Bedded	< 2 in (50 mm)

Rock Field Hardness


Very Soft	-Can be carved with knife. Can be excavated readily with point of rock hammer. Can be scratched readily by fingernail.
Soft	-Can be grooved or gouged readily by knife or point of rock hammer. Can be excavated in fragments from chips to several inches in size by moderate blows of the point of a rock hammer.
Medium	-Can be grooved or gouged 0.05 in (2 mm) deep by firm pressure of knife or rock hammer point. Can be excavated in small chips to pieces about 1 in (25 mm) maximum size by hard blows of the point of a rock hammer.
Moderately hard	-Can be scratched with knife or pick. Gouges or grooves to 0.25 in (6 mm) can be excavated by hard blow of rock hammer. Hand specimen can be detached by moderate blows.
Hard	-Can be scratched with knife or pick only with difficulty. Hard hammer blows required to detach hand specimen.
Very Hard	-Cannot be scratched with knife or sharp rock hammer point. Breaking of hand specimens requires several hard blows of a rock hammer.

Notes:


UCS = Unconfined Compressive Strength obtained from laboratory testing at the given depth.

See Soil Boring Information Special Provision.

Miscellaneous Soil/Rock Symbols and Terms



Concrete



Asphalt



Water


Boulders and Cobbles


Coal


Fill


Millings


Topsoil

Explanation of Text Fields in Boring Logs:

Material Description: Lithologic Description of soil or rock encountered.

Remarks: Comments on drilling, including method, bit type, and problems encountered.
Unless stated on logs as being surveyed by district survey, all locations are considered approximate.

General Notes

- Descriptions on these boring logs apply only at the specific boring, and at the time the borings were made. These logs are not warranted to be representative of subsurface conditions at other locations or times.
- Water level observations apply only at the specific boring, and at the time the borings were made. Due to the variability of groundwater measurements given the type of drilling used, and the stratification of the soil in the boring, these logs are not warranted to be representative of groundwater conditions at other locations or times.
- Other terms may be used as descriptors, as defined by the profession.

-Soil and Rock descriptions are based on visual observation, except where they have been modified to reflect results of laboratory tests as deemed appropriate.

Operation Types: Auger, Casing Advancer, Core Barrel, Drive Casing

Sample Types: Split Spoon, Shelby, Bulk Sample, Grab Sample, Cone Penetrometer, Vane Shear, Special Samplers, Testpit

Example Rock Log

SANDSTONE, gray, fine grained, thickly bedded, hard field hardness.

Page 2 of 2

DOWL HKM


WELL INSTALLATION LOG

Boring 8583000-MW-1

Project: Johnson Wetland	**Rig:** Mobil B60 **Hammer:** Auto	**Boring Location** N 1,141,919.7 ft **Coordinates:** E 830,401.0 ft	**Station:** **Offset:**
Project Number: 4633.11350.01 **UPN:** 8583000	**Boring Diameter:** 8"	**System:** MT S.P. (E) **Datum:** NAD83	**Top of Boring Elevation:** 3112.7 ft
Date Started: 3/18/14 **Date Finished:** 3/18/14	**Drilling Fluid:** None	**Location Source:** Surveyed	**Elevation Source:** Surveyed
Driller: O'Keefe **Logger:** Jim Potts	**Abandonment Method:** N/A	**Township Range and Section:** 18N 20W 25 - B	

Depth (ft) / Elev. (ft)	Operation	Sample Type	Recovery (%)	RQD (%)	Blow Count (N)	Lithology	Material Description	Depth (ft) / Elev. (ft)
							TOPSOIL, Silty CLAY (CL-ML), moist, brown, [A-4].	0.4 *3112*
			73		1 - 2 - 3		Silty CLAY (CL), medium stiff, moist, brown to gray, [A-4].	
2 *3110.7*								2.1 *3111*
			53		1 - 2 - 2		Lean CLAY (CL), soft to medium stiff, moist, tan, [A-7].	
4 *3108.7*								
			73		2 - 4 - 7			
6 *3106.7*								
			20		50/0.3ft			7.3 *3105*
8 *3104.7*							ARGILLITE, gray, fine grained, (Middle Proterozoic Snowslip). Minor fracturing or weathering.	
			13		50/0.2ft		Auger refusal at 9.2'.	9.2 *3104*

Boring Depth: 9.2 ft, *Elevation: 3103.5 ft*



Water Level Observations		Remarks:
After Drilling: 8.3 ft, +0 hrs, Augers In	During Drilling: After Drilling: 7.9 ft, +7 hrs, Casing In	

(7) MDT DRAFT WELL LOG - MDT_REVISED_2009+(CPT_IMPORT).GDT - 9/17/14 14:38 - H:\33\113504.0 DESIGN\MONITORING WELLS\LOGS\JOHNSON WETLAND.GPJ

DOWL HKM

WELL INSTALLATION LOG


Boring 8583000-MW-2

Project: Johnson Wetland	**Rig:** Mobil B60 **Hammer:** Auto	**Boring Location** N 1,142,045.3 ft **Coordinates:** E 830,943.5 ft	**Station:** **Offset:**
Project Number: 4633.11350.01 **UPN:** 8583000	**Boring Diameter:** 8"	**System:** MT S.P. (E) **Datum:** NAD83	**Top of Boring Elevation:** 3079.4 ft
Date Started: 3/18/14 **Date Finished:** 3/18/14	**Drilling Fluid:** None	**Location Source:** Surveyed	**Elevation Source:** Surveyed
Driller: O'Keefe **Logger:** Jim Potts	**Abandonment Method:** N/A	**Township Range and Section:** 18N 20W 25 - B	

Depth (ft) / Elev. (ft)	Operation	Sample Type	Recovery (%)	RQD (%)	Blow Count (N)	Lithology	Material Description	Depth (ft) / Elev. (ft)
							TOPSOIL, Silty CLAY (CL-ML), moist, brown, [A-4]. mottled.	0.5 *3079*
			56		3 - 2 - 3		Fat CLAY (CH), medium stiff to very stiff, moist to wet, brown, [A-7]. mottled and random gravel.	
2 *3077.4*								
			93		2 - 3 - 5			
4 *3075.4*								
			93		4 - 6 - 9		5-5.5 redish brown.	
6 *3073.4*								
			93		5 - 6 - 9			
8 *3071.4*								
			100		6 - 11 - 12			
10 *3069.4*							Silty CLAY with gravel (CL), stiff to very stiff, wet, brown to red, [A-6].	10.0 *3069*
12 *3067.4*			87		2 - 4 - 8			13.5 *3066*

Boring Depth: 13.5 ft, *Elevation: 3065.9 ft*

Well Construction



Water Level Observations		Remarks:
▽ After Drilling: 9.2 ft, +0 hrs, Augers In	During Drilling:	
	▼ After Drilling: 2.9 ft, +3 hrs, Casing In	

(7) MDT DRAFT WELL LOG - MDT_REVISED_2009+(CPT_IMPORT).GDT - 9/17/14 14:38 - H:\33\113504.0 DESIGN\MONITORING WELLS\LOGS\JOHNSON WETLAND.GPJ

DOWL HKM

WELL INSTALLATION LOG


Boring 8583000-MW-3

Project: Johnson Wetland	**Rig:** Mobil B60 **Hammer:** Auto	**Boring Location** N 1,142,378.4 ft **Coordinates:** E 831,026.4 ft	**Station:** **Offset:**
Project Number: 4633.11350.01 **UPN:** 8583000	**Boring Diameter:** 8"	**System:** MT S.P. (E) **Datum:** NAD83	**Top of Boring Elevation:** 3066.4 ft
Date Started: 3/18/14 **Date Finished:** 3/18/14	**Drilling Fluid:** None	**Location Source:** Surveyed	**Elevation Source:** Surveyed
Driller: O'Keefe **Logger:** Jim Potts	**Abandonment Method:** N/A	**Township Range and Section:** 18N 20W 25 - B	

Depth (ft) / Elev. (ft)	Operation	Sample Type	Recovery (%)	RQD (%)	Blow Count (N)	Lithology	Material Description	Depth (ft) / Elev. (ft)
							TOPSOIL, Silty CLAY (CL-ML), moist, brown, [A-4].	0.7 3066
			73		2 - 3 - 6		Lean CLAY (CL), stiff to very stiff, moist, brown, [A-7]. random gravel 2.5-2.8 and 7.5.	
2 3064.4								
			80		3 - 6 - 6			
4 3062.4								
			100		3 - 6 - 9			
6 3060.4								
			100		4 - 7 - 9			
8 3058.4								
								9.0 3057
			87		3 - 9 - 8		Clayey GRAVEL (GC), medium dense, wet, brown to red, [A-2].	
10 3056.4								
								11.5 3055
			87		3 - 6 - 13		Lean CLAY (CL), very stiff, moist, brown to red, [A-7].	
12 3054.4								
								12.7 3054
							ARGILLITE, gray. Possible cobbles.	13.5 3053

Boring Depth: 13.5 ft, *Elevation: 3052.9 ft*

Well Construction



Water Level Observations

- ▽ During Drilling:
- ▼ After Drilling: 12.7 ft, +0 hrs, Augers In
- ▼ After Drilling: 9.1 ft, +0.5 hrs, Casing In

Remarks:

(7) MDT DRAFT WELL LOG - MDT_REVISED_2009+(CPT_IMPORT).GDT - 9/17/14 14:39 - H:\33\113504.0 DESIGN\MONITORING WELLS\LOGS\JOHNSON WETLAND.GPJ

DOWL HKM

WELL INSTALLATION LOG

Boring 8583000-MW-4

Project: Johnson Wetland	**Rig:** Mobil B60 **Hammer:** Auto	**Boring Location** N 1,141,791.2 ft **Coordinates:** E 831,593.5 ft	**Station:** **Offset:**
Project Number: 4633.11350.01 **UPN:** 8583000	**Boring Diameter:** 8"	**System:** MT S.P. (E) **Datum:** NAD83	**Top of Boring Elevation:** 3083.7 ft
Date Started: 3/19/14 **Date Finished:** 3/19/14	**Drilling Fluid:** None	**Location Source:** Surveyed	**Elevation Source:** Surveyed
Driller: O'Keefe **Logger:** Jim Potts	**Abandonment Method:** N/A	**Township Range and Section:** 18N 20W 25 - B	

Depth (ft) / Elev. (ft)	Operation	Sample Type	Recovery (%)	RQD (%)	Blow Count (N)	Lithology	Material Description	Depth (ft) / Elev. (ft)
			40		4 - 4 - 4		TOPSOIL, Silty CLAY (CL-ML), moist, brown, [A-4]. frozen..	0.6 / 3083
							Lean CLAY (CL), medium stiff, moist, brown, [A-7].	
			93		2 - 3 - 3			
5 / 3078.7			87		2 - 4 - 7			5.9 / 3078
							Lean CLAY with sand (CL), medium stiff to very stiff, moist to wet, yellow to red, [A-6].	
			100		3 - 9 - 6			
10 / 3073.7			93		3 - 6 - 9			
			87		4 - 3 - 3			
15 / 3068.7			87		5 - 6 - 5			
			100		2 - 3 - 4			
20 / 3063.7			87		4 - 8 - 10		20-21 brown 21-22 yellow red 25-26.5 brown 22,23, and 25 (0.01" thick sand lenses).	
25 / 3058.7			80		3 - 3 - 6			26.5 / 3057

Boring Depth: 26.5 ft, *Elevation: 3057.2 ft*

Well Construction

- 6" Steel casing (+2.4'-2.6') not shown
- 2" PVC pipe (+2.0')
- 2" PVC pipe in bentonite seal (0'-19.0')
- 2" PVC pipe in silica sand (19'-19.9')
- 2" PVC 0.10 slot screen in silica sand (19.9'-24.9')
- 2" PVC bottom cap (24.5'-25.25')
- Slough

Water Level Observations		Remarks:
During Drilling:		
After Drilling: 23.2 ft, +0 hrs, Augers In	After Drilling: 20.1 ft, +7.5 hrs, Casing In	

(7) MDT DRAFT WELL LOG - MDT_REVISED_2009+(CPT_IMPORT).GDT - 9/17/14 14:39 - H:\33\113504.0 DESIGN\MONITORING WELLS\LOGS\JOHNSON WETLAND.GPJ

DOWL HKM

WELL INSTALLATION LOG

Boring 8583000-MW-5

Project: Johnson Wetland	**Rig:** Mobil B60 **Hammer:** Auto	**Boring Location** N 1,142,590.6 ft **Coordinates:** E 831,577.8 ft	**Station:** **Offset:**
Project Number: 4633.11350.01 **UPN:** 8583000	**Boring Diameter:** 8"	**System:** MT S.P. (E) **Datum:** NAD83	**Top of Boring Elevation:** 3054.1 ft
Date Started: 3/19/14 **Date Finished:** 3/19/14	**Drilling Fluid:** None	**Location Source:** Surveyed	**Elevation Source:** Surveyed
Driller: O'Keefe **Logger:** Jim Potts	**Abandonment Method:** N/A	**Township Range and Section:** 18N 20W 25 - B	

Depth (ft) Elev. (ft)	Operation	Sample Type	Recovery (%)	RQD (%)	Blow Count (N)	Lithology	Material Description	Depth (ft) Elev. (ft)	Well Construction
									6" Steel casing (+2.0'-3.0') not shown
			73		3 - 3 - 6		TOPSOIL, Silty CLAY (CL-ML), moist, brown, [A-4].	0.6 *3054*	2" PVC pipe (+1.62')
							Lean CLAY (CL), medium stiff to stiff, moist to wet, brown to red, [A-7].		
5 *3049.1*			87		3 - 5 - 6				
							Cobble at 11.5		
10 *3044.1*			100		3 - 4 - 6				
							Auger bit wet at 29'.		2" PVC pipe in bentonite seal (0'-24.7')
15 *3039.1*			87		7 - 4 - 5				
20 *3034.1*			73		3 - 3 - 4				
25 *3029.1*									2" PVC pipe in silica sand (24.7'-25.7')
									2" PVC 0.10 slot screen in silica sand (25.7'-30.7')
30 *3024.1*			87		4 - 2 - 4			31.0 *3023*	2" PVC bottom cap (30.7'-31.0')

Boring Depth: 31.0 ft, *Elevation: 3023.1 ft*

Water Level Observations		Remarks:
After Drilling: 28.0 ft, +0 hrs, Augers In	During Drilling:	
	After Drilling: 19.5 ft, +2.25 hrs, Casing In	

(7) MDT DRAFT WELL LOG - MDT_REVISED_2009+(CPT_IMPORT).GDT - 9/17/14 15:03 - H:\33\113504.0 DESIGN\MONITORING WELLS\LOGS\JOHNSON WETLAND.GPJ

DOWL HKM

WELL INSTALLATION LOG


Boring 8583000-MW-6

Project: Johnson Wetland	**Rig:** Mobil B60 **Hammer:** Auto	**Boring Location** N 1,143,107.4 ft **Coordinates:** E 831,581.5 ft	**Station:** **Offset:**
Project Number: 4633.11350.01 **UPN:** 8583000	**Boring Diameter:** 8"	**System:** MT S.P. (E) **Datum:** NAD83	**Top of Boring Elevation:** 3034.3 ft
Date Started: 3/20/14 **Date Finished:** 3/20/14	**Drilling Fluid:** None	**Location Source:** Surveyed	**Elevation Source:** Surveyed
Driller: O'Keefe **Logger:** Jim Potts	**Abandonment Method:** N/A	**Township Range and Section:** 18N 20W 25 - B	

Depth (ft) / Elev. (ft)	Operation	Sample Type	Recovery (%)	RQD (%)	Blow Count (N)	Lithology	Material Description	Depth (ft) / Elev. (ft)
							TOPSOIL, Silty CLAY (CL-ML), moist, brown, [A-4].	0.6 *3034*
			53		2 - 2 - 2		Lean CLAY (CL), stiff to very stiff, moist to wet, brown, [A-7]. No apparent sand lenses..	
5 *3029.3*			47		4 - 6 - 10			
10 *3024.3*			87		4 - 6 - 7			
15 *3019.3*			93		3 - 6 - 7			
20 *3014.3*			100		2 - 4 - 6			21.5 *3013*

Boring Depth: 21.5 ft, *Elevation: 3012.8 ft*

Well Construction



Water Level Observations		Remarks:
▽ After Drilling: 19.3 ft, +0 hrs, Augers In	▽ During Drilling: ▼ After Drilling: 10.5 ft, +2 hrs, Casing In	

(7) MDT DRAFT WELL LOG - MDT_REVISED_2009+(CPT_IMPORT).GDT - 9/17/14 15:03 - H:\33\113504.0 DESIGN\MONITORING WELLS\LOGS\JOHNSON WETLAND.GPJ

DOWL HKM

WELL INSTALLATION LOG

Boring 8583000-MW-7

Project: Johnson Wetland	**Rig:** Mobil B60 **Hammer:** Auto	**Boring Location** N 1,143,565.5 ft **Coordinates:** E 831,550.5 ft	**Station:** **Offset:**
Project Number: 4633.11350.01 **UPN:** 8583000	**Boring Diameter:** 8"	**System:** MT S.P. (E) **Datum:** NAD83	**Top of Boring Elevation:** 3024.9 ft
Date Started: 3/20/14 **Date Finished:** 3/20/14	**Drilling Fluid:** None	**Location Source:** Surveyed	**Elevation Source:** Surveyed
Driller: O'Keefe **Logger:** Jim Potts	**Abandonment Method:** N/A	**Township Range and Section:** 18N 20W 25 - B	

Depth (ft) / Elev. (ft)	Operation	Sample Type	Recovery (%)	RQD (%)	Blow Count (N)	Lithology	Material Description	Depth (ft) / Elev. (ft)
							TOPSOIL, Silty CLAY (CL-ML), moist, brown, [A-4].	0.5 *3024*
			73		3 - 4 - 4		Lean CLAY (CL), medium stiff to very stiff, moist, brown to red, [A-7]. Mottling to 1 foot.	
2 *3022.9*							Boulder 2' - 4'	
							Scattered gravels and cobbles 4.5' to 6'	
4 *3020.9*							Thin (0.01" thick) sand lenses at 10', 12', and 13'. All dry.	
			100		4 - 8 - 11			
6 *3018.9*								
8 *3016.9*								
			100		3 - 4 - 6			
10 *3014.9*								
			100		4 - 6 - 7			
12 *3012.9*								13.5 *3011*

Boring Depth: 13.5 ft, *Elevation: 3011.4 ft*

Well Construction

6" Steel casing (+2.3'-2.7') not shown

2" PVC pipe (+1.9')

2" PVC pipe in bentonite seal (0'-7.0')

2" PVC pipe in silica sand (7.0'-8.1')

2" PVC 0.10 slot screen in silica sand (8.1'-13.1')

2" PVC bottom cap (13.1'-13.45')

Water Level Observations		Remarks:
After Drilling: **Not Encountered, +0 hrs, Augers In**	During Drilling: After Drilling: **Not Encountered, +25 hrs**	

(7) MDT DRAFT WELL LOG - MDT_REVISED_2009+(CPT_IMPORT).GDT - 9/17/14 15:03 - H:\33\113504.0 DESIGN\MONITORING WELLS\LOGS\JOHNSON WETLAND.GPJ

DOWL HKM


WELL INSTALLATION LOG

Boring 8583000-MW-8

Project: Johnson Wetland	**Rig:** Mobil B60 **Hammer:** Auto	**Boring Location** N 1,143,624.7 ft **Coordinates:** E 831,141.6 ft	**Station:** **Offset:**
Project Number: 4633.11350.01 **UPN:** 8583000	**Boring Diameter:** 8"	**System:** MT S.P. (E) **Datum:** NAD83	**Top of Boring Elevation:** 3034.5 ft
Date Started: 3/20/14 **Date Finished:** 3/20/14	**Drilling Fluid:** None	**Location Source:** Surveyed	**Elevation Source:** Surveyed
Driller: O'Keefe **Logger:** Jim Potts	**Abandonment Method:** N/A	**Township Range and Section:** 18N 20W 25 - B	

Depth (ft) Elev. (ft)	Operation	Sample Type	Recovery (%)	RQD (%)	Blow Count (N)	Lithology	Material Description	Depth (ft) Elev. (ft)
							TOPSOIL, Silty CLAY (CL-ML), moist, brown, [A-4].	0.6 *3034*
			87		2 - 2 - 6		Lean CLAY (CL), medium stiff to very stiff, moist, brown to red, [A-7]. Thin (0.01" thick) sand lenses at on 3" to 5" intervals from 9' - 10.5'. All dry.	
2 *3032.5*								
4 *3030.5*			93		6 - 6 - 10			
6 *3028.5*								
8 *3026.5*								
10 *3024.5*			87		2 - 4 - 5			
12 *3022.5*			93		3 - 4 - 4			
14 *3020.5*								14.0 *3021*

Boring Depth: 14.0 ft, *Elevation: 3020.5 ft*



Water Level Observations		Remarks:
After Drilling: Not Encountered, +0 hrs, Augers In	During Drilling: After Drilling: Not Encountered, +23.5 hrs	

(7) MDT DRAFT WELL LOG - MDT_REVISED_2009+(CPT_IMPORT).GDT - 9/17/14 15:04 - H:\33\113504.0 DESIGN\MONITORING WELLS\LOGS\JOHNSON WETLAND.GPJ

DOWL HKM

WELL INSTALLATION LOG


Boring 8583000-MW-9

Project: Johnson Wetland	**Rig:** Mobil B60 **Hammer:** Auto	**Boring Location** N 1,143,605.0 ft **Coordinates:** E 830,598.4 ft	**Station:** **Offset:**
Project Number: 4633.11350.01 **UPN:** 8583000	**Boring Diameter:** 8"	**System:** MT S.P. (E) **Datum:** NAD83	**Top of Boring Elevation:** 3046.4 ft
Date Started: 3/20/14 **Date Finished:** 3/20/14	**Drilling Fluid:** None	**Location Source:** Surveyed	**Elevation Source:** Surveyed
Driller: O'Keefe **Logger:** Jim Potts	**Abandonment Method:** N/A	**Township Range and Section:** 18N 20W 25 - B	

Depth (ft) / Elev. (ft)	Operation	Sample Type	Recovery (%)	RQD (%)	Blow Count (N)	Lithology	Material Description	Depth (ft) / Elev. (ft)
							TOPSOIL, Silty CLAY (CL-ML), moist, brown, [A-4].	0.6 / 3046
			67		2 - 2 - 4		Lean CLAY (CL), medium stiff, moist, brown to red, [A-7].	1.2 / 3045
2 / 3044.4							Thin (0.01" thick) sand lenses at on 3" to 5" intervals from 9' - 10.5'. All dry.	
							Lean CLAY with gravel (CL), very stiff, moist, brown, [A-6].	
4 / 3042.4			93		4 - 7 - 9			
6 / 3040.4								
8 / 3038.4								8.5 / 3038
							Lean CLAY with sand (CL), stiff to very stiff, moist, brown to yellow, [A-6].	
10 / 3036.4			87		4 - 5 - 7		Turns reddish brown at 13.5'.	
12 / 3034.4								
14 / 3032.4			100		4 - 8 - 14			
								15.5 / 3031

Boring Depth: 15.5 ft, *Elevation: 3030.9 ft*

Well Construction



Water Level Observations	Remarks:
During Drilling:	
After Drilling: Not Encountered, +0 hrs, Augers In	
After Drilling: Not Encountered, +21 hrs	

(7) MDT DRAFT WELL LOG - MDT_REVISED_2009+(CPT_IMPORT).GDT - 9/17/14 15:04 - H:\33\113504.0 DESIGN\MONITORING WELLS\LOGS\JOHNSON WETLAND.GPJ

DOWL HKM

WELL INSTALLATION LOG

Boring 8583000-MW-10

Project: Johnson Wetland	**Rig:** Mobil B60 **Hammer:** Auto	**Boring Location** N 1,143,219.9 ft **Coordinates:** E 830,566.7 ft	**Station:** **Offset:**
Project Number: 4633.11350.01 **UPN:** 8583000	**Boring Diameter:** 8"	**System:** MT S.P. (E) **Datum:** NAD83	**Top of Boring Elevation:** 3060.8 ft
Date Started: 3/20/14 **Date Finished:** 3/20/14	**Drilling Fluid:** None	**Location Source:** Surveyed	**Elevation Source:** Surveyed
Driller: O'Keefe **Logger:** Jim Potts	**Abandonment Method:** N/A	**Township Range and Section:** 18N 20W 25 - B	

Depth (ft) / Elev. (ft)	Operation	Sample Type	Recovery (%)	RQD (%)	Blow Count (N)	Lithology	Material Description	Depth (ft) / Elev. (ft)
							TOPSOIL, Silty CLAY (CL-ML), moist, brown, [A-4].	0.6 *3060*
			80		2 - 2 - 5		Lean CLAY (CL), medium stiff, moist, brown, [A-7]. Thin (0.01" thick) sand lenses at on 3" to 5" intervals from 9' - 10.5'. All dry.	
2 *3058.8*								2.3 *3059*
							Lean CLAY with gravel (CL), hard to very stiff, moist, brown to gray, [A-6]. Cobble or boulder at 4' and 9'.	
4 *3056.8*			0		50/0.3ft			
6 *3054.8*								
8 *3052.8*								
10 *3050.8*			20		11 - 17 - 18			
12 *3048.8*			73		9 - 15 - 14			
14 *3046.8*								14.0 *3047*

Boring Depth: 14.0 ft, *Elevation: 3046.8 ft*

Well Construction

6" Steel casing (+2.3'-2.7') not shown

2" PVC pipe (+1.8')

2" PVC pipe in bentonite seal (0'-7.0')

2" PVC pipe in silica sand (7.0-8.2')

2" PVC 0.10 slot screen in silica sand (8.2'-13.2')

2" PVC bottom cap (13.2'-13.55')

Slough

Water Level Observations		Remarks:
During Drilling:		
After Drilling: Not Encountered, +0 hrs, Augers In	After Drilling: Not Encountered, +19 hrs	

(7) MDT DRAFT WELL LOG - MDT_REVISED_2009+(CPT_IMPORT).GDT - 9/17/14 15:05 - H:\33\113504.0 DESIGN\MONITORING WELLS\LOGS\JOHNSON WETLAND.GPJ

DOWL HKM

WELL INSTALLATION LOG

Boring 8583000-MW-11

Project: Johnson Wetland	**Rig:** Mobil B60 **Hammer:** Auto	**Boring Location** N 1,142,699.9 ft **Coordinates:** E 830,597.5 ft	**Station:** **Offset:**
Project Number: 4633.11350.01 **UPN:** 8583000	**Boring Diameter:** 8"	**System:** MT S.P. (E) **Datum:** NAD83	**Top of Boring Elevation:** 3067.5 ft
Date Started: 3/21/14 **Date Finished:** 3/21/14	**Drilling Fluid:** None	**Location Source:** Surveyed	**Elevation Source:** Surveyed
Driller: O'Keefe **Logger:** Jim Potts	**Abandonment Method:** N/A	**Township Range and Section:** 18N 20W 25 - B	

Depth (ft) Elev. (ft)	Operation	Sample Type	Recovery (%)	RQD (%)	Blow Count (N)	Lithology	Material Description	Depth (ft) Elev. (ft)
							TOPSOIL, Silty CLAY (CL-ML), moist, brown, [A-4].	0.5 *3067*
			53		2 - 2 - 4		Lean CLAY with gravel (CL), medium stiff to stiff, moist to wet, brown, [A-6]. Mottled	
2 *3065.5*							Thin (0.01" thick) sand lenses at 9.7' and 10.6'.	
4 *3063.5*								
			78					
6 *3061.5*								
8 *3059.5*								
10 *3057.5*			87		3 - 3 - 6			
							Lean CLAY (CL), stiff, wet, brown, [A-7]. Bit wet at 12.5'.	11.5 *3056*
12 *3055.5*								
			67		3 - 5 - 9			
14 *3053.5*								14.6 *3053*

Boring Depth: 14.6 ft, *Elevation: 3052.9 ft*

Well Construction

6" Steel casing (+1.4'-3.6') not shown

2" PVC pipe (+1.4')

2" PVC pipe in bentonite seal (0'-8.0')

2" PVC pipe in silica sand (8.0'-9.2')

2" PVC 0.10 slot screen in silica sand (9.2'-14.2')

2" PVC bottom cap (14.2'-14.55')

Water Level Observations

During Drilling:

After Drilling: 11.2 ft, +0 hrs, Augers In

After Drilling: 6.1 ft, +2.3 hrs

Remarks:

(7) MDT DRAFT WELL LOG - MDT_REVISED_2009+(CPT_IMPORT).GDT - 9/17/14 15:05 - H:\33\113504.0 DESIGN\MONITORING WELLS\LOGS\JOHNSON WETLAND.GPJ

DOWL HKM

WELL INSTALLATION LOG

Boring 8583000-MW-12

Project: Johnson Wetland	**Rig:** Mobil B60 **Hammer:** Auto	**Boring Location** N 1,143,135.1 ft **Coordinates:** E 831,131.5 ft	**Station:** **Offset:**
Project Number: 4633.11350.01 **UPN:** 8583000	**Boring Diameter:** 8"	**System:** MT S.P. (E) **Datum:** NAD83	**Top of Boring Elevation:** 3037.8 ft
Date Started: 3/21/14 **Date Finished:** 3/21/14	**Drilling Fluid:** None	**Location Source:** Surveyed	**Elevation Source:** Surveyed
Driller: O'Keefe **Logger:** Jim Potts	**Abandonment Method:** N/A	**Township Range and Section:** 18N 20W 25 - B	

Depth (ft) Elev. (ft)	Operation	Sample Type	Recovery (%)	RQD (%)	Blow Count (N)	Lithology	Material Description	Depth (ft) Elev. (ft)
					2 - 3 - 3		TOPSOIL, Silty CLAY (CL-ML), moist, brown, [A-4].	0.7 3037
							Lean CLAY (CL), medium stiff, moist to wet, brown, [A-7]. Mottled at interface with overlying topsoil.	
2 3035.8								
							stiff at 5' with trace cobbles or boulder.	
4 3033.8			100					
			90		WH - 8 - 12/0.0ft			
6 3031.8								
8 3029.8								
10 3027.8			95				Lean CLAY with gravel (CL), very stiff, wet, yellow to multi-colored, [A-7].	10.0 3028
							Bit wet at 12.5'.	
12 3025.8								
			100		9 - 9 - 9			
14 3023.8								14.3 3024

Boring Depth: 14.3 ft, *Elevation: 3023.5 ft*

Well Construction

6" Steel casing (+1.5'-3.5') not shown

2" PVC pipe (+1.1')

2" PVC pipe in bentonite seal (0'-8.0')

2" PVC pipe in silica sand (8.0'-8.9')

2" PVC 0.10 slot screen in silica sand (8.9'-13.9')

2" PVC bottom cap (13.9'-14.25')

Water Level Observations		Remarks:
After Drilling: 11.5 ft, +0 hrs, Augers In	**During Drilling:** **After Drilling: 7.4 ft, +0.25 hrs**	

(7) MDT DRAFT WELL LOG - MDT_REVISED_2009+(CPT_IMPORT).GDT - 9/17/14 15:05 - H:\33\113504.0 DESIGN\MONITORING WELLS\LOGS\JOHNSON WETLAND.GPJ

STANDARD PROVISIONS INDEX

FEDERAL AID PROJECTS **CONTAINS**

Federal Wage Rates (Rev. 1-05-2024)..... 6 Pages

Requirements & Acknowledgement for Working on Railroad R/W ..... 1 Page

Required Contract Provisions Federal-Aid Const. Contracts (FORM FHWA-1273) [Rev.10-23-2023] ..... 14 Pages

Supplemental Revisions for Required Contract Provisions Federal-Aid Const. Contracts (FORM FHWA-1273) [Added 2-4-2016] ..... 1 Page

EEO Affirmative Action Req. on Federal-Aid Construction ..... 1 Page

General Decision Number: MT20240079 01/05/2024

Superseded General Decision Number: MT20230079

State: Montana

Construction Type: Highway

Counties: Montana Statewide.

HIGHWAY CONSTRUCTION PROJECTS

Note: Contracts subject to the Davis-Bacon Act are generally required to pay at least the applicable minimum wage rate required under Executive Order 14026 or Executive Order 13658. Please note that these Executive Orders apply to covered contracts entered into by the federal government that are subject to the Davis-Bacon Act itself, but do not apply to contracts subject only to the Davis-Bacon Related Acts, including those set forth at 29 CFR 5.1(a)(1).

If the contract is entered into on or after January 30,2022, or the contract is renewed or extended (e.g., an option is exercised) on or option is exercised) on or after January 30, 2022.	Executive Order 14026 generally applies to the contract. The contractor must pay all covered workers at least $17.20 per hour (or the applicable wage determination, if it is higher) for all hours spent performing on the contract in 2024.
If the contract was awarded on or between January 1, 2015 and January 29, 2022, and the contract is not renewed or extended on or after January 30, 2022.	Executive Order 13658 generally applies to the contract. The contractor must pay all covered workers at least $12.90 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours performing on that contract in 2024.

The applicable Executive Order minimum wage rate will be adjusted annually. If this contract is covered by one of the Executive Orders and a classification considered necessary for performance of work on the contract does not appear on this wage determination, the contractor must still submit a conformance request.

Additional information on contractor requirements and worker protections under the Executive Orders is available at http://www.dol.gov/whd/govcontracts .

Modification Number	Publication Date
0	01/05/2024

SUMT2023-001 04/01/2022

	Rates	Fringes
CARPENTER		
Carpenter/Piledriverman	$ 36.05	14.23
Millwright	$ 40.87	14.70
CEMENT MASON/CONCRETE FINISHER	$ 33.41	16.51

DIVER		
Diver Tender	$ 45.30	18.38
Diving	$ 92.66	18.38
Stand-By	$ 46.33	18.38

The tender shall receive 2 hours at the straight time pay rate per shift for dressing and/or undressing when work is done under hyperbaric conditions.

Depth Pay (Surface Diving):
0-20 ft.: Free zone
>20-100 ft.: $2.00 per ft.
>100-150 ft.: $3.00 per ft.
>150-220 ft.: $4 00 per ft.
>220 ft.: $5.00 per ft.

Diving in Enclosures (Diver Only):
0-25 ft.: Free zone
>25-300 ft.: $1.00 per ft.

ELECTRICIAN (LINE CONSTRUCTION)		
Equipment Operator	$ 38.38	18.60
Groundman.	$ 29.96	17.64
Lineman	$ 50.11	19.88
ELECTRICIAN		
All Areas	$ 39.08	20.00
IRONWORKER	$ 30.43	25.22
LABORER		
Group 1	$ 27.71	12.36
Group 2	$ 30.87	12.36
Group 3	$ 31.10	12.36
Group 4	$ 32.12	12.36

GROUP 1: Flag Person

GROUP 2: All General Labor work; Burning Bar; Bucket Man; Carpenter Tender; Caisson Worker; Cement Mason Tender; Cement Handler (dry); Chuck Tender; Choker Setter; Concrete Worker; Curb Machine-Lay Down; Crusher and Batch Plant Worker; Fence Erector; Form Setter; Form Stripper; Heater Tender; Landscaper; Pipe Wrapper; Pot Tender; Powderman Tender; Rail and Truck Loaders and Unloaders; Riprapper; Sealants for Concrete and other materials; Sign Erection, Guard Rail and Jersey Rail; Stake Jumper; Spike Driver; Signalman; Tail Hoseman; Tool Checker and Houseman; Traffic Control Worker

GROUP 3: Concrete Vibrator; Dumpman (Grademan); Equipment Handler; Geotextile and Liners; High-Pressure Nozzleman; Jackhammer (Pavement Breaker); Laser Equipment; Non-riding Rollers; Pipelayer; Posthole Digger (power); Power Driven Wheelbarrow; Rigger; Sandblaster; Sod-Cutter-power; Tampers

GROUP 4: Asphalt Raker; Cutting Torch; Grade Setter; High-Scaler; Power Saws (Faller & Concrete); Powderman ($1.00 per hour above Group 4 rate); Rock & Core Drill; Track or Truck Mounted Wagon Drill; Welder including Air Arc

PAINTER $ 36.00 12.84

Pavement Marking/Milling and related work. Includes operating marking and all other equipment and all work involved in application of pavement markings including epoxies, paints, tape, buttons, thermo-plastics, and any other products applied for traffic marking purposes and for directing and regulating traffic and cutting rumble strips.

POWER EQUIPMENT OPERATOR:

Group 1	$ 32.47	12.77
Group 2	$ 34.55	12.77
Group 3	$ 35.70	12.77
Group 4	$ 36.67	12.77
Group 5	$ 38.05	12.77
Group 6	$ 39.27	12.77
Group 7	$ 41.95	12.77

GROUP 1: Air Compressor; Auto Fine Graders; Belt Finishing Machine; Boring Machine (small); Cement Silo; Crane, A-Frame Truck Crane; Crusher Conveyor; DW-10, 15, and 20 Tractor Roller; Farm Tractor; Forklift; Form Grader; Front End Loader Under 1 CU Yard; Heavy Duty Drills; Herman Nelson Heater; Mulching Machine; Oiler, All Except Cranes & Shovels; Pumpman

GROUP 2: Air Doctor; Backhoe/Excavator/Shovel to and including 3 CU Yard; Bit Grinder; Bituminous Paving Travel Plant; Boring Machine Large; Broom, Self-Propelled; Concrete Travel Batcher; Concrete Float & Spreader; Concrete Bucket Dispatcher, Concrete Finish Machine; Concrete Conveyor; Distributor; Dozer; Rubber-Tired, Push & Side Boom; Elevating Grader/Gradall; Field Equipment Serviceman; Front End Loader 1 CU Yard to including 5 CU Yard; Grade Setter; Heavy Duty Drills, All Types; Hoist/Tugger, All; Hydralift & Similar; Industrial Locomotive; Motor Patrol, Except Finish; Mountain Skidder; Oiler - Cranes & Shovels; Pavement Breaker, EMSCO; Power Saw, Self-Propelled; Pugmill; Pumpcrete/Grout Machine; Punch Truck; Roller, Other Than Asphalt; Roller, Sheepsfoot, Self-Propelled; Roller, 25 Tons and Over; Ross Carrier; Rotomill Under 6 Ft; Trenching Machine; Washing/Screening Plant

GROUP 3: Asphalt Paving Machine; Asphalt Screed; Backhoe/Excavator/Shovel Over 3 CU Yard; Cableway Highline; Concrete Batch Plant; Concrete Curing Machine; Concrete Pump; Cranes; Creter; Cranes, Electric Overhead; Cranes 24 Tons and Under; Curb Machine/Slip Form Paver; Finish Dozer; Front End Loader Over 5 CU Yard; Mechanic/Welder; Pioneer Dozer; Roller Asphalt (Breakdown & Finish); Rotomill, Over 6 FT; Scraper, Single, Twin or Pulling Belly Dump; Yo-Yo Cat

GROUP 4: Asphalt/Hot Plant Operator, Cranes, 25 Tons to 44 Tons; Crusher Operator; Finish Motor Patrol; Finish Scraper

GROUP 5: Cranes, 45 Tons To Including 74 Tons

GROUP 6: Cranes, 75 Tons To Including 149 Tons; Crane, Whirley (All)

GROUP 7: Cranes,150 Tons To Including 250 Tons (Add $ 1.00 For Every 100 Tons Over 250 Tons; Crane, Tower (All)

TRUCK DRIVER

Group 1	$ 28.21	12.57
Group 2	$ 35.74	12.57

GROUP 1: Pilot Car

GROUP 2: Combination Truck and Concrete Mixer and Transit Mixer; Dry Batch Trucks; Distributor Driver; Dumpman; Dump Trucks and Similar Equipment; Dumpster; Flat Trucks; Lumber Carriers; Lowboys; Pickup; Powder Truck Driver; Power Boom; Serviceman; Service Truck/Fuel Truck/ Tireperson; Truck Mechanic; Trucks With Power Equipment; Warehouseman, Partsman, Cardex and Warehouse Expeditor; Water Trucks

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

==========

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal Contractors applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at https://www.dol.gov/agencies/whd/government-contracts.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of ""identifiers"" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

Union Rate Identifiers

A four-letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than "SU" or "UAVG" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

Survey Rate Identifiers

Classifications listed under the ""SU"" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average

rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

* an existing published wage determination
* a survey underlying a wage determination
* a Wage and Hour Division letter setting forth a position on a wage determination matter
* a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour National Office because National Office has responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations
Wage and Hour Division
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

==========

END OF GENERAL DECISION

"CONTRACTOR REQUIREMENTS AND ACKNOWLEDGMENT FOR WORKING ON RAILROAD RIGHT-OF-WAY"

This document must be dated and signed by the Contractor and submitted to the State before occupying or working on Railroad right-of-way.

1) No change, which has a direct effect on the Railroad, will be made to construction plans without submitting revised plans and receiving approval from the Railroad. Work covered by the plans, that requires flagging, will be covered by the Railroad/Highway Agreement. For work that is a result of the contractor's discretion, flagging protection will be required when equipment crosses or is working within 25 feet (7.62 meters) of center of any live track. When deemed necessary by local Railroad officers, a flagman may be required at all times while working on Railroad right-of-way in high density rail traffic area.

2) Crossing of any Railroad tracks must be done at approved locations and must be full depth timber, rubber, etc. Any equipment with steel wheels, lugs or tracks must not cross steel rails without the use of rubber tires or other approved protection. This shall apply specifically to, but not be limited to, access for Contractor furnished gravel, borrow or waste sites. The Contractor will be required to obtain a permit from the Railroad, and comply with any provisions thereof, before using any private Railroad crossings. All track crossing locations must be covered by a Private Roadway and Crossing Agreement. This does not apply to any public crossing.

3) Costs of flagging or planking protection of the tracks, which are a direct result of the planned construction, will be paid for by the State. Costs of flagging, planking for protection of the tracks, installation of new crossings or other work caused by the Contractor's discretion, will be paid by the Contractor.

4) When work to be performed by the Contractor is not covered in the Railroad/Highway agreement, the Contractor must furnish a plan to the Railroad for approval showing details as to how any work that may affect the Railroad will be accomplished.

5) Storing of construction materials or any other material, including dirt, sand, etc., within the Railroad right-of-way, will not be allowed unless covered by an easement, construction permit, or Contractor's permit/lease.

6) Construction within 25 feet (7.62 meters) of the center of any track not covered by the Railroad/Highway agreement will require plan approval and authorization by the Railroad Superintendent Maintenance and Engineering. This includes, but is not limited to, any excavation, slope work and driving of sheet piling.

7) No vehicles, equipment or machines shall be parked or stored unattended within 25 feet (7.62 meters) of any track, on railroad right-of-way, without specific written approval of the Railroad.

8) When any work is to be performed on Railroad property by the Contractor that is not shown in the construction plans, the Contractor must submit a detailed plan of the work to the Railroad for their approval.

CONTRACTOR'S ACKNOWLEDGMENT:

_____
Company

By: _____
Name

_____
Title

_____
Date

WORK SITE LOCATION:

_____
Town

_____
State

_____
Project #

Rev. 01/01/04

FHWA-1273 – Revised October 23, 2023

REQUIRED CONTRACT PROVISIONS
FEDERAL-AID CONSTRUCTION CONTRACTS

I. General
II. Nondiscrimination
III. Non-segregated Facilities
IV. Davis-Bacon and Related Act Provisions
V. Contract Work Hours and Safety Standards Act Provisions
VI. Subletting or Assigning the Contract
VII. Safety: Accident Prevention
VIII. False Statements Concerning Highway Projects
IX. Implementation of Clean Air Act and Federal Water Pollution Control Act
X. Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion
XI. Certification Regarding Use of Contract Funds for Lobbying
XII. Use of United States-Flag Vessels:

ATTACHMENTS

A. Employment and Materials Preference for Appalachian Development Highway System or Appalachian Local Access Road Contracts (included in Appalachian contracts only)

I. GENERAL

1. Form FHWA-1273 must be physically incorporated in each construction contract funded under title 23, United States Code, as required in 23 CFR 633.102(b) (excluding emergency contracts solely intended for debris removal). The contractor (or subcontractor) must insert this form in each subcontract and further require its inclusion in all lower tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services). 23 CFR 633.102(e).

The applicable requirements of Form FHWA-1273 are incorporated by reference for work done under any purchase order, rental agreement or agreement for other services. The prime contractor shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider. 23 CFR 633.102(e).

Form FHWA-1273 must be included in all Federal-aid design-build contracts, in all subcontracts and in lower tier subcontracts (excluding subcontracts for design services, purchase orders, rental agreements and other agreements for supplies or services) in accordance with 23 CFR 633.102. The design-builder shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

Contracting agencies may reference Form FHWA-1273 in solicitation-for-bids or request-for-proposals documents, however, the Form FHWA-1273 must be physically incorporated (not referenced) in all contracts, subcontracts and lower-tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services related to a construction contract). 23 CFR 633.102(b).

2. Subject to the applicability criteria noted in the following sections, these contract provisions shall apply to all work performed on the contract by the contractor's own organization and with the assistance of workers under the contractor's immediate superintendence and to all work performed on the contract by piecework, station work, or by subcontract. 23 CFR 633.102(d).

3. A breach of any of the stipulations contained in these Required Contract Provisions may be sufficient grounds for withholding of progress payments, withholding of final payment, termination of the contract, suspension / debarment or any other action determined to be appropriate by the contracting agency and FHWA.

4. Selection of Labor: During the performance of this contract, the contractor shall not use convict labor for any purpose within the limits of a construction project on a Federal-aid highway unless it is labor performed by convicts who are on parole, supervised release, or probation. 23 U.S.C. 114(b). The term Federal-aid highway does not include roadways functionally classified as local roads or rural minor collectors. 23 U.S.C. 101(a).

II. NONDISCRIMINATION (23 CFR 230.107(a); 23 CFR Part 230, Subpart A, Appendix A; EO 11246)

The provisions of this section related to 23 CFR Part 230, Subpart A, Appendix A are applicable to all Federal-aid construction contracts and to all related construction subcontracts of $10,000 or more. The provisions of 23 CFR Part 230 are not applicable to material supply, engineering, or architectural service contracts.

In addition, the contractor and all subcontractors must comply with the following policies: Executive Order 11246, 41 CFR Part 60, 29 CFR Parts 1625-1627, 23 U.S.C. 140, Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. 794), Title VI of the Civil Rights Act of 1964, as amended (42 U.S.C. 2000d et seq.), and related regulations including 49 CFR Parts 21, 26, and 27; and 23 CFR Parts 200, 230, and 633.

The contractor and all subcontractors must comply with: the requirements of the Equal Opportunity Clause in 41 CFR 60-1.4(b) and, for all construction contracts exceeding $10,000, the Standard Federal Equal Employment Opportunity Construction Contract Specifications in 41 CFR 60-4.3.

Note: The U.S. Department of Labor has exclusive authority to determine compliance with Executive Order 11246 and the policies of the Secretary of Labor including 41 CFR Part 60, and 29 CFR Parts 1625-1627. The contracting agency and the FHWA have the authority and the responsibility to ensure compliance with 23 U.S.C. 140, Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. 794), and Title VI of the Civil Rights Act of 1964, as amended (42 U.S.C. 2000d et seq.), and related regulations including 49 CFR Parts 21, 26, and 27; and 23 CFR Parts 200, 230, and 633.

The following provision is adopted from 23 CFR Part 230, Subpart A, Appendix A, with appropriate revisions to conform to the U.S. Department of Labor (US DOL) and FHWA requirements.

1. Equal Employment Opportunity: Equal Employment Opportunity (EEO) requirements not to discriminate and to take affirmative action to assure equal opportunity as set forth under laws, executive orders, rules, regulations (*see* 28 CFR Part 35, 29 CFR Part 1630, 29 CFR Parts 1625-1627, 41 CFR Part 60 and 49 CFR Part 27) and orders of the Secretary of Labor as modified by the provisions prescribed herein, and imposed pursuant to 23 U.S.C. 140, shall constitute the EEO and specific affirmative action standards for the contractor's project activities under this contract. The provisions of the Americans with Disabilities Act of 1990 (42 U.S.C. 12101 et seq.) set forth under 28 CFR Part 35 and 29 CFR Part 1630 are incorporated by reference in this contract. In the execution of this contract, the contractor agrees to comply with the following minimum specific requirement activities of EEO:

a. The contractor will work with the contracting agency and the Federal Government to ensure that it has made every good faith effort to provide equal opportunity with respect to all of its terms and conditions of employment and in their review of activities under the contract. 23 CFR 230.409 (g)(4) & (5).

b. The contractor will accept as its operating policy the following statement:

"It is the policy of this Company to assure that applicants are employed, and that employees are treated during employment, without regard to their race, religion, sex, sexual orientation, gender identity, color, national origin, age or disability. Such action shall include: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship, pre-apprenticeship, and/or on-the-job training."

2. EEO Officer: The contractor will designate and make known to the contracting officers an EEO Officer who will have the responsibility for and must be capable of effectively administering and promoting an active EEO program and who must be assigned adequate authority and responsibility to do so.

3. Dissemination of Policy: All members of the contractor's staff who are authorized to hire, supervise, promote, and discharge employees, or who recommend such action or are substantially involved in such action, will be made fully cognizant of and will implement the contractor's EEO policy and contractual responsibilities to provide EEO in each grade and classification of employment. To ensure that the above agreement will be met, the following actions will be taken as a minimum:

a. Periodic meetings of supervisory and personnel office employees will be conducted before the start of work and then not less often than once every six months, at which time the contractor's EEO policy and its implementation will be reviewed and explained. The meetings will be conducted by the EEO Officer or other knowledgeable company official.

b. All new supervisory or personnel office employees will be given a thorough indoctrination by the EEO Officer, covering all major aspects of the contractor's EEO obligations within thirty days following their reporting for duty with the contractor.

c. All personnel who are engaged in direct recruitment for the project will be instructed by the EEO Officer in the contractor's procedures for locating and hiring minorities and women.

d. Notices and posters setting forth the contractor's EEO policy will be placed in areas readily accessible to employees, applicants for employment and potential employees.

e. The contractor's EEO policy and the procedures to implement such policy will be brought to the attention of employees by means of meetings, employee handbooks, or other appropriate means.

4. Recruitment: When advertising for employees, the contractor will include in all advertisements for employees the notation: "An Equal Opportunity Employer." All such advertisements will be placed in publications having a large circulation among minorities and women in the area from which the project work force would normally be derived.

a. The contractor will, unless precluded by a valid bargaining agreement, conduct systematic and direct recruitment through public and private employee referral sources likely to yield qualified minorities and women. To meet this requirement, the contractor will identify sources of potential minority group employees and establish with such identified sources procedures whereby minority and women applicants may be referred to the contractor for employment consideration.

b. In the event the contractor has a valid bargaining agreement providing for exclusive hiring hall referrals, the contractor is expected to observe the provisions of that agreement to the extent that the system meets the contractor's compliance with EEO contract provisions. Where implementation of such an agreement has the effect of discriminating against minorities or women, or obligates the contractor to do the same, such implementation violates Federal nondiscrimination provisions.

c. The contractor will encourage its present employees to refer minorities and women as applicants for employment. Information and procedures with regard to referring such applicants will be discussed with employees.

5. Personnel Actions: Wages, working conditions, and employee benefits shall be established and administered, and personnel actions of every type, including hiring, upgrading, promotion, transfer, demotion, layoff, and termination, shall be taken without regard to race, color, religion, sex, sexual orientation, gender identity, national origin, age or disability. The following procedures shall be followed:

a. The contractor will conduct periodic inspections of project sites to ensure that working conditions and employee facilities do not indicate discriminatory treatment of project site personnel.

b. The contractor will periodically evaluate the spread of wages paid within each classification to determine any evidence of discriminatory wage practices.

c. The contractor will periodically review selected personnel actions in depth to determine whether there is evidence of discrimination. Where evidence is found, the contractor will promptly take corrective action. If the review indicates that the discrimination may extend beyond the actions reviewed, such corrective action shall include all affected persons.

d. The contractor will promptly investigate all complaints of alleged discrimination made to the contractor in connection with its obligations under this contract, will attempt to resolve such complaints, and will take appropriate corrective action

within a reasonable time. If the investigation indicates that the discrimination may affect persons other than the complainant, such corrective action shall include such other persons. Upon completion of each investigation, the contractor will inform every complainant of all of their avenues of appeal.

6. Training and Promotion:

a. The contractor will assist in locating, qualifying, and increasing the skills of minorities and women who are applicants for employment or current employees. Such efforts should be aimed at developing full journey level status employees in the type of trade or job classification involved.

b. Consistent with the contractor's work force requirements and as permissible under Federal and State regulations, the contractor shall make full use of training programs (i.e., apprenticeship and on-the-job training programs for the geographical area of contract performance). In the event a special provision for training is provided under this contract, this subparagraph will be superseded as indicated in the special provision. The contracting agency may reserve training positions for persons who receive welfare assistance in accordance with 23 U.S.C. 140(a).

c. The contractor will advise employees and applicants for employment of available training programs and entrance requirements for each.

d. The contractor will periodically review the training and promotion potential of employees who are minorities and women and will encourage eligible employees to apply for such training and promotion.

7. Unions: If the contractor relies in whole or in part upon unions as a source of employees, the contractor will use good faith efforts to obtain the cooperation of such unions to increase opportunities for minorities and women. 23 CFR 230.409. Actions by the contractor, either directly or through a contractor's association acting as agent, will include the procedures set forth below:

a. The contractor will use good faith efforts to develop, in cooperation with the unions, joint training programs aimed toward qualifying more minorities and women for membership in the unions and increasing the skills of minorities and women so that they may qualify for higher paying employment.

b. The contractor will use good faith efforts to incorporate an EEO clause into each union agreement to the end that such union will be contractually bound to refer applicants without regard to their race, color, religion, sex, sexual orientation, gender identity, national origin, age, or disability.

c. The contractor is to obtain information as to the referral practices and policies of the labor union except that to the extent such information is within the exclusive possession of the labor union and such labor union refuses to furnish such information to the contractor, the contractor shall so certify to the contracting agency and shall set forth what efforts have been made to obtain such information.

d. In the event the union is unable to provide the contractor with a reasonable flow of referrals within the time limit set forth in the collective bargaining agreement, the contractor will, through independent recruitment efforts, fill the employment vacancies without regard to race, color, religion, sex, sexual orientation, gender identity, national origin, age, or disability; making full efforts to obtain qualified and/or qualifiable minorities and women. The failure of a union to provide sufficient referrals (even though it is obligated to provide exclusive referrals under the terms of a collective bargaining agreement) does not relieve the contractor from the requirements of this paragraph. In the event the union referral practice prevents the contractor from meeting the obligations pursuant to Executive Order 11246, as amended, and these special provisions, such contractor shall immediately notify the contracting agency.

8. Reasonable Accommodation for Applicants / Employees with Disabilities: The contractor must be familiar with the requirements for and comply with the Americans with Disabilities Act and all rules and regulations established thereunder. Employers must provide reasonable accommodation in all employment activities unless to do so would cause an undue hardship.

9. Selection of Subcontractors, Procurement of Materials and Leasing of Equipment: The contractor shall not discriminate on the grounds of race, color, religion, sex, sexual orientation, gender identity, national origin, age, or disability in the selection and retention of subcontractors, including procurement of materials and leases of equipment. The contractor shall take all necessary and reasonable steps to ensure nondiscrimination in the administration of this contract.

a. The contractor shall notify all potential subcontractors, suppliers, and lessors of their EEO obligations under this contract.

b. The contractor will use good faith efforts to ensure subcontractor compliance with their EEO obligations.

10. Assurances Required:

a. The requirements of 49 CFR Part 26 and the State DOT's FHWA-approved Disadvantaged Business Enterprise (DBE) program are incorporated by reference.

b. The contractor, subrecipient or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR part 26 in the award and administration of DOT-assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the recipient deems appropriate, which may include, but is not limited to:
(1) Withholding monthly progress payments;
(2) Assessing sanctions;
(3) Liquidated damages; and/or
(4) Disqualifying the contractor from future bidding as non-responsible.

c. The Title VI and nondiscrimination provisions of U.S. DOT Order 1050.2A at Appendixes A and E are incorporated by reference. 49 CFR Part 21.

11. Records and Reports: The contractor shall keep such records as necessary to document compliance with the EEO requirements. Such records shall be retained for a period of three years following the date of the final payment to the contractor for all contract work and shall be available at reasonable times and places for inspection by authorized representatives of the contracting agency and the FHWA.

a. The records kept by the contractor shall document the following:

(1) The number and work hours of minority and non-minority group members and women employed in each work classification on the project;

(2) The progress and efforts being made in cooperation with unions, when applicable, to increase employment opportunities for minorities and women; and

(3) The progress and efforts being made in locating, hiring, training, qualifying, and upgrading minorities and women.

b. The contractors and subcontractors will submit an annual report to the contracting agency each July for the duration of the project indicating the number of minority, women, and non-minority group employees currently engaged in each work classification required by the contract work. This information is to be reported on Form FHWA-1391. The staffing data should represent the project work force on board in all or any part of the last payroll period preceding the end of July. If on-the-job training is being required by special provision, the contractor will be required to collect and report training data. The employment data should reflect the work force on board during all or any part of the last payroll period preceding the end of July.

III. NONSEGREGATED FACILITIES

This provision is applicable to all Federal-aid construction contracts and to all related construction subcontracts of more than $10,000. 41 CFR 60-1.5.

As prescribed by 41 CFR 60-1.8, the contractor must ensure that facilities provided for employees are provided in such a manner that segregation on the basis of race, color, religion, sex, sexual orientation, gender identity, or national origin cannot result. The contractor may neither require such segregated use by written or oral policies nor tolerate such use by employee custom. The contractor's obligation extends further to ensure that its employees are not assigned to perform their services at any location under the contractor's control where the facilities are segregated. The term "facilities" includes waiting rooms, work areas, restaurants and other eating areas, time clocks, restrooms, washrooms, locker rooms and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing provided for employees. The contractor shall provide separate or single-user restrooms and necessary dressing or sleeping areas to assure privacy between sexes.

IV. DAVIS-BACON AND RELATED ACT PROVISIONS

This section is applicable to all Federal-aid construction projects exceeding $2,000 and to all related subcontracts and lower-tier subcontracts (regardless of subcontract size), in accordance with 29 CFR 5.5. The requirements apply to all projects located within the right-of-way of a roadway that is functionally classified as Federal-aid highway. 23 U.S.C. 113. This excludes roadways functionally classified as local roads or rural minor collectors, which are exempt. 23 U.S.C. 101. Where applicable law requires that projects be treated as a project on a Federal-aid highway, the provisions of this subpart will apply regardless of the location of the project. Examples include: Surface Transportation Block Grant Program projects funded under 23 U.S.C. 133 [excluding recreational trails projects], the Nationally Significant Freight and Highway Projects funded under 23 U.S.C. 117, and National Highway Freight Program projects funded under 23 U.S.C. 167.

The following provisions are from the U.S. Department of Labor regulations in 29 CFR 5.5 “Contract provisions and related matters” with minor revisions to conform to the FHWA-1273 format and FHWA program requirements.

1. Minimum wages (29 CFR 5.5)

a. *Wage rates and fringe benefits.* All laborers and mechanics employed or working upon the site of the work (or otherwise working in construction or development of the project under a development statute), will be paid unconditionally and not less often than once a week, and without subsequent deduction or rebate on any account (except such payroll deductions as are permitted by regulations issued by the Secretary of Labor under the Copeland Act (29 CFR part 3)), the full amount of basic hourly wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment computed at rates not less than those contained in the wage determination of the Secretary of Labor which is attached hereto and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the contractor and such laborers and mechanics. As provided in paragraphs (d) and (e) of 29 CFR 5.5, the appropriate wage determinations are effective by operation of law even if they have not been attached to the contract. Contributions made or costs reasonably anticipated for bona fide fringe benefits under the Davis-Bacon Act (40 U.S.C. 3141(2)(B)) on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions of paragraph 1.e. of this section; also, regular contributions made or costs incurred for more than a weekly period (but not less often than quarterly) under plans, funds, or programs which cover the particular weekly period, are deemed to be constructively made or incurred during such weekly period. Such laborers and mechanics must be paid the appropriate wage rate and fringe benefits on the wage determination for the classification(s) of work actually performed, without regard to skill, except as provided in paragraph 4. of this section. Laborers or mechanics performing work in more than one classification may be compensated at the rate specified for each classification for the time actually worked therein: *Provided,* That the employer's payroll records accurately set forth the time spent in each classification in which work is performed. The wage determination (including any additional classifications and wage rates conformed under paragraph 1.c. of this section) and the Davis-Bacon poster (WH–1321) must be posted at all times by the contractor and its subcontractors at the site of the work in a prominent and accessible place where it can be easily seen by the workers.

b. *Frequently recurring classifications.* (1) In addition to wage and fringe benefit rates that have been determined to be prevailing under the procedures set forth in 29 CFR part 1, a wage determination may contain, pursuant to § 1.3(f), wage and fringe benefit rates for classifications of laborers and mechanics for which conformance requests are regularly submitted pursuant to paragraph 1.c. of this section, provided that:

(i) The work performed by the classification is not performed by a classification in the wage determination for which a prevailing wage rate has been determined;

(ii) The classification is used in the area by the construction industry; and

(iii) The wage rate for the classification bears a reasonable relationship to the prevailing wage rates contained in the wage determination.

(2) The Administrator will establish wage rates for such classifications in accordance with paragraph 1.c.(1)(iii) of this section. Work performed in such a classification must be paid at no less than the wage and fringe benefit rate listed on the wage determination for such classification.

c. *Conformance.* (1) The contracting officer must require that any class of laborers or mechanics, including helpers, which is not listed in the wage determination and which is to be employed under the contract be classified in conformance with the wage determination. Conformance of an additional classification and wage rate and fringe benefits is appropriate only when the following criteria have been met:

(i) The work to be performed by the classification requested is not performed by a classification in the wage determination; and

(ii) The classification is used in the area by the construction industry; and

(iii) The proposed wage rate, including any bona fide fringe benefits, bears a reasonable relationship to the wage rates contained in the wage determination.

(2) The conformance process may not be used to split, subdivide, or otherwise avoid application of classifications listed in the wage determination.

(3) If the contractor and the laborers and mechanics to be employed in the classification (if known), or their representatives, and the contracting officer agree on the classification and wage rate (including the amount designated for fringe benefits where appropriate), a report of the action taken will be sent by the contracting officer by email to *DBAconformance@dol.gov*. The Administrator, or an authorized representative, will approve, modify, or disapprove every additional classification action within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30–day period that additional time is necessary.

(4) In the event the contractor, the laborers or mechanics to be employed in the classification or their representatives, and the contracting officer do not agree on the proposed classification and wage rate (including the amount designated for fringe benefits, where appropriate), the contracting officer will, by email to *DBAconformance@dol.gov*, refer the questions, including the views of all interested parties and the recommendation of the contracting officer, to the Administrator for determination. The Administrator, or an authorized representative, will issue a determination within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30–day period that additional time is necessary.

(5) The contracting officer must promptly notify the contractor of the action taken by the Wage and Hour Division under paragraphs 1.c.(3) and (4) of this section. The contractor must furnish a written copy of such determination to each affected worker or it must be posted as a part of the wage determination. The wage rate (including fringe benefits where appropriate) determined pursuant to paragraph 1.c.(3) or (4) of this section must be paid to all workers performing work in the classification under this contract from the first day on which work is performed in the classification.

d. *Fringe benefits not expressed as an hourly rate.* Whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly rate, the contractor may either pay the benefit as stated in the wage determination or may pay another bona fide fringe benefit or an hourly cash equivalent thereof.

e. *Unfunded plans.* If the contractor does not make payments to a trustee or other third person, the contractor may consider as part of the wages of any laborer or mechanic the amount of any costs reasonably anticipated in providing bona fide fringe benefits under a plan or program, *Provided,* That the Secretary of Labor has found, upon the written request of the contractor, in accordance with the criteria set forth in § 5.28, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the contractor to set aside in a separate account assets for the meeting of obligations under the plan or program.

f. *Interest.* In the event of a failure to pay all or part of the wages required by the contract, the contractor will be required to pay interest on any underpayment of wages.

2. Withholding (29 CFR 5.5)

a. *Withholding requirements.* The contracting agency may, upon its own action, or must, upon written request of an authorized representative of the Department of Labor, withhold or cause to be withheld from the contractor so much of the accrued payments or advances as may be considered necessary to satisfy the liabilities of the prime contractor or any subcontractor for the full amount of wages and monetary relief, including interest, required by the clauses set forth in this section for violations of this contract, or to satisfy any such liabilities required by any other Federal contract, or federally assisted contract subject to Davis-Bacon labor standards, that is held by the same prime contractor (as defined in § 5.2). The necessary funds may be withheld from the contractor under this contract, any other Federal contract with the same prime contractor, or any other federally assisted contract that is subject to Davis-Bacon labor standards requirements and is held by the same prime contractor, regardless of whether the other contract was awarded or assisted by the same agency, and such funds may be used to satisfy the contractor liability for which the funds were withheld. In the event of a contractor's failure to pay any laborer or mechanic, including any apprentice or helper working on the site of the work all or part of the wages required by the contract, or upon the contractor's failure to submit the required records as discussed in paragraph 3.d. of this section, the contracting agency may on its own initiative and after written notice to the contractor, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased.

b. *Priority to withheld funds.* The Department has priority to funds withheld or to be withheld in accordance with paragraph

2.a. of this section or Section V, paragraph 3.a., or both, over claims to those funds by:

(1) A contractor's surety(ies), including without limitation performance bond sureties and payment bond sureties;

(2) A contracting agency for its reprocurement costs;

(3) A trustee(s) (either a court-appointed trustee or a U.S. trustee, or both) in bankruptcy of a contractor, or a contractor's bankruptcy estate;

(4) A contractor's assignee(s);

(5) A contractor's successor(s); or

(6) A claim asserted under the Prompt Payment Act, 31 U.S.C. 3901–3907.

3. Records and certified payrolls (29 CFR 5.5)

a. *Basic record requirements* (1) *Length of record retention.* All regular payrolls and other basic records must be maintained by the contractor and any subcontractor during the course of the work and preserved for all laborers and mechanics working at the site of the work (or otherwise working in construction or development of the project under a development statute) for a period of at least 3 years after all the work on the prime contract is completed.

(2) *Information required.* Such records must contain the name; Social Security number; last known address, telephone number, and email address of each such worker; each worker's correct classification(s) of work actually performed; hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalents thereof of the types described in 40 U.S.C. 3141(2)(B) of the Davis-Bacon Act); daily and weekly number of hours actually worked in total and on each covered contract; deductions made; and actual wages paid.

(3) *Additional records relating to fringe benefits.* Whenever the Secretary of Labor has found under paragraph 1.e. of this section that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in 40 U.S.C. 3141(2)(B) of the Davis-Bacon Act, the contractor must maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, and that the plan or program has been communicated in writing to the laborers or mechanics affected, and records which show the costs anticipated or the actual cost incurred in providing such benefits.

(4) *Additional records relating to apprenticeship.* Contractors with apprentices working under approved programs must maintain written evidence of the registration of apprenticeship programs, the registration of the apprentices, and the ratios and wage rates prescribed in the applicable programs.

b. *Certified payroll requirements* (1) *Frequency and method of submission.* The contractor or subcontractor must submit weekly, for each week in which any DBA- or Related Acts-covered work is performed, certified payrolls to the contracting agency. The prime contractor is responsible for the submission of all certified payrolls by all subcontractors. A contracting agency or prime contractor may permit or require contractors to submit certified payrolls through an electronic system, as long as the electronic system requires a legally valid electronic signature; the system allows the contractor, the contracting agency, and the Department of Labor to access the certified payrolls upon request for at least 3 years after the work on the prime contract has been completed; and the contracting agency or prime contractor permits other methods of submission in situations where the contractor is unable or limited in its ability to use or access the electronic system.

(2) *Information required.* The certified payrolls submitted must set out accurately and completely all of the information required to be maintained under paragraph 3.a.(2) of this section, except that full Social Security numbers and last known addresses, telephone numbers, and email addresses must not be included on weekly transmittals. Instead, the certified payrolls need only include an individually identifying number for each worker (*e.g.,* the last four digits of the worker's Social Security number). The required weekly certified payroll information may be submitted using Optional Form WH–347 or in any other format desired. Optional Form WH–347 is available for this purpose from the Wage and Hour Division website at *https://www.dol.gov/sites/dolgov/files/WHD/legacy/files/wh347/.pdf* or its successor website. It is not a violation of this section for a prime contractor to require a subcontractor to provide full Social Security numbers and last known addresses, telephone numbers, and email addresses to the prime contractor for its own records, without weekly submission by the subcontractor to the contracting agency.

(3) *Statement of Compliance.* Each certified payroll submitted must be accompanied by a “Statement of Compliance,” signed by the contractor or subcontractor, or the contractor's or subcontractor's agent who pays or supervises the payment of the persons working on the contract, and must certify the following:

(i) That the certified payroll for the payroll period contains the information required to be provided under paragraph 3.b. of this section, the appropriate information and basic records are being maintained under paragraph 3.a. of this section, and such information and records are correct and complete;

(ii) That each laborer or mechanic (including each helper and apprentice) working on the contract during the payroll period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions as set forth in 29 CFR part 3; and

(iii) That each laborer or mechanic has been paid not less than the applicable wage rates and fringe benefits or cash equivalents for the classification(s) of work actually performed, as specified in the applicable wage determination incorporated into the contract.

(4) *Use of Optional Form WH–347.* The weekly submission of a properly executed certification set forth on the reverse side of Optional Form WH–347 will satisfy the requirement for submission of the “Statement of Compliance” required by paragraph 3.b.(3) of this section.

(5) *Signature.* The signature by the contractor, subcontractor, or the contractor's or subcontractor's agent must be an original handwritten signature or a legally valid electronic signature.

(6) *Falsification.* The falsification of any of the above certifications may subject the contractor or subcontractor to civil or criminal prosecution under 18 U.S.C. 1001 and 31 U.S.C. 3729.

(7) *Length of certified payroll retention.* The contractor or subcontractor must preserve all certified payrolls during the course of the work and for a period of 3 years after all the work on the prime contract is completed.

c. *Contracts, subcontracts, and related documents.* The contractor or subcontractor must maintain this contract or subcontract and related documents including, without limitation, bids, proposals, amendments, modifications, and extensions. The contractor or subcontractor must preserve these contracts, subcontracts, and related documents during the course of the work and for a period of 3 years after all the work on the prime contract is completed.

d. *Required disclosures and access* (1) *Required record disclosures and access to workers.* The contractor or subcontractor must make the records required under paragraphs 3.a. through 3.c. of this section, and any other documents that the contracting agency, the State DOT, the FHWA, or the Department of Labor deems necessary to determine compliance with the labor standards provisions of any of the applicable statutes referenced by § 5.1, available for inspection, copying, or transcription by authorized representatives of the contracting agency, the State DOT, the FHWA, or the Department of Labor, and must permit such representatives to interview workers during working hours on the job.

(2) *Sanctions for non-compliance with records and worker access requirements.* If the contractor or subcontractor fails to submit the required records or to make them available, or refuses to permit worker interviews during working hours on the job, the Federal agency may, after written notice to the contractor, sponsor, applicant, owner, or other entity, as the case may be, that maintains such records or that employs such workers, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds. Furthermore, failure to submit the required records upon request or to make such records available, or to permit worker interviews during working hours on the job, may be grounds for debarment action pursuant to § 5.12. In addition, any contractor or other person that fails to submit the required records or make those records available to WHD within the time WHD requests that the records be produced will be precluded from introducing as evidence in an administrative proceeding under 29 CFR part 6 any of the required records that were not provided or made available to WHD. WHD will take into consideration a reasonable request from the contractor or person for an extension of the time for submission of records. WHD will determine the reasonableness of the request and may consider, among other things, the location of the records and the volume of production.

(3) *Required information disclosures.* Contractors and subcontractors must maintain the full Social Security number and last known address, telephone number, and email address of each covered worker, and must provide them upon request to the contracting agency, the State DOT, the FHWA, the contractor, or the Wage and Hour Division of the Department of Labor for purposes of an investigation or other compliance action.

4. Apprentices and equal employment opportunity (29 CFR 5.5)

a. *Apprentices* (1) *Rate of pay.* Apprentices will be permitted to work at less than the predetermined rate for the work they perform when they are employed pursuant to and individually registered in a bona fide apprenticeship program registered with the U.S. Department of Labor, Employment and Training Administration, Office of Apprenticeship (OA), or with a State Apprenticeship Agency recognized by the OA. A person who is not individually registered in the program, but who has been certified by the OA or a State Apprenticeship Agency (where appropriate) to be eligible for probationary employment as an apprentice, will be permitted to work at less than the predetermined rate for the work they perform in the first 90 days of probationary employment as an apprentice in such a program. In the event the OA or a State Apprenticeship Agency recognized by the OA withdraws approval of an apprenticeship program, the contractor will no longer be permitted to use apprentices at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

(2) *Fringe benefits.* Apprentices must be paid fringe benefits in accordance with the provisions of the apprenticeship program. If the apprenticeship program does not specify fringe benefits, apprentices must be paid the full amount of fringe benefits listed on the wage determination for the applicable classification. If the Administrator determines that a different practice prevails for the applicable apprentice classification, fringe benefits must be paid in accordance with that determination.

(3) *Apprenticeship ratio.* The allowable ratio of apprentices to journeyworkers on the job site in any craft classification must not be greater than the ratio permitted to the contractor as to the entire work force under the registered program or the ratio applicable to the locality of the project pursuant to paragraph 4.a.(4) of this section. Any worker listed on a payroll at an apprentice wage rate, who is not registered or otherwise employed as stated in paragraph 4.a.(1) of this section, must be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any apprentice performing work on the job site in excess of the ratio permitted under this section must be paid not less than the applicable wage rate on the wage determination for the work actually performed.

(4) *Reciprocity of ratios and wage rates.* Where a contractor is performing construction on a project in a locality other than the locality in which its program is registered, the ratios and wage rates (expressed in percentages of the journeyworker's hourly rate) applicable within the locality in which the construction is being performed must be observed. If there is no applicable ratio or wage rate for the locality of the project, the ratio and wage rate specified in the contractor's registered program must be observed.

b. *Equal employment opportunity.* The use of apprentices and journeyworkers under this part must be in conformity with

the equal employment opportunity requirements of Executive Order 11246, as amended, and 29 CFR part 30.

c. Apprentices and Trainees (programs of the U.S. DOT).

Apprentices and trainees working under apprenticeship and skill training programs which have been certified by the Secretary of Transportation as promoting EEO in connection with Federal-aid highway construction programs are not subject to the requirements of paragraph 4 of this Section IV. 23 CFR 230.111(e)(2). The straight time hourly wage rates for apprentices and trainees under such programs will be established by the particular programs. The ratio of apprentices and trainees to journeyworkers shall not be greater than permitted by the terms of the particular program.

5. Compliance with Copeland Act requirements. The contractor shall comply with the requirements of 29 CFR part 3, which are incorporated by reference in this contract as provided in 29 CFR 5.5.

6. Subcontracts. The contractor or subcontractor must insert FHWA-1273 in any subcontracts, along with the applicable wage determination(s) and such other clauses or contract modifications as the contracting agency may by appropriate instructions require, and a clause requiring the subcontractors to include these clauses and wage determination(s) in any lower tier subcontracts. The prime contractor is responsible for the compliance by any subcontractor or lower tier subcontractor with all the contract clauses in this section. In the event of any violations of these clauses, the prime contractor and any subcontractor(s) responsible will be liable for any unpaid wages and monetary relief, including interest from the date of the underpayment or loss, due to any workers of lower-tier subcontractors, and may be subject to debarment, as appropriate. 29 CFR 5.5.

7. Contract termination: debarment. A breach of the contract clauses in 29 CFR 5.5 may be grounds for termination of the contract, and for debarment as a contractor and a subcontractor as provided in 29 CFR 5.12.

8. Compliance with Davis-Bacon and Related Act requirements. All rulings and interpretations of the Davis-Bacon and Related Acts contained in 29 CFR parts 1, 3, and 5 are herein incorporated by reference in this contract as provided in 29 CFR 5.5.

9. Disputes concerning labor standards. As provided in 29 CFR 5.5, disputes arising out of the labor standards provisions of this contract shall not be subject to the general disputes clause of this contract. Such disputes shall be resolved in accordance with the procedures of the Department of Labor set forth in 29 CFR parts 5, 6, and 7. Disputes within the meaning of this clause include disputes between the contractor (or any of its subcontractors) and the contracting agency, the U.S. Department of Labor, or the employees or their representatives.

10. Certification of eligibility. a. By entering into this contract, the contractor certifies that neither it nor any person or firm who has an interest in the contractor's firm is a person or firm ineligible to be awarded Government contracts by virtue of 40 U.S.C. 3144(b) or § 5.12(a).

b. No part of this contract shall be subcontracted to any person or firm ineligible for award of a Government contract by virtue of 40 U.S.C. 3144(b) or § 5.12(a).

c. The penalty for making false statements is prescribed in the U.S. Code, Title 18 Crimes and Criminal Procedure, 18 U.S.C. 1001.

11. Anti-retaliation. It is unlawful for any person to discharge, demote, intimidate, threaten, restrain, coerce, blacklist, harass, or in any other manner discriminate against, or to cause any person to discharge, demote, intimidate, threaten, restrain, coerce, blacklist, harass, or in any other manner discriminate against, any worker or job applicant for:

a. Notifying any contractor of any conduct which the worker reasonably believes constitutes a violation of the DBA, Related Acts, this part, or 29 CFR part 1 or 3;

b. Filing any complaint, initiating or causing to be initiated any proceeding, or otherwise asserting or seeking to assert on behalf of themselves or others any right or protection under the DBA, Related Acts, this part, or 29 CFR part 1 or 3;

c. Cooperating in any investigation or other compliance action, or testifying in any proceeding under the DBA, Related Acts, this part, or 29 CFR part 1 or 3; or

d. Informing any other person about their rights under the DBA, Related Acts, this part, or 29 CFR part 1 or 3.

V. CONTRACT WORK HOURS AND SAFETY STANDARDS ACT

Pursuant to 29 CFR 5.5(b), the following clauses apply to any Federal-aid construction contract in an amount in excess of $100,000 and subject to the overtime provisions of the Contract Work Hours and Safety Standards Act. These clauses shall be inserted in addition to the clauses required by 29 CFR 5.5(a) or 29 CFR 4.6. As used in this paragraph, the terms laborers and mechanics include watchpersons and guards.

1. Overtime requirements. No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which he or she is employed on such work to work in excess of forty hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours worked in excess of forty hours in such workweek. 29 CFR 5.5.

2. Violation; liability for unpaid wages; liquidated damages. In the event of any violation of the clause set forth in paragraph 1. of this section the contractor and any subcontractor responsible therefor shall be liable for the unpaid wages and interest from the date of the underpayment. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or

mechanic, including watchpersons and guards, employed in violation of the clause set forth in paragraph 1. of this section, in the sum currently provided in 29 CFR 5.5(b)(2)* for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of forty hours without payment of the overtime wages required by the clause set forth in paragraph 1. of this section.

* $31 as of January 15, 2023 (See 88 FR 88 FR 2210) as may be adjusted annually by the Department of Labor, pursuant to the Federal Civil Penalties Inflation Adjustment Act of 1990.

3. Withholding for unpaid wages and liquidated damages

a. *Withholding process.* The FHWA or the contracting agency may, upon its own action, or must, upon written request of an authorized representative of the Department of Labor, withhold or cause to be withheld from the contractor so much of the accrued payments or advances as may be considered necessary to satisfy the liabilities of the prime contractor or any subcontractor for any unpaid wages; monetary relief, including interest; and liquidated damages required by the clauses set forth in this section on this contract, any other Federal contract with the same prime contractor, or any other federally assisted contract subject to the Contract Work Hours and Safety Standards Act that is held by the same prime contractor (as defined in § 5.2). The necessary funds may be withheld from the contractor under this contract, any other Federal contract with the same prime contractor, or any other federally assisted contract that is subject to the Contract Work Hours and Safety Standards Act and is held by the same prime contractor, regardless of whether the other contract was awarded or assisted by the same agency, and such funds may be used to satisfy the contractor liability for which the funds were withheld.

b. *Priority to withheld funds.* The Department has priority to funds withheld or to be withheld in accordance with Section IV paragraph 2.a. or paragraph 3.a. of this section, or both, over claims to those funds by:

(1) A contractor's surety(ies), including without limitation performance bond sureties and payment bond sureties;

(2) A contracting agency for its reprocurement costs;

(3) A trustee(s) (either a court-appointed trustee or a U.S. trustee, or both) in bankruptcy of a contractor, or a contractor's bankruptcy estate;

(4) A contractor's assignee(s);

(5) A contractor's successor(s); or

(6) A claim asserted under the Prompt Payment Act, 31 U.S.C. 3901–3907.

4. Subcontracts. The contractor or subcontractor must insert in any subcontracts the clauses set forth in paragraphs 1. through 5. of this section and a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor is responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in paragraphs 1. through 5. In the event of any violations of these clauses, the prime contractor and any subcontractor(s) responsible will be liable for any unpaid wages and monetary relief, including interest from the date of the underpayment or loss, due to any workers of lower-tier subcontractors, and associated liquidated damages and may be subject to debarment, as appropriate.

5. Anti-retaliation. It is unlawful for any person to discharge, demote, intimidate, threaten, restrain, coerce, blacklist, harass, or in any other manner discriminate against, or to cause any person to discharge, demote, intimidate, threaten, restrain, coerce, blacklist, harass, or in any other manner discriminate against, any worker or job applicant for:

a. Notifying any contractor of any conduct which the worker reasonably believes constitutes a violation of the Contract Work Hours and Safety Standards Act (CWHSSA) or its implementing regulations in this part;

b. Filing any complaint, initiating or causing to be initiated any proceeding, or otherwise asserting or seeking to assert on behalf of themselves or others any right or protection under CWHSSA or this part;

c. Cooperating in any investigation or other compliance action, or testifying in any proceeding under CWHSSA or this part; or

d. Informing any other person about their rights under CWHSSA or this part.

VI. SUBLETTING OR ASSIGNING THE CONTRACT

This provision is applicable to all Federal-aid construction contracts on the National Highway System pursuant to 23 CFR 635.116.

1. The contractor shall perform with its own organization contract work amounting to not less than 30 percent (or a greater percentage if specified elsewhere in the contract) of the total original contract price, excluding any specialty items designated by the contracting agency. Specialty items may be performed by subcontract and the amount of any such specialty items performed may be deducted from the total original contract price before computing the amount of work required to be performed by the contractor's own organization (23 CFR 635.116).

a. The term “perform work with its own organization” in paragraph 1 of Section VI refers to workers employed or leased by the prime contractor, and equipment owned or rented by the prime contractor, with or without operators. Such term does not include employees or equipment of a subcontractor or lower tier subcontractor, agents of the prime contractor, or any other assignees. The term may include payments for the costs of hiring leased employees from an employee leasing firm meeting all relevant Federal and State regulatory requirements. Leased employees may only be included in this term if the prime contractor meets all of the following conditions: (based on longstanding interpretation)

(1) the prime contractor maintains control over the supervision of the day-to-day activities of the leased employees;
(2) the prime contractor remains responsible for the quality of the work of the leased employees;

(3) the prime contractor retains all power to accept or exclude individual employees from work on the project; and

(4) the prime contractor remains ultimately responsible for the payment of predetermined minimum wages, the submission of payrolls, statements of compliance and all other Federal regulatory requirements.

b. "Specialty Items" shall be construed to be limited to work that requires highly specialized knowledge, abilities, or equipment not ordinarily available in the type of contracting organizations qualified and expected to bid or propose on the contract as a whole and in general are to be limited to minor components of the overall contract. 23 CFR 635.102.

2. Pursuant to 23 CFR 635.116(a), the contract amount upon which the requirements set forth in paragraph (1) of Section VI is computed includes the cost of material and manufactured products which are to be purchased or produced by the contractor under the contract provisions.

3. Pursuant to 23 CFR 635.116(c), the contractor shall furnish (a) a competent superintendent or supervisor who is employed by the firm, has full authority to direct performance of the work in accordance with the contract requirements, and is in charge of all construction operations (regardless of who performs the work) and (b) such other of its own organizational resources (supervision, management, and engineering services) as the contracting officer determines is necessary to assure the performance of the contract.

4. No portion of the contract shall be sublet, assigned or otherwise disposed of except with the written consent of the contracting officer, or authorized representative, and such consent when given shall not be construed to relieve the contractor of any responsibility for the fulfillment of the contract. Written consent will be given only after the contracting agency has assured that each subcontract is evidenced in writing and that it contains all pertinent provisions and requirements of the prime contract. (based on long-standing interpretation of 23 CFR 635.116).

5. The 30-percent self-performance requirement of paragraph (1) is not applicable to design-build contracts; however, contracting agencies may establish their own self-performance requirements. 23 CFR 635.116(d).

VII. SAFETY: ACCIDENT PREVENTION

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

1. In the performance of this contract the contractor shall comply with all applicable Federal, State, and local laws governing safety, health, and sanitation (23 CFR Part 635). The contractor shall provide all safeguards, safety devices and protective equipment and take any other needed actions as it determines, or as the contracting officer may determine, to be reasonably necessary to protect the life and health of employees on the job and the safety of the public and to protect property in connection with the performance of the work covered by the contract. 23 CFR 635.108.

2. It is a condition of this contract, and shall be made a condition of each subcontract, which the contractor enters into pursuant to this contract, that the contractor and any subcontractor shall not permit any employee, in performance of the contract, to work in surroundings or under conditions which are unsanitary, hazardous or dangerous to his/her health or safety, as determined under construction safety and health standards (29 CFR Part 1926) promulgated by the Secretary of Labor, in accordance with Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C. 3704). 29 CFR 1926.10.

3. Pursuant to 29 CFR 1926.3, it is a condition of this contract that the Secretary of Labor or authorized representative thereof, shall have right of entry to any site of contract performance to inspect or investigate the matter of compliance with the construction safety and health standards and to carry out the duties of the Secretary under Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C. 3704).

VIII. FALSE STATEMENTS CONCERNING HIGHWAY PROJECTS

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

In order to assure high quality and durable construction in conformity with approved plans and specifications and a high degree of reliability on statements and representations made by engineers, contractors, suppliers, and workers on Federal-aid highway projects, it is essential that all persons concerned with the project perform their functions as carefully, thoroughly, and honestly as possible. Willful falsification, distortion, or misrepresentation with respect to any facts related to the project is a violation of Federal law. To prevent any misunderstanding regarding the seriousness of these and similar acts, Form FHWA-1022 shall be posted on each Federal-aid highway project (23 CFR Part 635) in one or more places where it is readily available to all persons concerned with the project:

18 U.S.C. 1020 reads as follows:

"Whoever, being an officer, agent, or employee of the United States, or of any State or Territory, or whoever, whether a person, association, firm, or corporation, knowingly makes any false statement, false representation, or false report as to the character, quality, quantity, or cost of the material used or to be used, or the quantity or quality of the work performed or to be performed, or the cost thereof in connection with the submission of plans, maps, specifications, contracts, or costs of construction on any highway or related project submitted for approval to the Secretary of Transportation; or

Whoever knowingly makes any false statement, false representation, false report or false claim with respect to the character, quality, quantity, or cost of any work performed or to be performed, or materials furnished or to be furnished, in connection with the construction of any highway or related project approved by the Secretary of Transportation; or

Whoever knowingly makes any false statement or false representation as to material fact in any statement, certificate, or report submitted pursuant to provisions of the Federal-aid Roads Act approved July 11, 1916, (39 Stat. 355), as amended and supplemented;

Shall be fined under this title or imprisoned not more than 5 years or both."

IX. IMPLEMENTATION OF CLEAN AIR ACT AND FEDERAL WATER POLLUTION CONTROL ACT (42 U.S.C. 7606; 2 CFR 200.88; EO 11738)

This provision is applicable to all Federal-aid construction contracts in excess of $150,000 and to all related subcontracts. 48 CFR 2.101; 2 CFR 200.327.

By submission of this bid/proposal or the execution of this contract or subcontract, as appropriate, the bidder, proposer, Federal-aid construction contractor, subcontractor, supplier, or vendor agrees to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42 U.S.C. 7401-7671q) and the Federal Water Pollution Control Act, as amended (33 U.S.C. 1251-1387). Violations must be reported to the Federal Highway Administration and the Regional Office of the Environmental Protection Agency. 2 CFR Part 200, Appendix II.

The contractor agrees to include or cause to be included the requirements of this Section in every subcontract, and further agrees to take such action as the contracting agency may direct as a means of enforcing such requirements. 2 CFR 200.327.

X. CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY AND VOLUNTARY EXCLUSION

This provision is applicable to all Federal-aid construction contracts, design-build contracts, subcontracts, lower-tier subcontracts, purchase orders, lease agreements, consultant contracts or any other covered transaction requiring FHWA approval or that is estimated to cost $25,000 or more – as defined in 2 CFR Parts 180 and 1200. 2 CFR 180.220 and 1200.220.

1**. Instructions for Certification – First Tier Participants:**

a. By signing and submitting this proposal, the prospective first tier participant is providing the certification set out below.

b. The inability of a person to provide the certification set out below will not necessarily result in denial of participation in this covered transaction. The prospective first tier participant shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective first tier participant to furnish a certification or an explanation shall disqualify such a person from participation in this transaction. 2 CFR 180.320.

c. The certification in this clause is a material representation of fact upon which reliance was placed when the contracting agency determined to enter into this transaction. If it is later determined that the prospective participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the contracting agency may terminate this transaction for cause of default. 2 CFR 180.325.

d. The prospective first tier participant shall provide immediate written notice to the contracting agency to whom this proposal is submitted if any time the prospective first tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances. 2 CFR 180.345 and 180.350.

e. The terms "covered transaction," "debarred," "suspended," "ineligible," "participant," "person," "principal," and "voluntarily excluded," as used in this clause, are defined in 2 CFR Parts 180, Subpart I, 180.900-180.1020, and 1200. “First Tier Covered Transactions” refers to any covered transaction between a recipient or subrecipient of Federal funds and a participant (such as the prime or general contract). “Lower Tier Covered Transactions” refers to any covered transaction under a First Tier Covered Transaction (such as subcontracts). “First Tier Participant” refers to the participant who has entered into a covered transaction with a recipient or subrecipient of Federal funds (such as the prime or general contractor). “Lower Tier Participant” refers any participant who has entered into a covered transaction with a First Tier Participant or other Lower Tier Participants (such as subcontractors and suppliers).

f. The prospective first tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency entering into this transaction. 2 CFR 180.330.

g. The prospective first tier participant further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transactions," provided by the department or contracting agency, entering into this covered transaction, without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the $25,000 threshold. 2 CFR 180.220 and 180.300.

h. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. 2 CFR 180.300; 180.320, and 180.325. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participate in covered transactions. 2 CFR 180.335. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the System for Award Management website (https://www.sam.gov/). 2 CFR 180.300, 180.320, and 180.325.

i. Nothing contained in the foregoing shall be construed to require the establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of the prospective participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

j. Except for transactions authorized under paragraph (f) of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default. 2 CFR 180.325.

* * * * *

2. Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion – First Tier Participants:

a. The prospective first tier participant certifies to the best of its knowledge and belief, that it and its principals:

(1) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency, 2 CFR 180.335;.

(2) Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property, 2 CFR 180.800;

(3) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (a)(2) of this certification, 2 CFR 180.700 and 180.800; and

(4) Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default. 2 CFR 180.335(d).

(5) Are not a corporation that has been convicted of a felony violation under any Federal law within the two-year period preceding this proposal (USDOT Order 4200.6 implementing appropriations act requirements); and

(6) Are not a corporation with any unpaid Federal tax liability that has been assessed, for which all judicial and administrative remedies have been exhausted, or have lapsed, and that is not being paid in a timely manner pursuant to an agreement with the authority responsible for collecting the tax liability (USDOT Order 4200.6 implementing appropriations act requirements).

b. Where the prospective participant is unable to certify to any of the statements in this certification, such prospective participant should attach an explanation to this proposal. 2 CFR 180.335 and 180.340.

* * * * *

3. **Instructions for Certification - Lower Tier Participants:**

(Applicable to all subcontracts, purchase orders, and other lower tier transactions requiring prior FHWA approval or estimated to cost $25,000 or more - 2 CFR Parts 180 and 1200). 2 CFR 180.220 and 1200.220.

a. By signing and submitting this proposal, the prospective lower tier participant is providing the certification set out below.

b. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department, or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.

c. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous by reason of changed circumstances. 2 CFR 180.365.

d. The terms "covered transaction," "debarred," "suspended," "ineligible," "participant," "person," "principal," and "voluntarily excluded," as used in this clause, are defined in 2 CFR Parts 180, Subpart I, 180.900 – 180.1020, and 1200. You may contact the person to which this proposal is submitted for assistance in obtaining a copy of those regulations. “First Tier Covered Transactions” refers to any covered transaction between a recipient or subrecipient of Federal funds and a participant (such as the prime or general contract). “Lower Tier Covered Transactions” refers to any covered transaction under a First Tier Covered Transaction (such as subcontracts). “First Tier Participant” refers to the participant who has entered into a covered transaction with a recipient or subrecipient of Federal funds (such as the prime or general contractor). “Lower Tier Participant” refers any participant who has entered into a covered transaction with a First Tier Participant or other Lower Tier Participants (such as subcontractors and suppliers).

e. The prospective lower tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated. 2 CFR 1200.220 and 1200.332.

f. The prospective lower tier participant further agrees by submitting this proposal that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the $25,000 threshold. 2 CFR 180.220 and 1200.220.

g. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participate in covered transactions. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the System for Award Management website (https://www.sam.gov/), which is compiled by the General Services Administration. 2 CFR 180.300, 180.320, 180.330, and 180.335.

h. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

i. Except for transactions authorized under paragraph e of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily

excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment. 2 CFR 180.325.

* * * * *

4. Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion--Lower Tier Participants:

a. The prospective lower tier participant certifies, by submission of this proposal, that neither it nor its principals:

(1) is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency, 2 CFR 180.355;

(2) is a corporation that has been convicted of a felony violation under any Federal law within the two-year period preceding this proposal (USDOT Order 4200.6 implementing appropriations act requirements); and

(3) is a corporation with any unpaid Federal tax liability that has been assessed, for which all judicial and administrative remedies have been exhausted, or have lapsed, and that is not being paid in a timely manner pursuant to an agreement with the authority responsible for collecting the tax liability. (USDOT Order 4200.6 implementing appropriations act requirements)

b. Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant should attach an explanation to this proposal.

* * * * *

XI. CERTIFICATION REGARDING USE OF CONTRACT FUNDS FOR LOBBYING

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts which exceed $100,000. 49 CFR Part 20, App. A.

1. The prospective participant certifies, by signing and submitting this bid or proposal, to the best of his or her knowledge and belief, that:

a. No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.

b. If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.

2. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by 31 U.S.C. 1352. Any person who fails to file the required certification shall be subject to a civil penalty of not less than $10,000 and not more than $100,000 for each such failure.

3. The prospective participant also agrees by submitting its bid or proposal that the participant shall require that the language of this certification be included in all lower tier subcontracts, which exceed $100,000 and that all such recipients shall certify and disclose accordingly.

XII. USE OF UNITED STATES-FLAG VESSELS:

This provision is applicable to all Federal-aid construction contracts, design-build contracts, subcontracts, lower-tier subcontracts, purchase orders, lease agreements, or any other covered transaction. 46 CFR Part 381.

This requirement applies to material or equipment that is acquired for a specific Federal-aid highway project. 46 CFR 381.7. It is not applicable to goods or materials that come into inventories independent of an FHWA funded-contract.

When oceanic shipments (or shipments across the Great Lakes) are necessary for materials or equipment acquired for a specific Federal-aid construction project, the bidder, proposer, contractor, subcontractor, or vendor agrees:

1. To utilize privately owned United States-flag commercial vessels to ship at least 50 percent of the gross tonnage (computed separately for dry bulk carriers, dry cargo liners, and tankers) involved, whenever shipping any equipment, material, or commodities pursuant to this contract, to the extent such vessels are available at fair and reasonable rates for United States-flag commercial vessels. 46 CFR 381.7.

2. To furnish within 20 days following the date of loading for shipments originating within the United States or within 30 working days following the date of loading for shipments originating outside the United States, a legible copy of a rated, ‘on-board’ commercial ocean bill-of-lading in English for each shipment of cargo described in paragraph (b)(1) of this section to both the Contracting Officer (through the prime contractor in the case of subcontractor bills-of-lading) and to the Office of Cargo and Commercial Sealift (MAR-620), Maritime Administration, Washington, DC 20590. (MARAD requires copies of the ocean carrier's (master) bills of lading, certified onboard, dated, with rates and charges. These bills of lading may contain business sensitive information and therefore may be submitted directly to MARAD by the Ocean Transportation Intermediary on behalf of the contractor). 46 CFR 381.7.

ATTACHMENT A - EMPLOYMENT AND MATERIALS PREFERENCE FOR APPALACHIAN DEVELOPMENT HIGHWAY SYSTEM OR APPALACHIAN LOCAL ACCESS ROAD CONTRACTS (23 CFR 633, Subpart B, Appendix B) This provision is applicable to all Federal-aid projects funded under the Appalachian Regional Development Act of 1965.

1. During the performance of this contract, the contractor undertaking to do work which is, or reasonably may be, done as on-site work, shall give preference to qualified persons who regularly reside in the labor area as designated by the DOL wherein the contract work is situated, or the subregion, or the Appalachian counties of the State wherein the contract work is situated, except:

a. To the extent that qualified persons regularly residing in the area are not available.

b. For the reasonable needs of the contractor to employ supervisory or specially experienced personnel necessary to assure an efficient execution of the contract work.

c. For the obligation of the contractor to offer employment to present or former employees as the result of a lawful collective bargaining contract, provided that the number of nonresident persons employed under this subparagraph (1c) shall not exceed 20 percent of the total number of employees employed by the contractor on the contract work, except as provided in subparagraph (4) below.

2. The contractor shall place a job order with the State Employment Service indicating (a) the classifications of the laborers, mechanics and other employees required to perform the contract work, (b) the number of employees required in each classification, (c) the date on which the participant estimates such employees will be required, and (d) any other pertinent information required by the State Employment Service to complete the job order form. The job order may be placed with the State Employment Service in writing or by telephone. If during the course of the contract work, the information submitted by the contractor in the original job order is substantially modified, the participant shall promptly notify the State Employment Service.

3. The contractor shall give full consideration to all qualified job applicants referred to him by the State Employment Service. The contractor is not required to grant employment to any job applicants who, in his opinion, are not qualified to perform the classification of work required.

4. If, within one week following the placing of a job order by the contractor with the State Employment Service, the State Employment Service is unable to refer any qualified job applicants to the contractor, or less than the number requested, the State Employment Service will forward a certificate to the contractor indicating the unavailability of applicants. Such certificate shall be made a part of the contractor's permanent project records. Upon receipt of this certificate, the contractor may employ persons who do not normally reside in the labor area to fill positions covered by the certificate, notwithstanding the provisions of subparagraph (1c) above.

5. The provisions of 23 CFR 633.207(e) allow the contracting agency to provide a contractual preference for the use of mineral resource materials native to the Appalachian region.

6. The contractor shall include the provisions of Sections 1 through 4 of this Attachment A in every subcontract for work which is, or reasonably may be, done as on-site work.

Supplemental Revisions for FHWA Form-1273 (Dated May 1, 2012)
Required Contract Provisions
Federal-Aid Construction Contracts

The following are supplementary or amendatory to the May 1, 2012, FHWA Form-1273 insofar as they apply to this contract:

Add the following provisions in accordance with the FHWA memo dated December 11, 2015:

Utilize privately owned United States-flag commercial vessels to ship at least 50 percent of the gross tonnage (computed separately for dry bulk carriers, dry cargo liners, and tankers) involved, whenever shipping any equipment, material, or commodities pursuant to this contract, to the extent such vessels are available at fair and reasonable rates for United States-flag commercial vessels.

Furnish within 20 days following the date of loading for shipments originating within the United States or within 30 working days following the date of loading for shipments originating outside the United States, a legible copy of a rated, ‘on-board’ commercial ocean bill-of-lading in English for each shipment of cargo described in above paragraph to both the Contracting Officer (through the prime contractor in the case of subcontractor bills-of-lading) and to the Division of National Cargo, Office of Market Development, Maritime Administration, Washington, DC 20590.

SPECIAL PROVISIONS

EEO AFFIRMATIVE ACTION REQUIREMENTS ON FEDERAL & FEDERAL-AID CONSTRUCTION CONTRACTS

Federal-aid contractors are hereby notified they are subject to the OFCCP goals and economic areas for minority and female participation expressed below. Compliance with the goals and OFCCP affirmative action efforts for contracts and subcontracts consisting of $10,000 or more will be determined by OFCCP officials.

Notice of Requirement for Affirmative Action to Ensure Equal Employment Opportunity (Executive Order 11246)

1. The Offeror's or Bidder's attention is called to the Equal Opportunity Clause and "Standard Federal Equal Employment Opportunity Construction Contract Specifications" set forth herein.
2. The goals and timetables for minority and female participation, expressed in percentage terms for the Contractor's aggregate workforce in each trade on all construction work in the covered area, are as follows:

GOALS FOR FEMALE PARTICIPATION (statewide) 6.9%

GOALS FOR MINORITY PARTICIPATION IN EACH TRADE
Economic Areas:

152
Non-SMSA (Standard Metropolitan Statistical Area) Counties 4.4%
Daniels, Richland, Roosevelt, Sheridan

153 Great Falls, MT
SMSA Counties
3040 Great Falls, MT 3.2%
Cascade

Non-SMSA Counties 4.1%
Blaine, Broadwater, Chouteau, Fergus, Glacier, Hill, Jefferson, Judith Basin, Lewis & Clark, Liberty, Meagher, Petroleum, Phillips, Pondera, Teton, Toole, Valley, Wheatland

154 Missoula, MT
Non-SMSA Counties 2.7%
Beaverhead, Deer Lodge, Flathead, Granite, Lake, Lincoln, Madison, Mineral, Missoula, Powell, Ravalli, Sanders, Silver Bow

155 Billings, MT
SMSA Counties
0880 Billings, MT 3.3%
Yellowstone

Non-SMSA Counties 3.3%
Big Horn, Carbon, Carter, Custer, Dawson, Fallon, Gallatin, Garfield, Golden Valley, McCone, Musselshell, Park, Powder River, Prairie, Rosebud, Stillwater, Sweet Grass, Treasure, Wibaux, Yellowstone Nat'l Park

These goals are applicable to all the Contractor's construction work (whether or not it is Federal or federally assisted) performed in the covered area. If the contractor performs construction work in a geographical area located outside of the covered area, it shall apply the goals established for such geographical area where the work is actually performed. With regard to this second area, the contractor also is subject to the goals for both its federally involved and non-federally involved construction.

The Contractor's compliance with the Executive Order and the regulations in 41 CFR Part 60-4 shall be based on its implementation of the Equal Opportunity Clause, specific affirmative action obligations required by the specifications set forth in 41 CFR 60-4.3(a), and its efforts to meet the goals. The hours of minority and female employment and training must be substantially uniform throughout the length of the contract, and in each trade, and the contractor shall make a good faith effort to employ minorities and women evenly on each of its projects. The transfer of minority or female employees or trainees from Contractor to Contractor or from project to project for the sole purpose of meeting the Contractor's goals shall be a violation of the contract, the Executive Order and the regulations in 41 CFR Part 60-4. Compliance with the goals will be measured against the total work hours performed.

3. The contractor shall provide written notification to the Director of the Office of Federal Contract Compliance Programs within 10 working days of award of any construction subcontract in excess of $10,000 at any tier for construction work under the contract resulting from this solicitation. The notification shall list the name, address and telephone number of the subcontractor; employer identification number of the subcontractor; estimated dollar amount of the subcontract; estimated starting and completion dates of the subcontract; and the geographical area in which the subcontract is to be performed.