Montana Department of Transportation Wetland Mitigation Monitoring Report

EASTON RANCH MITIGATION SITE

Project Overview

Watershed: Watershed #13 – Upper Yellowstone River Basin

Monitoring Year: 2020

Years Monitored: 11th year of monitoring

Corps Permit Number: NWO-2006-90370-MTB

Monitoring Conducted By: Confluence Consulting Inc

Dates Monitoring Was Conducted: June 23-24, 2020

Purpose of the Approved Project:

The site was constructed to provide 27.41 acres of compensatory wetland mitigation credits for wetland impacts associated with future transportation project-related wetland impacts in Watershed #13 – Upper Yellowstone River Basin. Construction entailed excavating a series of wetland cells and a flood channel that bisects the 32.65-acre mitigation area. The wetland project was designed to increase flood storage, improve wildlife habitat, and restore riparian and wetland habitat that had been impacted by past agricultural practices within the Shields River Watershed. The project includes creating, restoring, and preserving wetlands as well as establishing an upland buffer around project wetlands.

Site Location:

Latitude: 46.058174 **Longitude:** –110.638937

County: Park **Nearest Town:** Wilsall, MT

Map Included: Yes

Mitigation Site Construction Started: 2009 **Construction Ended:** 2009

Dates of Any Recent Corrective or Maintenance Activities (since previous report):

Activity: Weed Spraying **Date:** July 4, 2020 **Specific recommendations for any additional corrective actions:** Weed treatment will continue in 2021. Soil lifts and riprap installed along the bank of the Shields River are eroding in northwestern corner of the site. This bank area is generally dominated by shallow-rooting pasture grasses. MDT will assess this bank erosion and potential need for woody plant installation.

Anticipated Wetland Credit Acres: 27.41

Wetland Credit Acres Generated to Date: 15.26

Previous Monitoring Reports:
https://www.mdt.mt.gov/publications/brochures/wetland_mitigation.shtml

Requirements (from approved mitigation plan, banking instrument, or Department of Army (DA) permit conditions)

Monitoring Period: 5 years from construction completion or until concurrence by the US Army Corps of Engineers (USACE).

Performance Standards: A summary of performance standards established for the Easton Ranch site and whether or not they are being achieved is provided in Table 1.

Table 1. Summary of Performance Standards

Performance Standards	Success Criteria	Criteria Achieved (Y/N)	Discussion
Wetland Characteristics	Meet the three parameter criteria for hydrology, vegetation, and soils as outlined in the 1987 Wetland Delineation Manual and 2010 Mountains, Valleys, Coast Region.	Y	Areas identified as wetland habitat within the mitigation site meet the three parameter criteria.
Wetland Hydrology	Soil saturation present for at least 12.5 percent of the growing season.	Y	Areas identified as wetland habitat within the mitigation site exhibit soil saturation for a minimum of 12.5 percent of the growing season.
	Groundwater wells will be left undisturbed within the site for the purpose of monitoring groundwater elevations during the growing season.	N	No groundwater wells remain on site. Because of construction activities, the original monitoring wells were removed from the site.
	Groundwater is filling the depressional wetlands excavated into the upland areas of the site.	Y	Hydrologic indicators observed within the excavated wetlands include surface water, high water table, saturation, and hydrogen sulfide odor.
	Construction stream channel is stable.	Y	The constructed floodplain channel is stable with minimal bank erosion identified throughout the mitigation area.
Hydric Soil	Hydric soil conditions present or appear to be forming.	Y	All constructed wetlands exhibit hydric soil development (e.g., hydrogen sulfide, depleted matrix, redox dark surface, loamy gleyed matrix).
	Soil is sufficiently stable to prevent erosion.	Y	Disturbed soil is stable and does not exhibit signs of erosion.
	Soil is able to support plant cover.	Y	Plant cover has continued to develop across disturbed soils.
Hydrophytic Vegetation	Achieved when wetlands delineated as hydrophytic using technical guidelines.	Y	Areas identified as wetland habitat within the mitigation site support a prevalence of hydrophytic vegetation (OBL, FACW, and FAC).
Woody Plants	Trees and shrubs will be installed and survival will be assessed.	Y	Trees and shrubs have been planted throughout the mitigation site and are assessed during each yearly monitoring visit.
	Scrub/shrub wetlands habitat will be achieved where 30 percent absolute cover by cuttings, planted, and volunteer woody plants is reached within the defined monitoring period or site is showing signs of progression toward that goal at the end of the defined monitoring period.	Y	Approximately 29 percent of the wetland areas identified within the site are dominated by woody vegetation. Planted woody species were observed with high vigor along the constructed flood channel. Natural recruitment of aspen, willows, and cottonwoods continue to establish across the site. The site has achieved this success criterion.
Herbaceous Plants	At least 80 percent ocular vegetation coverage by desirable hydrophytic vegetation.	Y	Desirable hydrophytic vegetation comprises greater than 80 percent of total vegetation cover within delineated wetlands.
Wetland Acreage Development	Provide 27.41 net credit acres for the project area.	N	A total of 15.26 acres of wetland credit has been generated for the mitigation site and includes 11.15 acres of created wetland, 1.64 acres of restored wetland, 1.10 acres of preserved wetland, establishment of a 14.28-acre upland buffer, and 0.67-acre debit from project impacts.

Performance Standards	Success Criteria	Criteria Achieved (Y/N)	Discussion
Wetland Acreage Development	Emergent wetland habitat will be 70–75% of mitigation wetland.	Y	Emergent wetland habitat comprises approximately 69% of total wetland areas delineated in 2020. The site exhibits progress toward this success criterion.
	Scrub/shrub wetland habitat will be 15–20% of wetland area.	Y	Scrub/shrub wetland habitat comprises approximately 29% of total wetland areas delineated in 2020, exceeding the success criteria of 15-20%.
	Open water will be < 5% of wetland area.	Y	Aquatic macrophytes habitat comprises approximately 2% of total wetland areas delineated in 2020. These inundated areas (<3 feet deep) support a diversity of submergent and less than 5% emergent vegetation. The intent of this criterion was to minimize the amount of deep open-water habitat greater than 3 feet in depth.
Floodplain Channel Restoration	Considered stable when banks are vegetated with a majority of deep-rooting riparian and wetland plant species.	Y	Streambanks along the constructed channel are vegetated with a diversity of deep-rooting riparian and wetland plant species.
	Bank stability will be evaluated by reference reach comparison.	Y	Banks within the constructed floodplain channel are stable and compare to reference reach conditions with no signs of erosion or channel movement.
	Vegetation transect across the floodplain will be monitored.	Y	Vegetation transect across the floodplain has been monitored yearly and supports a prevalence of species with a root-stability index greater than 6.
Bank Stabilization (Shields River)	Area visually inspected and photo-documented.	Y	The results of annual inspection and photo documentation along the Shields River in the northwestern corner of the site are presented in the mitigation monitoring reports.
	Stability achieved when the banks are vegetated with a majority of deep-rooting riparian and wetland plant species.	N	The banks of the Shields River are generally dominated by upland pasture grasses. Soil lifts and the riprap installed along the bank are eroding near the northwestern corner of the site. Installed willow cuttings did not establish along this bank.
Upland Buffer	Noxious weeds do not exceed 10 percent cover within upland buffer area.	Y	Noxious weed cover is estimated as 5 percent within the upland buffer.
	Any area disturbed within creditable buffer zone must have at least 50 percent aerial cover of non-weed species by end of monitoring period.	Y	Disturbed areas have successfully established greater than 50 percent aerial cover by non-weed species.
Weed Control	Less than 5 percent absolute cover of state-listed noxious weed species across the site.	Y	Absolute cover of state-listed noxious weed species is estimated as 2 percent across the site.
Fencing	Install wildlife-friendly fencing along the easement boundaries.	Y	Wildlife-friendly fencing has been removed from the western and southern portions of the easement boundaries in an effort to promote wildlife movement across the wetland and the Shields River riparian corridor. The remaining fences are in good condition.
Monitoring	Monitor the site for a minimum period of 5 years or longer as determined by the USACE.	Y	Comprehensive site monitoring has been ongoing for 11 years, since the completion of construction activities in 2009.

Summary Data

Wetland Delineation – The total wetland acreage delineated in 2020, including pre-existing wetland areas, was 13.89 acres, which is an increase of 1.6 acres since 2019 (Figures A-2 and A-3, Appendix A). In 2020, the USACE provided guidance on open water, defining it as "areas of open water of any depth with less than 5% rooted emergent vegetation, no vegetation, submerged non-rooted vegetation, and/or submerged vegetation rooted in the substrate that does not extend above the water surface." In accordance with this recent USACE guidance, open water accounted for 0.11-acre of the mitigation site in 2020.The total wetland area at the site remained fairly constant from 2010 through 2019, ranging from a low of 11.53 in the first of year of monitoring in 2010 to a high of 12.64 in 2014. Total wetland acreage in 2020, 13.89 acres, is the highest delineated acreage to date, and is primarily a result of the increased water flow into the northeastern portion of the project area over the last two years. This newly delineated area exhibits wetland hydrology, hydric soil characteristics, and an increase in hydrophytic species richness. Yearly fluctuations in wetland acreage can be directly attributed to wetland hydrology, which is a combination of elevated groundwater and supplemental irrigation water that is released onto the site each summer.

Vegetation – A total of 176 plant species were identified on the site from 2010 through 2020. Three new species were identified at the site in 2020, including three-square (*Schoenoplectus pungens*), white-stem gooseberry (*Ribes inerme*), and little-pod false flax (*Camelina microcarpa*). Vegetation communities were identified by species composition and dominance. The following six upland and eleven wetland vegetation community types were identified in 2020:

- Upland Type 1 – *Phleum pratense/Poa pratensis*
- Upland Type 10 – *Bromus inermis/Populus tremuloides*
- Upland Type 13 – *Bromus inermis/Phleum pratense*
- Upland Type 16 – *Elymus repens/Poa pratensis*
- Upland Type 17 – *Phleum pratense/Elymus repens*
- Upland Type 18 – *Lotus corniculatus/Phleum pretense*
- Wetland Type 3 – *Carex* spp.
- Wetland Type 4 – *Salix* spp.
- Wetland Type 5 – *Populus balsamifera*
- Wetland Type 7 – Aquatic Macrophytes
- Wetland Type 11 – *Juncus* spp.
- Wetland Type 12 – *Eleocharis palustris/Typha latifolia*
- Wetland Type 14 – *Juncus* spp./*Populus balsamifera*
- Wetland Type 15 – *Juncus* spp./*Salix* spp.
- Wetland Type 19 – *Typha latifolia*
- Wetland Type 20 – *Lotus corniculatus/Populus balsamifera*
- Wetland Type 21 – *Carex spp./Juncus* spp.

The community composition for each community type is provided in full detail on the Wetland Mitigation Site Monitoring form (Appendix B), and the community boundaries are shown on Figure A-3 (Appendix A). Portions of upland types 17 and 18 are considered wetland in the northeastern portion of the project area, and are transitioning to a vegetation community comprising an increased dominance by hydrophytic plant species.

Vegetation cover was measured along three transects in 2020 (Figure A-2, Appendix A). Details of each transect are provided in the site monitoring form in Appendix B. Photographs of the transect end points are provided in Appendix C. Table 2 summarizes the data for Transect T-1. T-1 is 1,376 feet long; runs south to north across the east side of the site (Figure A-2, Appendix A); and intersects upland community types 1, 10, 16, and 18 and wetland community types 7, 11, 14, 17, and 21. Forty-two percent of the transect crossed wetland habitat, an increase of 22.3 percent since 2019. The significant increase in wetland habitat observed in 2020 is primarily the result of upland type 17 transitioning to wetland, which is well represented along the northern portion of T-1. Standing water was present in both 2019 and 2020 along this transition zone within community type 17, which is currently dominated by facultative (FAC) species and has yet to shift to a dominance of more FACW and OBL species. Total vegetative cover has remained relatively constant at 85–90 percent from 2016 to 2020.

Table 2. Data Summary for T-1 From 2016 Through 2020 at the Easton Ranch Site

Monitoring Year	2016	2017	2018	2019	2020
Transect Length (feet)	**1,376**	**1,376**	**1,376**	**1,376**	**1,376**
Vegetation Community Transitions Along Transect	14	14	12	12	13
Vegetation Communities Along Transect	6	6	8	10	9
Hydrophytic Vegetation Communities Along Transect	2	2	4	4	5
Total Vegetative Species	54	58	50	52	54
Total Hydrophytic Species	34	41	32	32	38
Total Upland Species	20	17	18	20	16
Estimated % Total Vegetative Cover	85	85	89	89	90
Estimated % Unvegetated	15	15	11	11	10
% Transect Length Comprising Hydrophytic Vegetation Communities	22.7	22.7	19.1	19.3	42.2
% Transect Length Comprising Upland Vegetation Communities	77.3	77.3	80.9	80.7	57.8
% Transect Length Comprising Unvegetated Open Water	0.0	0.0	0.0	0.0	0.0
% Transect Length Comprising of Mud Flat	0.0	0.0	0.0	0.0	0.0

Data collected on T-2 (Wetland Mitigation Site Monitoring form, Appendix B) are summarized in Table 3. T-2 is 1,333 feet long, runs north to south across the west side of the site, and intersects upland community types 1, 13, and 18 and wetland community types 3, 7, 11, 14, 15, and 21. Hydrophytic vegetation communities comprised 46.5 percent of the transect, a minimal increase to that observed in 2019. Total vegetative cover has remained relatively constant at 85–90 percent from 2016 to 2020.

Table 3. Data Summary for T-2 From 2016 Through 2020 at the Easton Ranch Site

Monitoring Year	2016	2017	2018	2019	2020
Transect Length (feet)	**1,333**	**1,333**	**1,333**	**1,333**	**1,333**
Vegetation Community Transitions Along Transect	10	11	14	14	13
Vegetation Communities Along Transect	5	6	8	9	9
Hydrophytic Vegetation Communities Along Transect	3	4	5	6	6
Total Vegetative Species	61	58	54	59	61
Total Hydrophytic Species	41	45	44	46	46
Total Upland Species	20	13	10	13	15
Estimated % Total Vegetative Cover	85	85	87	90	90
Estimated % Unvegetated	15	15	13	10	10

% Transect Length Comprising Hydrophytic Vegetation Communities	40.4	40.5	40.9	46.1	46.5
% Transect Length Comprising Upland Vegetation Communities	59.6	59.5	59.1	53.9	53.5
% Transect Length Comprising Unvegetated Open Water	0.0	0.0	0.0	0.0	0.0
% Transect Length Comprising of Mud Flat	0.0	0.0	0.0	0.0	0.0

Data collected on T-3 (Wetland Mitigation Site Monitoring form, Appendix B) are summarized in Table 4. T-3 is 732 feet long, runs west to east across the south end of the site, and intersects upland community types 1 and 13 and wetland community types 11 and 14. Approximately 55 percent of the transect crossed wetland habitat in 2020, an increase of 3 percent since 2019. While a decrease in the total number of species (both hydrophytic and upland) was observed in 2020, total vegetative cover remained relatively constant at 90 percent. It's unclear why there was a decrease in the total number of species observed in 2020.

Table 4. Data Summary for T-3 From 2016 Through 2020 at the Easton Ranch Site

Monitoring Year	**2016**	**2017**	**2018**	**2019**	**2020**
Transect Length (feet)	**732**	**732**	**732**	**732**	**732**
Vegetation Community Transitions Along Transect	4	4	6	6	6
Vegetation Communities Along Transect	3	3	4	4	4
Hydrophytic Vegetation Communities Along Transect	1	1	2	2	2
Total Vegetative Species	45	42	42	40	29
Total Hydrophytic Species	28	29	30	27	19
Total Upland Species	17	13	12	13	10
Estimated % Total Vegetative Cover	85	85	90	91	90
Estimated % Unvegetated	15	15	10	9	10
% Transect Length Comprising Hydrophytic Vegetation Communities	44.4	47.3	51.1	51.5	54.8
% Transect Length Comprising Upland Vegetation Communities	55.5	52.7	48.9	48.5	45.2
% Transect Length Comprising Unvegetated Open Water	0.0	0.0	0.0	0.0	0.0
% Transect Length Comprising of Mud Flat	0.0	0.0	0.0	0.0	0.0

Several hundred cuttings and containerized plant materials were planted along the constructed flood channel to increase channel stability. Consistent with monitoring activities of the past several years, a thorough survey of the project area was conducted in 2020 to locate and identify surviving cuttings and containerized saplings. Approximately six red-osier dogwood (*Cornus alba*), 49 sandbar willow (*Salix exigua*), 93 speckled alder (*Alnus incana*), and 85 willow cuttings were identified as surviving in 2020. The abundance and canopy cover of woody volunteer species continues to increase across the site. Quaking aspen (*Populus tremuloides*) saplings are thriving and spreading along the northern and northeastern project boundaries. Volunteer speckled alder, sandbar willow (*Salix exigua*), and cottonwood (*Populus balsamifera*) were noted along the channel, are establishing well, and have increased in abundance and cover since 2019. Volunteer sandbar willow, Bebb's willow (*Salix bebbiana*), and yellow willow *(Salix lutea*) have increased in areas outside of the channel, and were observed in abundance within CT11, CT14, CT15, and CT21 across the site. Young cottonwoods were also observed along CT1, CT14, CT18, and CT21 within Transect 1, and around the perimeter of CT5 and CT14 in the western and southern portions of the project area. Speckled alder and red-osier dogwood were observed primarily along or within the channel.

During the June 2020 monitoring, 11 small infestations of Canada thistle (*Cirsium arvense*), a Priority 2B noxious weed in Montana, were identified in areas less than 0.1-acre in size and located in both wetland and upland habitat (Figure A-3, Appendix A). The infestations included trace (< 1 percent), low (1–5 percent), and moderate (6–25 percent) cover classes. Canada thistle was observed in CT1, CT3, CT5, CT10, CT11, CT13, CT15, CT18, and CT20. Four infestations of gypsy-flower (*Cynoglossum officinale*) were observed on site, primarily along the eastern site boundary, in upland community Types 1, 13, and 18. Annual weed spraying efforts have been very effective in reducing infestation size and cover of noxious weed populations across the site. The Montana Department of Transportation (MDT) has an ongoing weed-control program, which included weed spraying by contractors on July 4, 2020, following the June 2020 monitoring event.

Hydrology – The hydrology for the site is supplied from multiple sources, including a shallow seasonal groundwater table, direct precipitation, surface runoff, flood flows from the adjacent Shields River, and two surface-water diversions in the northern portion of the site. The surface-water diversions at the site, a ditch along the northeastern boundary and an irrigation canal located at the northcentral boundary, were both flowing during the June 2020 site visit. Approximately 35 percent of the site was inundated with surface water during the 2020 investigation at depths that ranged from 0 to 1.5 feet. The majority of wetland cells were saturated or inundated with shallow surface water during the June monitoring event. Ponded surface water was present in many portions of the overflow channel and in several other low areas across the site. As mentioned previously, increased water flow into the northeastern portion of the project area over the last two years has caused this area to exhibit wetland hydrology, hydric soil characteristics, and an increase in hydrophytic species. During the 2020 site visit, this area was inundated, with water depths ranging from 0.25 to 1.5 feet. Some signs of overland flow from the Shields River were noted along portions of Transect 2, with debris from high flows deposited along the stems/trunks of young trees and shrubs. Signs of high flows were noted in the channel and included deposition and scour holes, but banks were generally well-vegetated and the channel bottom was stable and, in places, rocky.

Soils – Soil test pits were excavated at 24 locations and all were within the area mapped as Meadowcreek soil series by the NRCS, which is not classified a hydric soil (Figure A-2, Appendix A). Soil textures within wetland test pits ranged from loamy sand to silty clay. Hydric soil indicators were observed within all but three wetland test pits (i.e., DP01w, DP07b-w, DP09w) and included depleted matrix, redox dark surface, loamy gleyed matrix, and hydrogen sulfide. The three wetland test pits that lacked hydric soil indicators all exhibited strong indicators of hydrology, including surface water and a high water table, all dominant plant species were hydrophytic, and the wetland boundary had an abrupt edge.

Soil textures within upland test pits ranged from clay loam to clay. No hydric soil indicators were observed in any of the upland test pits. Additional field observations for the 24 data points are provided in the wetland determination data forms in Appendix B.

Photographs – Photographs taken at photo points 1–7 (PP1 to PP7), transect endpoints, and data points are provided in Appendix C with comparisons between 2020 and the first year of monitoring. Please refer to previous years' monitoring reports for all previous annual photographs (https://www.mdt.mt.gov/publications/brochures/wetland_mitigation.shtml).

Functional Assessment – The 2020 results of the functional assessments are summarized in Table 5. Montana Wetland Assessment Method (MWAM) forms for the Easton Ranch Site are provided in Appendix B. Since monitoring began in 2010, the site has been divided into three Assessment Areas (AA) for the purpose of functional assessment. Creation, Restoration, and Preservation AAs all rate as Category II wetlands with moderate to high ratings for a number of parameters, including General Wildlife Habitat, MT Natural Heritage Program Species Habitat, Flood Attenuation, Short- and Long-Term Surface-Water Storage, and Sediment/Nutrient/Toxicant Removal.

Table 5. Montana Wetland Assessment Method Summary for the Easton Ranch Site

Function and Value Parameters From the 2008 Montana Wetland Assessment Method	2020 Restoration	2020 Preservation	2020 Creation
Listed/Proposed Threatened & Endangered (T&E) Species Habitat	Low (0.0)	Low (0.0)	Low (0.0)
Montana Natural Heritage Program Species (MTNHP) Habitat	High (0.9)	High (0.9)	High (0.9)
General Wildlife Habitat	Mod (0.7)	High (0.9)	High (0.9)
General Fish/Aquatic Habitat	NA	NA	NA
Flood Attenuation	Mod (0.6)	High (0.9)	High (0.8)
Short- and Long-Term, Surface-Water Storage	Mod (0.6)	Mod (0.6)	High (0.8)
Sediment/Nutrient/Toxicant Removal	High (1.0)	High (1.0)	High (0.9)
Sediment/Shoreline Stabilization	High (0.9)	NA	Mod (0.6)
Production Export/Food Chain Support	Mod (0.7)	High (0.9)	High (0.8)
Groundwater Discharge/Recharge	Mod (0.7)	Mod (0.7)	Mod (0.7)
Uniqueness	Mod (0.4)	Mod (0.6)	Mod (0.6)
Recreation/Education Potential (bonus points)	Low (0.05)	Low (0.05)	Low (0.05)
Actual Points/Possible Points	**6.55 / 10**	**6.55 / 9**	**7.05 / 10**
% of Possible Score Achieved	**66%**	**73%**	**71%**
Overall Category	**II**	**II**	**II**
Total Acreage of Assessed Wetlands Within Site Boundaries	**1.64**	**1.1**	**11.15**
Functional Units (acreage × actual points)	**10.74**	**7.21**	**78.61**

Wildlife – Fifteen bird species were identified at the site in 2020 (Site Monitoring Form Appendix B). Bird boxes installed in 2017 were checked and appeared to be in good working condition. In addition to the bird species, chorus frogs were seen in wetlands across the site, and white-tailed deer were observed along the eastern project boundary.

Stream Bank Stabilization – During the 2013 high-flow event (spring 2013), significant bank erosion occurred immediately upstream of PP4B. This erosion exposed the riprap and undermined the riprap along an approximately 85-foot-long reconstructed bank and undermined the coir-wrapped soil lifts, which caused significant loss of soil and willow cuttings. Photo point PP4B, located at the south end of the reconstructed bank, had to be relocated because of bank erosion and woody debris accumulation. Additional bank erosion has been noted since the dramatic lateral cutting event of 2013, and this section of bank remains exposed and vulnerable. The 2018 runoff period was supported by above-average precipitation in June. In 2019 and 2020, bank erosion had continued along the downstream or southern portion of the 85-foot-long bank and resulted in areas of undercutting or loss of finer textured subsoils.

Credit Summary – Table 6 summarizes the estimated wetland credits based on the USACE-approved credit ratios and the wetland delineation completed in June 2020. Proposed mitigation included creating 24.95 acres of emergent and shrub/scrub wetlands, reestablishing a 1.56-acre flood channel, preserving 1.10 acres of preexisting wetland, and maintaining 6.43 acres of upland buffer. Proposed wetland credits for the project site totaled 27.41 credit acres, which accounted for 0.67 acre of impacts associated with constructing the mitigation wetland. The total mitigation credit estimated in 2020 totaled 15.26 credit acres, which is an increase of 2.16 acres since 2019. The site is still approximately 12.15 acres short of the original goal of 27.41 credit acres.

Table 6. Wetland Mitigation Credits Estimated for the Easton Ranch Site (2017–2020)

Proposed Mitigation Features	Compensatory Mitigation Type	USACE Mitigation Ratios	Anticipated Final Credit Acreages	Proposed Final Wetland Credits (Acres)	2017 Wetland Acreages	2017 Credit Estimated (Acres)	2018 Wetland Acreages	2018 Credit Estimated (Acres)	2019 Wetland Acreages	2019 Credit Estimated (Acres)	2020 Wetland Acreages	2020 Credit Estimated (Acres)
Creation of palustrine emergent wetland via shallow excavation	Creation	1:1	24.95	24.95	9.79	9.79	8.93	8.93	9.63	9.63	11.15	11.15
Reestablishment of relic flood channel	Restoration (Reestablishment)	1:1	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.64	1.64
Preservation of existing shrub/scrub and palustrine emergent wetland	Preservation	4:1	1.10	0.28	1.10	0.28	1.10	0.28	1.10	0.28	1.10	0.28
Establish a 50-foot-wide upland buffer	Upland Buffer	5:1	6.43	1.29	11.5*	2.30	11.5	2.30	11.5	2.3	14.28**	2.86
Project impacts			–0.67	–0.67	–0.67	–0.67	–0.67	–0.67	–0.67	–0.67	–0.67	–0.67
Open Water	Open Water	TBD***	TBD***	TBD***	--	--	--	--	--	--	0.11	TBD***
Total				**27.41**		**13.26**		**12.40**		**13.10**		**15.26**


*50-foot upland buffer calculated in GIS and carried forward by RESPEC through 2019

**50-foot upland buffer calculated in GIS in 2020 by Confluence. Upland buffer established around 2020 mapped wetland boundaries.

*** Mitigation ratios and crediting for Open Water are To Be Determined (TBD).

Maps, Plans, Photos

Site Location Map



Project Area Maps/Figures: See Appendix A

Data Forms: See Appendix B (Site Monitoring form, USACE data forms, and MWAM forms)

Photos: See Appendix C

Plans: See Appendix D of 2018 Monitoring Report
https://www.mdt.mt.gov/other/webdata/external/planning/wetlands/2018-REPORTS/2018-FINAL-Easton-Ranch.PDF

Conclusions

Based on the results of the eleventh year of monitoring, the mitigation site is continuing an upward trend toward a diverse wetland ecosystem. The site is meeting all Performance Standards except for Wetland hydrology (groundwater wells), Wetland Acreage Development, and Bank Stabilization (deep-rooting riparian vegetation establishment). MDT will discuss the difficulties in meeting these performance standards and potential remedial actions to address the deficiencies.

References

Berglund, J. and R. McEldowney. 2008. *MDT Montana Wetland Assessment Method,* PBS&J Project B43072.00, prepared by Post, Buckley, Schuh, & Jernigan, Helena, MT, for the Montana Department of Transportation, Helena, MT.

Environmental Laboratory. 1987. *Corps of Engineers Wetlands Delineation Manual*. U.S. Army Corps of Engineers. Washington, DC.

Federal Geographic Data Committee (FGDC). 2013. *Classification of wetlands and deepwater habitats of the United States*. FGDC-STD-004-2013. Second Edition. Wetlands Subcommittee, Federal Geographic Data Committee and U.S. Fish and Wildlife Service, Washington, DC.

Lesica, P. 2012. *Manual of Montana Vascular Plants,* Brit Press, Fort Worth, TX.

Montana Natural Heritage Program. 2020. *Montana Species of Concern Report*. Montana Natural Heritage Program. Accessed on 1 October 2020 at *http://mtnhp.org/SpeciesOfConcern/?AorP=p*

Natural Resources Conservation Service (NRCS). 2020. *Soil Survey (SSURGO) Database for* [Park County Area, Montana]. Accessed on 1 October 2020 at *http://websoilsurvey.nrcs.usda.gov/*

Natural Resources Conservation Service (NRCS). 2018. *Field Indicators of Hydric Soils in the United States,* Version 8.2. L.M. Vasilas, G.W. Hurt, and J.F. Berkowitz (eds.). USDA, NRCS, in cooperation with the National Technical Committee for Hydric Soils. 55 p.

US Army Corps of Engineers (USACE). 2005**.** *Montana Mitigation Information*. Accessed on 10 October 2016 at *http://www.nwo.usace.army.mil/Missions/Regulatory-Program/Montana/Mitigation/*

U.S. Army Corps of Engineers (USACE). 2010. *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Mountains, Valleys, and Coasts Region* (Version 2.0), prepared by U.S. Army Corps of Engineers, U.S. Army Engineer Research and Development Center, Environmental Laboratory, Vicksburg, MS.


U.S. Army Corps of Engineers (USACE). 2018. *National Wetland Plant List (Version 3.4),* prepared by U.S. Army Corps of Engineers, U.S. Army Engineer Research and Development Center, Cold Regions Research and Engineering Laboratory, Hanover, NH.

U.S. Fish and Wildlife Service (USFWS). 2020. *IPaC Resource List.* Environmental Conservation Online System (ECOS). Accessed on 1 October 2020 at *https://ecos.fws.gov/ipac/*

APPENDIX A
PROJECT AREA MAPS

MDT Wetland Mitigation Monitoring
Easton Ranch
Park County, Montana

Figure A-2. 2020 Monitoring Activity Locations



CONFLUENCE
consulting incorporated


Easton Ranch Wetland Mitigation
2020 Monitoring Activity Locations

0 75 150 300 450 600 750 Feet

Project:	STPP STWD (756)
Location:	Park Co., Montana
Date:	August 2020
Project Manager:	R McEldowney
Drawn By:	RQ

File: X:\Project\MDT Wetland Mitigation 2\Mains\Easton\2020\Monitor2020_MDT.mxd

Figure A-3. 2020 Mapped Site Features



CONFLUENCE
consulting incorporated


Easton Ranch Wetland Mitigation
2020 Mapped Site Features

0 75 150 300 450 600 750 Feet

Project:	STPP STWD (756)
Location:	Park Co., Montana
Date:	August 2020
Project Manager:	R McEldowney
Drawn By:	RQ

File: X:\Project\MDT Wetland Mitigation 2\Mains\Easton\2020\Veg2020_MDT.mxd

Figure A-4. 2020 Wetland Delineation



Project Area	32.65 acres
Pre-Project Wetland	1.10 acres
Gross Wetland - 2020	13.89 acres
Open Water - 2020	0.11 acres

Legend

- Monitoring Limits
- Pre-Project Wetland Area
- Wetland Area - 2020
- Open Water - 2020

Base Photography Date: July 2020

THIS FIGURE SHOWS THE APPROXIMATE LOCATION OF FEATURES ON THE SITE AND IS NOT INTENDED TO BE A DEFINITIVE SURVEY IT IS INTENDED TO DISPLAY INFORMATION RELEVANT TO THE REFERENCED REPORT. RESPEC MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND REGARDING THIS DRAWING FOR ANY USE OTHER THAN THE ORIGINAL. ANY OTHER USE IS AT THE USER'S SOLE RISK.

CONFLUENCE
consulting incorporated

Easton Ranch Wetland Mitigation
2020 Wetland Delineation

0 75 150 300 450 600 750 Feet

Project:	STPP STWD (756)
Location:	Park Co., Montana
Date:	August 2020
Project Manager:	R McEldowney
Drawn By:	RQ

File: X:\Project\MDT Wetland Mitigation 2\Mains\Easton\2020\Deln2020_MDT.mxd

APPENDIX B
MONITORING FORMS

MDT Wetland Mitigation Monitoring
Easton Ranch
Park County, Montana

MDT WETLAND MITIGATION SITE MONITORING FORM

Project Site: Easton Assessment Date/Time 6/23/2020

Person(s) conducting the assessment: R Quire, S Weyant, R Jones

Weather: 75 degees, sunny, clear, humid Location: Northeast of Wilsall

MDT District: Butte Milepost: NA

Legal Description: T 4N R 9E Section(s) 32 NW 1/4

Initial Evaluation Date: 8/25/2010 Monitoring Year: 11 #Visits in Year: 1

Size of Evaluation Area: 32.65 (acres)

Land use surrounding wetland:

Agriculture, riparian corridor

HYDROLOGY

Surface Water Source: High groundwater, periodic overbank flow from the Shields River.

Inundation: ☑ Average Depth: 0.3 **(ft)** Range of Depths: 0.1-1.5 **(ft)**

Percent of assessment area under inundation: 35 %

Depth at emergent vegetation-open water boundary: 0.5 **(ft)**

If assessment area is not inundated then are the soils saturated within 12 inches of surface: Yes

Other evidence of hydrology on the site (ex. – drift lines, erosion, stained vegetation, etc:

Sediment deposits, channel scour and deposition, debris left around the base of young trees and shrubs, geomorphic position, FAC-neutral test, surface water, high water table, and saturation.

Groundwater Monitoring Wells

Record depth of water surface below ground surface, in feet.

Additional Activities Checklist:

☑ Map emergent vegetation-open water boundary on aerial photograph.

☑ Observe extent of surface water during each site visit and look for evidence of past surface water elevations (drift lines, erosion, vegetation staining, etc.)

☐ Use GPS to survey groundwater monitoring well locations, if present.

Hydrology Notes:

All wetland cells were saturated or inundated with shallow surface water during the June 2020 monitoring. Surface water was present in the overflow channel and in the majority of low areas across the site. Surface water levels were higher compared to 2019. Along Transect 3, signs of high flows were noted in the channel and included deposition and scour holes but banks were generally well -vegetated and the channel bottom stable and in places rocky.

VEGETATION COMMUNITIES

Site Easton

(Cover Class Codes **0** = < 1%, **1** = 1-5%, **2** = 6-10%, **3** = 11-20%, **4** = 21-50% , **5** = >50%)

Community # 1 **Community Type:** Phleum pratense / Poa pratensis **Acres:** 6.81

Species	Cover class	Species	Cover class
Agrostis stolonifera	1	Alopecurus arundinaceus	0
Bare Ground	1	Bromus inermis	3
Carex nebrascensis	0	Carex pellita	0
Carum carvi	1	Cirsium arvense	1
Dactylis glomerata	1	Deschampsia caespitosa	0
Elymus repens	3	Equisetum arvense	0
Glycyrrhiza lepidota	0	Juncus balticus	0
Leymus cinereus	1	Lotus corniculatus	2
Lysimachia ciliata	0	Medicago sativa	1
Melilotus officinalis	0	Phalaris arundinacea	1
Phleum pratense	1	Phleum pratense	3
Poa palustris	1	Poa pratensis	3
Populus balsamifera	1	Salix lutea	1
Sisyrinchium idahoense	0	Stachys palustris	0
Taraxacum officinale	1	Trifolium hybridum	1
Trifolium pratense	2		

Comments:

In 2020, there is an increase in the cover by Lotus corniculatus and Elymus repens within this community. More willow and cottonwood seedlings observed.

Community # 3 **Community Type:** Carex spp. / **Acres:** 0.5

Species	Cover class	Species	Cover class
Calamagrostis canadensis	1	Carex atherodes	4
Carex nebrascensis	2	Carex pellita	2
Carex utriculata	3	Cirsium arvense	1
Cirsium arvense	1	Equisetum arvense	1
Juncus balticus	2	Juncus longistylis	1
Mentha arvensis	1	Open Water	1
Poa palustris	1	Poa pratensis	0
Salix exigua	1	Scirpus microcarpus	2
Stachys palustris	1		

Comments:

This community type exhibits a diversity of hydrophytic species.

Community # 4 **Community Type:** Salix spp. / **Acres:** 0.14

Species	Cover class	Species	Cover class
Carex nebrascensis	2	Elymus repens	2
Mentha arvensis	1	Phalaris arundinacea	3
Phleum pratense	1	Ribes inerme	1
Ribes lacustre	2	Salix bebbiana	1
Salix drummondiana	4	Salix lasiandra	3
Scirpus microcarpus	1	Urtica dioica	1

Comments:

Scrub-shrub community along the banks of the Shield River. Dominated by Salix drummondiana and Salix lasiandra in 2020.

Community # 5 **Community Type:** Populus balsamifera / **Acres:** 0.48

Species	Cover class	Species	Cover class
Bromus inermis	2	Cirsium arvense	2
Glyceria striata	2	Populus angustifolia	4
Populus balsamifera	4	Salix bebbiana	2
Salix lasiandra	2	Scirpus microcarpus	2
Scutellaria lateriflora	2		

Comments:

Small forested area along the southern project boundary.

Community # 7 **Community Type:** Aquatic macrophytes / **Acres:** 0.19

Species	Cover class	Species	Cover class
Algae, green	3	Alopecurus geniculatus	0
Beckmannia syzigachne	1	Carex pellita	1
Carex utriculata	2	Cornus alba	0
Eleocharis palustris	2	Glyceria grandis	1
Juncus balticus	2	Juncus effusus	2
Juncus ensifolius	0	Mentha arvensis	1
Open Water	5	Ruppia maritima	1
Salix lutea	1	Schoenoplectus pungens	1
Scirpus microcarpus	1	Typha latifolia	2

Comments:

This community type is stable with shallow open water, aquatic macrophytes, and a diverse border of hydrophytic vegetation in 2020.

Community # 10 **Community Type:** Bromus inermis / Populus tremuloides **Acres:** 0.23

Species	Cover class	Species	Cover class
Agrostis stolonifera	1	Bromus inermis	4
Carum carvi	1	Cirsium arvense	0
Dactylis glomerata	2	Elymus repens	1
Leymus cinereus	1	Lotus corniculatus	1
Phleum pratense	3	Poa palustris	1
Poa pratensis	1	Populus tremuloides	3
Taraxacum officinale	1	Trifolium pratense	1

Comments:

Small community type along the northern project boundary.

Community # 11 **Community Type:** Juncus spp. / **Acres:** 5.19

Species	Cover class	Species	Cover class
Agrostis stolonifera	1	Alopecurus arundinaceus	1
Alopecurus pratensis	1	Bare Ground	1
Carex aquatilis	1	Carex bebbii	1
Carex nebrascensis	1	Carex pachystachya	1
Carex utriculata	2	Cirsium arvense	1
Deschampsia caespitosa	1	Equisetum arvense	1
Juncus balticus	4	Juncus effusus	2
Juncus ensifolius	1	Juncus longistylis	1
Juncus tenuis	1	Lotus corniculatus	2
Lysimachia ciliata	0	Mentha arvensis	1
Phleum pratense	1	Poa palustris	2
Poa pratensis	1	Populus balsamifera	1
Salix bebbiana	1	Salix lutea	1
Schedonorus pratensis	0	Scirpus microcarpus	1
Solidago gigantea	0	Stachys palustris	1

Comments:

Diverse wetland community type with many more species recorded with a cover value of less than 1 percent. In 2017, Glyceria spp. was removed as a codominant, Glyceria grandis and Glyceria striata are still present but represent a low percent cover. In 2018-2020, noted Salix spp., Alnus incana, and Populus balsamifera seedlings across portions of CT 11. In 2020 areas of this community transitioned to CT 14 and 21 from increase in Carex spp. and Populus balsmifera.

Community # 12 Community Type: Eleocharis palustris / Typha latifolia **Acres:** 1.02

Species	Cover class	Species	Cover class
Agrostis stolonifera	1	Alopecurus pratensis	1
Beckmannia syzigachne	1	Carex aquatilis	1
Carex utriculata	2	Eleocharis palustris	3
Glyceria elata	1	Juncus balticus	1
Mentha arvensis	1	Phalaris arundinacea	1
Ruppia maritima	1	Typha latifolia	4

Comments:

This community type was found in areas where surface water persists for longer periods through the summer.

Community # 13 Community Type: Bromus inermis / Phleum pratense **Acres:** 5.35

Species	Cover class	Species	Cover class
Agrostis stolonifera	1	Alopecurus pratensis	0
Bare Ground	1	Bromus inermis	3
Camelina microcarpa	1	Carum carvi	1
Cirsium arvense	1	Dactylis glomerata	1
Dactylis glomerata	1	Elymus repens	1
Equisetum arvense	0	Juncus balticus	1
Leymus cinereus	1	Lotus corniculatus	3
Phleum pratense	3	Poa palustris	1
Poa pratensis	2	Populus balsamifera	1
Salix exigua	1	Schedonorus pratensis	0
Taraxacum officinale	1	Trifolium hybridum	1
Trifolium pratense	1		

Comments:

In 2018, several areas previously mapped as CT 13 transitioned to community types 16 or 18 due to the increase of Elymus repens or Lotus corniculatus and the reduction of Bromus inermis. In 2019, CT13 replaced a small portion of CT1 in the eastern portion of the property and along portions of the road.

Community # 14 **Community Type:** Juncus spp. / Populus balsamifera **Acres:** 2.44

Species	Cover class	Species	Cover class
Agrostis stolonifera	1	Alnus incana	1
Alopecurus arundinaceus	1	Bare Ground	1
Carex nebrascensis	1	Carex pachystachya	1
Carex pellita	1	Carex utriculata	1
Carum carvi	0	Deschampsia caespitosa	1
Equisetum arvense	1	Juncus balticus	4
Juncus effusus	2	Lotus corniculatus	1
Mentha arvensis	1	Open Water	1
Phleum pratense	1	Poa palustris	2
Poa pratensis	0	Populus angustifolia	1
Populus balsamifera	4	Salix bebbiana	1
Salix boothii	1	Salix drummondiana	1
Salix exigua	1	Salix lutea	2
Sinapis arvensis	0	Sisyrinchium idahoense	0
Taraxacum officinale	0	Trifolium hybridum	0
Trifolium pratense	0		

Comments:

This community type expanded across the site as a result of the increase in cover by Populus balsamifera.

Community # 15 **Community Type:** Juncus spp. / Salix spp. **Acres:** 0.9

Species	Cover class	Species	Cover class
Agrostis stolonifera	0	Alnus incana	1
Bare Ground	1	Carex nebrascensis	2
Carex utriculata	1	Cicuta douglasii	1
Juncus balticus	4	Juncus effusus	1
Juncus tenuis	1	Mentha arvensis	1
Poa palustris	0	Populus balsamifera	2
Potentilla anserina	1	Salix bebbiana	2
Salix drummondiana	1	Salix exigua	1
Salix lutea	3	Scirpus microcarpus	1
Stachys palustris	1		

Comments:

In 2017, portions of community types 11 and 14 have transitioned into a dominance of young willow seedlings representing greater than 30 percent of the total cover.

Community # 16 **Community Type:** Elymus repens / Poa pratensis **Acres:** 1.8

Species	Cover class	Species	Cover class
Agrostis stolonifera	1	Bare Ground	1
Bromus ciliatus	0	Bromus inermis	2
Carum carvi	2	Cirsium arvense	1
Elymus cinereus	1	Elymus repens	3
Leymus cinereus	1	Lotus corniculatus	2
Phleum pratense	2	Poa palustris	1
Poa pratensis	3	Populus balsamifera	0
Ranunculus macounii	0	Taraxacum officinale	2
Trifolium pratense	1		

Comments:

A new community type in 2018, primarily along the northwestern portion of the project. Noting a shift from Bromus inermis to more facultative species.

Community # 17 **Community Type:** Phleum pratense / Elymus repens **Acres:** 1.07

Species	Cover class	Species	Cover class
Bare Ground	1	Bromus inermis	2
Carum carvi	2	Cirsium arvense	1
Elymus repens	3	Equisetum arvense	1
Leymus cinereus	1	Lotus corniculatus	1
Open Water	1	Phleum pratense	4
Poa palustris	1	Poa pratensis	2
Taraxacum officinale	1	Trifolium pratense	1

Comments:

A small, well-defined community along the northern end of Transect 1 formerly CT 1. In 2019 this community expanded to the south.

Community # 18 **Community Type:** Lotus corniculatus / Phleum pratense **Acres:** 4.35

Species	Cover class	Species	Cover class
Agrostis stolonifera	1	Alnus incana	1
Alopecurus arundinaceus	1	Bare Ground	1
Bromus carinatus	0	Bromus inermis	0
Camelina microcarpa	1	Carex pachystachya	0
Carex pellita	1	Carum carvi	2
Elymus repens	1	Equisetum arvense	0
Juncus balticus	1	Leymus cinereus	1
Lotus corniculatus	4	Medicago lupulina	1
Melilotus officinalis	0	Open Water	1
Phleum pratense	3	Poa palustris	0
Poa pratensis	2	Populus balsamifera	1
Rumex salicifolius	0	Salix exigua	1
Schedonorus pratensis	1	Solidago lepida	0
Stachys palustris	0	Taraxacum officinale	1
Thlaspi arvense	1	Trifolium hybridum	2
Trifolium pratense	1		

Comments:

New community type mapped in 2018 found mainly across the northeastern portion of project site indicating an increase in soil moisture. Cover and density by Lotus corniculatus has been increasing over the past couple of years across CT 8, CT 13 and CT16.

Community # 20 **Community Type:** Lotus corniculatus / Populus balsamifera **Acres:** 0.16

Species	Cover class	Species	Cover class
Agrostis stolonifera	1	Elymus repens	2
Equisetum arvense	1	Lotus corniculatus	4
Phleum pratense	3	Populus balsamifera	3
Salix exigua	1		

Comments:

A new community type mapped in 2019 in the northeastern corner of the project area replacing a small area within CT18. This community type is anticipated to expand in the future based on the number of young cottonwoods observed in this area.

Community # 21 **Community Type:** Carex spp. / Juncus spp. **Acres:** 2.03

Species	Cover class	Species	Cover class
Agrostis stolonifera	2	Alopecurus arundinaceus	1
Bare Ground	3	Carex aquatilis	1
Carex atherodes	1	Carex bebbii	1
Carex microptera	1	Carex nebrascensis	1
Carex pachystachya	3	Carex pellita	3
Carex utriculata	1	Deschampsia caespitosa	1
Elymus repens	1	Epilobium ciliatum	1
Equisetum arvense	1	Glyceria grandis	1
Juncus balticus	4	Juncus effusus	1
Juncus ensifolius	0	Juncus longistylis	1
Juncus tenuis	1	Lotus corniculatus	1
Lysimachia ciliata	0	Mentha arvensis	1
Open Water	1	Phleum pratense	1
Poa palustris	0	Poa pratensis	1
Populus balsamifera	1	Ranunculus macounii	0
Salix bebbiana	1	Salix exigua	1
Salix lutea	1	Scirpus microcarpus	1
Stachys palustris	1	Typha latifolia	0

Comments:

A new community type mapped in 2019, within transects 1 and 2. In 2020, an increase in Carex spp. within CT 11 has expanded CT 21 and replaced portions of CT 11.

Total Vegetation Community Acreage **32.66**

(Note: some area within the project bounds may be open water or other non-vegetative ground cover.)

VEGETATION TRANSECTS

Site: Easton Date: 6/23/2020

Transect Number: 1 **Compass Direction from Start:** 5 °

Interval Data:

Ending Station 42 **Community Type:** Carex spp. / Juncus spp.

Species	Cover class	Species	Cover class
Agrostis stolonifera	1	Carex nebrascensis	1
Carex pachystachya	1	Carex pellita	3
Carex utriculata	1	Elymus repens	1
Equisetum arvense	1	Juncus balticus	4
Juncus longistylis	1	Juncus tenuis	1
Poa pratensis	1		

Ending Station 100 **Community Type:** Aquatic macrophytes /

Species	Cover class	Species	Cover class
Algae, green	3	Beckmannia syzigachne	0
Carex pellita	1	Carex utriculata	2
Eleocharis palustris	1	Glyceria grandis	1
Juncus balticus	2	Juncus effusus	1
Juncus ensifolius	1	Mentha arvensis	1
Open Water	5	Salix lutea	1
Typha latifolia	2	Typha latifolia	1

Ending Station 137 **Community Type:** Carex spp. / Juncus spp.

Species	Cover class	Species	Cover class
Agrostis stolonifera	0	Carex aquatilis	2
Carex nebrascensis	1	Carex utriculata	2
Epilobium ciliatum	1	Juncus balticus	4
Juncus effusus	4	Juncus ensifolius	0
Mentha arvensis	0	Open Water	1
Phleum pratense	0	Poa palustris	0
Poa pratensis	0	Salix bebbiana	1
Salix lutea	1		

Ending Station 193 **Community Type:** Elymus repens / Poa pratensis

Species	Cover class	Species	Cover class
Agrostis stolonifera	2	Bare Ground	1
Cirsium arvense	0	Elymus repens	4
Leymus cinereus	0	Lotus corniculatus	1
Phleum pratense	2	Poa palustris	0
Poa pratensis	3	Taraxacum officinale	0

Ending Station 263 **Community Type:** Carex spp. / Juncus spp.

Species	Cover class	Species	Cover class
Agrostis stolonifera	1	Alopecurus arundinaceus	3
Carex aquatilis	2	Carex utriculata	2
Glyceria grandis	2	Juncus balticus	4
Juncus effusus	2	Lotus corniculatus	1
Open Water	3	Poa pratensis	1
Populus balsamifera	1	Salix bebbiana	1
Salix exigua	1	Salix lutea	1
Scirpus microcarpus	1	Typha latifolia	2

Ending Station 472 **Community Type:** Phleum pratense / Poa pratensis

Species	Cover class	Species	Cover class
Agrostis stolonifera	2	Alopecurus arundinaceus	1
Carex nebrascensis	2	Carum carvi	2
Cirsium arvense	1	Deschampsia caespitosa	1
Elymus repens	1	Juncus balticus	1
Leymus cinereus	1	Lotus corniculatus	1
Melilotus officinalis	0	Phleum pratense	3
Poa pratensis	3	Populus balsamifera	1
Taraxacum officinale	0	Trifolium hybridum	1
Trifolium pratense	1		

Ending Station 516 **Community Type:** Juncus spp. /

Species	Cover class	Species	Cover class
Alopecurus arundinaceus	2	Alopecurus pratensis	1
Bare Ground	1	Carex pachystachya	1
Cirsium arvense	0	Cirsium arvense	0
Juncus balticus	4	Juncus effusus	2
Juncus tenuis	0	Phleum pratense	1
Poa palustris	1	Poa pratensis	1
Schedonorus pratensis	1	Stachys palustris	1

Ending Station 565 **Community Type:** Lotus corniculatus / Phleum pratense

Species	Cover class	Species	Cover class
Agrostis stolonifera	1	Alopecurus arundinaceus	4
Carex pachystachya	1	Carum carvi	1
Elymus repens	1	Equisetum arvense	1
Lotus corniculatus	3	Phleum pratense	2
Poa palustris	1	Poa pratensis	3
Populus balsamifera	1	Rumex salicifolius	1
Stachys palustris	1	Thlaspi arvense	1
Trifolium hybridum	1		

Ending Station 635 **Community Type:** Juncus spp. / Populus balsamifera

Species	Cover class	Species	Cover class
Agrostis stolonifera	1	Alopecurus arundinaceus	2
Bare Ground	1	Carex pachystachya	1
Carex pellita	1	Equisetum arvense	1
Juncus balticus	3	Juncus effusus	3
Lotus corniculatus	3	Phleum pratense	1
Poa palustris	1	Poa pratensis	1
Populus balsamifera	2	Salix lutea	1

Ending Station 669 **Community Type:** Lotus corniculatus / Phleum pratense

Species	Cover class	Species	Cover class
Alopecurus arundinaceus	2	Bare Ground	2
Carex pellita	1	Carum carvi	1
Elymus repens	1	Juncus balticus	3
Lotus corniculatus	4	Taraxacum officinale	1
Trifolium pratense	1		

Ending Station 740 **Community Type:** Juncus spp. / Populus balsamifera

Species	Cover class	Species	Cover class
Alnus incana	1	Carex pachystachya	1
Carex pellita	1	Carum carvi	1
Juncus balticus	4	Lotus corniculatus	2
Populus balsamifera	3	Salix bebbiana	2
Salix boothii	1	Salix exigua	2
Sisyrinchium idahoense	0		

Ending Station 1147 **Community Type:** Lotus corniculatus / Phleum pratense

Species	Cover class	Species	Cover class
Alnus incana	1	Bare Ground	1
Carum carvi	2	Equisetum arvense	1
Juncus balticus	2	Leymus cinereus	1
Lotus corniculatus	4	Medicago lupulina	1
Open Water	1	Phleum pratense	3
Poa pratensis	2	Populus balsamifera	1
Rumex salicifolius	1	Taraxacum officinale	1
Trifolium hybridum	1	Trifolium pratense	2

Ending Station 1335 **Community Type:** Phleum pratense / Elymus repens

Species	Cover class	Species	Cover class
Bare Ground	1	Bromus inermis	1
Carum carvi	2	Cirsium arvense	0
Elymus repens	4	Equisetum arvense	1
Leymus cinereus	1	Lotus corniculatus	3
Open Water	2	Phleum pratense	3
Poa pratensis	2	Taraxacum officinale	1

Ending Station 1376 **Community Type:** Bromus inermis / Populus tremuloides

Species	Cover class	Species	Cover class
Agrostis stolonifera	1	Bromus inermis	4
Carum carvi	2	Dactylis glomerata	2
Elymus repens	1	Leymus cinereus	1
Lotus corniculatus	1	Phleum pratense	3
Poa pratensis	2	Populus tremuloides	3
Taraxacum officinale	2		

Transect Notes:

Shallow ponded water observed along northern portion of transect, in upland/wetland CT 17, water flowing from outside of project boundary, flows north to south. This CT is expected to transition in this flooded area to a hydrophytic species community if water remains on site.

Transect Number: 2 **Compass Direction from Start:** 185 °

Interval Data:

Ending Station 33 **Community Type:** Carex spp. /

Species	Cover class	Species	Cover class
Calamagrostis canadensis	1	Carex atherodes	4
Carex nebrascensis	2	Carex pellita	2
Carex utriculata	2	Cirsium arvense	1
Equisetum arvense	1	Juncus balticus	1
Juncus longistylis	1	Open Water	1
Poa palustris	1	Poa pratensis	1
Salix exigua	0	Scirpus microcarpus	1
Stachys palustris	0		

Ending Station 68 **Community Type:** Carex spp. / Juncus spp.

Species	Cover class	Species	Cover class
Carex aquatilis	2	Carex atherodes	3
Carex bebbii	4	Carex pellita	4
Equisetum arvense	1	Glyceria grandis	2
Juncus balticus	3	Open Water	2
Poa palustris	1	Ranunculus macounii	1
Salix bebbiana	1	Salix lutea	1
Scirpus microcarpus	2	Typha latifolia	1

Ending Station 113 **Community Type:** Phleum pratense / Poa pratensis

Species	Cover class	Species	Cover class
Alopecurus arundinaceus	1	Carex nebrascensis	1
Carex pellita	1	Cirsium arvense	1
Dactylis glomerata	1	Elymus repens	3
Equisetum arvense	1	Juncus balticus	1
Leymus cinereus	0	Lotus corniculatus	2
Phalaris arundinacea	1	Phleum pratense	3
Poa pratensis	3	Stachys palustris	1
Taraxacum officinale	1		

Ending Station 136 **Community Type:** Carex spp. / Juncus spp.

Species	Cover class	Species	Cover class
Bare Ground	1	Carex atherodes	2
Carex nebrascensis	3	Carex pellita	2
Carex utriculata	3	Deschampsia caespitosa	1
Equisetum arvense	1	Juncus balticus	3
Lysimachia ciliata	1	Poa palustris	2
Poa pratensis	1	Ranunculus macounii	0
Salix bebbiana	1	Salix lutea	1
Scirpus microcarpus	2	Stachys palustris	1

Ending Station 319 **Community Type:** Phleum pratense / Poa pratensis

Species	Cover class	Species	Cover class
Agrostis stolonifera	1	Bare Ground	1
Carum carvi	1	Elymus repens	3
Equisetum arvense	2	Glycyrrhiza lepidota	0
Leymus cinereus	1	Lotus corniculatus	2
Lysimachia ciliata	0	Medicago sativa	2
Phleum pratense	3	Poa pratensis	3
Populus balsamifera	1	Salix lutea	0
Sisyrinchium idahoense	0	Stachys palustris	1
Taraxacum officinale	2	Trifolium pratense	2

Ending Station 358 **Community Type:** Carex spp. / Juncus spp.

Species	Cover class	Species	Cover class
Agrostis stolonifera	2	Bare Ground	1
Carex microptera	1	Carex pellita	1
Equisetum arvense	1	Juncus balticus	3
Juncus tenuis	1	Lotus corniculatus	2
Lysimachia ciliata	1	Phleum pratense	1
Poa palustris	2	Poa pratensis	1
Populus balsamifera	2	Salix bebbiana	2
Salix lutea	1	Scirpus microcarpus	1
Stachys palustris	1		

Ending Station 708 **Community Type:** Lotus corniculatus / Phleum pratense

Species	Cover class	Species	Cover class
Bare Ground	2	Bromus carinatus	1
Bromus inermis	1	Camelina microcarpa	1
Carum carvi	2	Elymus repens	2
Equisetum arvense	1	Leymus cinereus	1
Lotus corniculatus	4	Medicago lupulina	1
Melilotus officinalis	1	Phleum pratense	3
Schedonorus pratensis	1	Solidago lepida	1
Taraxacum officinale	1	Trifolium hybridum	1
Trifolium pratense	1		

Ending Station 758 **Community Type:** Juncus spp. /

Species	Cover class	Species	Cover class
Agrostis stolonifera	1	Bare Ground	1
Carex bebbii	1	Juncus balticus	3
Juncus effusus	1	Juncus tenuis	1
Lotus corniculatus	2	Lysimachia ciliata	1
Mentha arvensis	1	Phleum pratense	1
Poa palustris	1	Poa pratensis	2
Populus balsamifera	2	Salix bebbiana	1
Salix lutea	1	Solidago gigantea	1

Ending Station 830 **Community Type:** Bromus inermis / Phleum pratense

Species	Cover class	Species	Cover class
Bare Ground	2	Bromus inermis	3
Carum carvi	1	Cirsium arvense	0
Elymus repens	1	Juncus balticus	1
Lotus corniculatus	2	Phleum pratense	3
Poa pratensis	2	Populus balsamifera	0
Taraxacum officinale	1	Trifolium pratense	2

Ending Station 893 **Community Type:** Juncus spp. /

Species	Cover class	Species	Cover class
Carex aquatilis	2	Carex utriculata	1
Equisetum arvense	1	Juncus balticus	4
Juncus effusus	2	Lotus corniculatus	2
Mentha arvensis	1	Poa palustris	2
Poa pratensis	1	Salix bebbiana	1
Scirpus microcarpus	1		

Ending Station 919 **Community Type:** Aquatic macrophytes /

Species	Cover class	Species	Cover class
Alopecurus geniculatus	1	Carex pellita	1
Carex utriculata	2	Cornus alba	1
Eleocharis palustris	2	Glyceria grandis	2
Juncus balticus	1	Juncus ensifolius	1
Open Water	4	Schoenoplectus pungens	2
Scirpus microcarpus	1		

Ending Station 1055 **Community Type:** Juncus spp. / Salix spp.

Species	Cover class	Species	Cover class
Agrostis stolonifera	1	Alnus incana	1
Bare Ground	1	Carex nebrascensis	1
Carex utriculata	1	Juncus balticus	4
Juncus effusus	1	Juncus tenuis	1
Mentha arvensis	1	Poa palustris	1
Populus balsamifera	2	Potentilla anserina	0
Salix bebbiana	3	Salix drummondiana	2
Salix exigua	1	Salix lutea	3
Scirpus microcarpus	1	Stachys palustris	1

Ending Station 1270 **Community Type:** Juncus spp. / Populus balsamifera

Species	Cover class	Species	Cover class
Agrostis stolonifera	2	Carex utriculata	1
Juncus balticus	3	Juncus effusus	2
Lotus corniculatus	2	Mentha arvensis	1
Poa palustris	3	Populus balsamifera	4
Salix bebbiana	2	Salix drummondiana	2
Salix lutea	3		

Ending Station 1333 **Community Type:** Bromus inermis / Phleum pratense

Species	Cover class	Species	Cover class
Bare Ground	3	Bromus inermis	4
Elymus repens	1	Leymus cinereus	1
Lotus corniculatus	2	Phleum pratense	3
Poa pratensis	2	Populus balsamifera	1
Schedonorus pratensis	1	Taraxacum officinale	2
Trifolium pratense	1		

Transect Notes:

Total vegetative cover has remained relatively constant at 85–90 percent from 2016 to 2020.

Transect Number: 3 **Compass Direction from Start:** 95 °

Interval Data:

Ending Station 114 **Community Type:** Bromus inermis / Phleum pratense

Species	Cover class	Species	Cover class
Bare Ground	2	Bromus inermis	2
Camelina microcarpa	0	Carum carvi	3
Elymus repens	1	Leymus cinereus	1
Lotus corniculatus	3	Phleum pratense	3
Poa pratensis	2	Populus balsamifera	1
Taraxacum officinale	1	Trifolium hybridum	1
Trifolium pratense	2		

Ending Station 153 **Community Type:** Juncus spp. / Populus balsamifera

Species	Cover class	Species	Cover class
Agrostis stolonifera	1	Deschampsia caespitosa	1
Equisetum arvense	1	Juncus balticus	4
Lotus corniculatus	4	Phleum pratense	1
Populus balsamifera	3	Salix bebbiana	1
Salix lutea	1	Taraxacum officinale	1
Trifolium hybridum	1	Trifolium pratense	1

Ending Station 208 **Community Type:** Bromus inermis / Phleum pratense

Species	Cover class	Species	Cover class
Bromus inermis	3	Carum carvi	3
Cirsium arvense	0	Dactylis glomerata	1
Elymus repens	1	Equisetum arvense	1
Leymus cinereus	1	Lotus corniculatus	3
Phleum pratense	2	Poa pratensis	2
Taraxacum officinale	1		

Ending Station 223 **Community Type:** Juncus sp. / Populus balsamifera

Species	Cover class	Species	Cover class
Bare Ground	1	Deschampsia caespitosa	1
Equisetum arvense	2	Juncus balticus	1
Lotus corniculatus	2	Open Water	2
Phleum pratense	1	Poa pratensis	1
Populus balsamifera	4	Salix lutea	1
Sinapis arvensis	1		

Ending Station 309 **Community Type:** Bromus inermis / Phleum pratense

Species	Cover class	Species	Cover class
Alopecurus pratensis	0	Bromus inermis	3
Carum carvi	2	Dactylis glomerata	1
Elymus repens	2	Equisetum arvense	1
Juncus balticus	1	Lotus corniculatus	1
Phleum pratense	4	Poa pratensis	2
Taraxacum officinale	1	Trifolium pratense	1

Ending Station 656 **Community Type:** Juncus spp. /

Species	Cover class	Species	Cover class
Carex nebrascensis	1	Carex sp.	0
Carex utriculata	1	Cirsium arvense	1
Juncus balticus	4	Juncus longistylis	1
Lotus corniculatus	1	Populus balsamifera	1
Salix bebbiana	2	Salix lutea	1
Solidago gigantea	0	Solidago gigantea	1

Ending Station 732 **Community Type:** Phleum pratense / Poa pratensis

Species	Cover class	Species	Cover class
Agrostis stolonifera	1	Bromus inermis	2
Carum carvi	1	Dactylis glomerata	1
Elymus repens	1	Juncus balticus	0
Lotus corniculatus	1	Phleum pratense	2
Poa pratensis	4	Taraxacum officinale	1
Trifolium pratense	1		

Transect Notes:

During the transect monitoring, a comprehensive list of all species noted within the different community types were recorded (along with a cover estimate value). Species with a rating of 1 or greater were generally included on the previous transect forms, species with less than 1 percent were generally not listed on the previous transect forms.

PLANTED WOODY VEGETATION SURVIVAL

Easton

Planting Type	#Planted	#Alive	Notes
Red-osier dogwood	250	6	
Sandbar willow	250	49	
Thinleaf alder	500	93	
Willow cuttings	200	85	

Comments

Woody shrubs were counted along and adjacent to the floodplain channel. After 11 years, deciphering planted versus volunteer willows was difficult and therefore used best professional judgement. Many of the larger thinleaf alder were 8 to 10 ft tall, robust and thriving where planted. The number of red-osier dogwoods observed also decreased from 22 to 6 after an increase in the previous year. Many Populus balsamifera volunteers have appeared across the site over the last few years, especially in Juncus spp. Communities, and are continuing to spread.

Easton

WILDLIFE

Birds

Were man-made nesting structures installed? Yes

If yes, type of structure: Bird boxes

How many? 17

Are the nesting structures being used? Yes

Do the nesting structures need repairs? Yes

Nesting Structure Comments:

Of the 17 installed bird boxes, 5 were empty and one (located between PP4a and PP4b) was knocked over and needs to be resecured to the fencepost. Many of the birdboxes were observed with nesting tree swallows present.

Species	#Observed	Behavior	Habitat
American Goldfinch	1	FO	
Bald Eagle	2	FO, N	
Brewer's Blackbird	4		
Cinnamon Teal		FO	
Golden Eagle	1	FO, N	
Great Blue Heron	2	FO	
Killdeer	9	F, FO, L	US
Mallard	10		
Mourning Dove	1	N	UP
Nighthawk	2	N	
Red-winged Blackbird	57	BD, F, L, N	
Sandhill Crane	6	F, FO	
Tree Swallow	24	F, FO, L	
Wild Turkey	2	L	
Wilson's Snipe	4	F, FO	UP, WM

Bird Comments

BEHAVIOR CODES

BP = One of a breeding pair **BD** = Breeding display **F** = Foraging **FO** = Flyover **L** = Loafing **N** = Nesting

HABITAT CODES

AB = Aquatic bed **SS** = Scrub/Shrub **FO** = Forested **UP** = Upland buffer **I** = Island

WM = Wet meadow **MA** = Marsh **US** = Unconsolidated shore **MF** = Mud Flat **OW** = Open Water

Mammals and Herptiles

Species	# Observed	Tracks	Scat	Burrows	Comments
Chorus frogs	3	No	No	No	
White-tailed Deer	8	No	No	No	

Wildlife Comments:

Easton

PHOTOGRAPHS

Take photographs of the following permanent reference points listed in the check list below. Record the direction of the photograph using a compass. When at the site for the first time, establish a permanent reference point by setting a ½ inch rebar or fencepost extending 2-3 feet above ground. Survey the location with a resource grade GPS and mark the location on the aerial photograph.

Photograph Checklist:

☐ One photograph for each of the four cardinal directions surrounding the wetland.

☑ At least one photograph showing upland use surrounding the wetland. If more than one upland exists then take additional photographs.

☑ At least one photograph showing the buffer surrounding the wetland.

☑ One photograph from each end of the vegetation transect, showing the transect.

Photo #	Latitude	Longitude	Bearing	Description
DP-01U	46.056245	-110.640246		
DP-01W	46.056314	-110.640218		
DP-02U	46.055677	-110.638554		
DP-02W	46.055566	-110.638759		
DP-03U	46.058001	-110.637841		
DP-03W	46.058002	-110.638117		
DP-04U	46.059284	-110.637706		
DP-04W	46.05939	-110.638359		
DP-05U	46.059379	-110.638576		
DP-05W	46.059373	-110.63863		
DP-06U	46.059893	-110.637715		
DP-06W	46.060322	-110.637715		
DP-07a-U	46.06093	-110.638116		
DP-07a-W	46.060895	-110.638244		
DP-07b-U	46.061091	-110.63846		
DP-07b-W	46.061129	-110.6387		
DP-08U	46.060443	-110.640103		
DP-08W	46.060532	-110.640056		
DP-09U	46.059745	-110.638874		
DP-09W	46.059832	-110.638998		
DP-10U	46.058857	-110.639093		
DP-10W	46.058954	-110.639147		
DP-11U	46.057998	-110.640537		
DP-11W	46.057964	-110.640424		
PP1	46.059727	-110.637505		East boundary
PP2	46.061028	-110.637207		Northeast corner
PP3	46.061188	-100.639848		Northeast corner

PP4	46.050705	-110.640434	Shields bank
PP4	46.060993	-110.640121	Shields bank
PP5	46.059883	-110.640404	West boundary
PP6	46.056175	-110.64048	Southwest corner
PP7	46.055286	-110.639137	Southeast corner
T-1 End	46.060627	-110.637779	View of CT 10 and 18
T-1 Start	46.057281	-110.638306	View of CT 11 and 7
T-2 End	46.057594	-110.640343	View of CT 1
T-2 Start	46.060139	-110.639229	View of CT 3
T-3 End	46.056114	-110.637924	View of CT 1 and 11
T-3 Start	46.056984	-110.640656	View of CT 13

Comments:

Easton

ADDITIONAL ITEMS CHECKLIST

Hydrology

☑ Map emergent vegetation/open water boundary on aerial photos.
☑ Observe extent of surface water. Look for evidence of past surface water elevations (e.g. drift lines, vegetation staining, erosion, etc).

Photos

☐ One photo from the wetland toward each of the four cardinal directions
☑ One photo showing upland use surrounding the wetland.
☑ One photo showing the buffer around the wetland
☑ One photo from each end of each vegetation transect, toward the transect

Vegetation

☑ Map vegetation community boundaries

☑ Complete Vegetation Transects

Soils

☑ Assess soils

Wetland Delineations

☑ Delineate wetlands according to applicable USACE protocol (1987 form or Supplement)
☑ Delineate wetland – upland boundary onto aerial photograph.

Wetland Delineation Comments

Total wetland acreage in 2020, 13.89 acres, is the highest delineated acreage to date, and is primarily a result of the increased water flow into the northeastern portion of the project area over the last two years.

Functional Assessments

☑ Complete and attach full MDT Montana Wetland Assessment Method field forms.

Functional Assessment Comments:

Functional units increased due to increased wetland acreage.

Maintenance

Were man-made nesting structures installed at this site? Yes

If yes, do they need to be reaired? Yes

If yes, describe the problems below and indicate if any actions were taken to remedy the problems.

Were man-made structures built or installed to impound water or control waterflow into or out of the wetland? No

If yes, are the structures in need of repair

Bank erosion was noted along the Shields River in the NW portion of the project area.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton City/County: Park Sampling Date: 6/24/2020

Applicant/Owner: MDT State: Montana Sampling Point: DP01u

Investigator(s): R Quire, R Jones, S Weyant Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Terrace Local relief (concave, convex, none): flat Slope (%): 0

Subregion (LRR): LRR E Lat: 46.056245 Long: -110.640246 Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☐ No ☑	**Is the Sampled Area within a Wetland?** Yes ☐ No ☑
Hydric Soil Present?	Yes ☐ No ☑	
Wetland Hydrology Present?	Yes ☐ No ☑	

Remarks:
Upslope of wetland boundary at SW project boundary.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius)

	Absolute % Cover:	Domiant Species?	Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Herbaceous Stratum Plot size (5 Foot Radius)

Bromus inermis	45	☑	UPL
Pascopyrum smithii	10	☐	FACU
Phleum pratense	4	☐	FAC
Poa pratensis	10	☐	FAC
Taraxacum officinale	1	☐	FACU

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 30

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 % (A/B)

Prevalence Index worksheet

Total % Cover of:			Multiply by:
OBL species	0	X 1	0
FACW species	0	X 2	0
FAC species	14	X 3	42
FACU species	11	X 4	44
UPL species	45	X 5	225
Column Totals	70 (A)		311 (B)

Prevalence Index = B/A = 4.44286

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☐ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☐ NO ☑

Remarks:
BG/litter=30%

SOIL

Sampling Point: DP01u

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-13	10YR 2/2	100					Clay Loam	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☐ No ☑

Remarks:

No hydric soil indicators observed during site visit.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☐ No ☑ Depth (inches): _____

Water Table Present? Yes ☐ No ☑ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ☐ No ☑ Depth (inches): _____

Wetland Hydrology Present? Yes ☐ No ☑

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

No hydrologic indicators observed during site visit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton City/County: Park Sampling Date: 6/24/2020

Applicant/Owner: MDT State: Montana Sampling Point: DP01w

Investigator(s): R Quire, R Jones, S Weyant Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Floodplain Local relief (concave, convex, none): concave Slope (%): 3

Subregion (LRR): LRR E Lat: 46.056314 Long: -110.640218 Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☑ No ☐	**Is the Sampled Area within a Wetland?** Yes ☑ No ☐
Hydric Soil Present?	Yes ☑ No ☐	
Wetland Hydrology Present?	Yes ☑ No ☐	

Remarks:
PSS riverine wetland.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius)

	Absolute % Cover:	Domiant Species?	Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Populus balsamifera	5	☐	FAC
Salix bebbiana	5	☐	FACW
Salix exigua	15	☑	FACW
Salix lasiandra	10	☑	FACW

Herbaceous Stratum Plot size (5 Foot Radius)

Carex utriculata	1	☐	OBL
Elymus repens	1	☐	FAC
Equisetum arvense	3	☐	FAC
Juncus balticus	25	☑	FACW
Lotus corniculatus	25	☑	FAC

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 40

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 % (A/B)

Prevalence Index worksheet

Total % Cover of:			Multiply by:
OBL species	1	X 1	1
FACW species	55	X 2	110
FAC species	34	X 3	102
FACU species	0	X 4	0
UPL species	0	X 5	0
Column Totals	90 (A)		213 (B)

Prevalence Index = B/A = 2.36667

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☑ 2 - Dominance Test is >50%
- ☑ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☑ NO ☐

Remarks:
BG/litter/shallow ponded water=40%, shrub cover with herb stratum

SOIL

Sampling Point: DP01w

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-3	10YR 4/1	100					Silty Clay Loam	**Roots.**
3-10	10YR 4/2	100					Loamy Sand	**Very gravelly.**

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☑ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☑ No ☐

Remarks:

Although no hydric soil indicators were observed during the site visit, wetland hydrology was present, all dominant plant species were hydrophytic, and the wetland boundary had an abrupt edge (1987 COE Wetland Delineation Manual).

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☑ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☑ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☑ No ☐ Depth (inches): 4

Water Table Present? Yes ☑ No ☐ Depth (inches): 0

Saturation Present? (includes capillary fringe) Yes ☑ No ☐ Depth (inches): 0

Wetland Hydrology Present? Yes ☑ No ☐

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

4in of surface water observed at soil pit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton City/County: Park Sampling Date: 6/24/2020

Applicant/Owner: MDT State: Montana Sampling Point: DP02u

Investigator(s): R Quire, R Jones, S Weyant Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Terrace Local relief (concave, convex, none): flat Slope (%): 0

Subregion (LRR): LRR E Lat: 46.055677 Long: -110.638554 Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☐ No ☑	**Is the Sampled Area within a Wetland?** Yes ☐ No ☑
Hydric Soil Present?	Yes ☐ No ☑	
Wetland Hydrology Present?	Yes ☐ No ☑	

Remarks:
Upslope of wetland boundary.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius) — Absolute % Cover: — Domiant Species? — Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Herbaceous Stratum Plot size (5 Foot Radius)

Bromus inermis	55	☑	UPL
Carum carvi	5	☐	FACU
Poa pratensis	25	☑	FAC
Taraxacum officinale	10	☐	FACU

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 5

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 50 % (A/B)

Prevalence Index worksheet

Total % Cover of:			Multiply by:
OBL species	0	X 1	0
FACW species	0	X 2	0
FAC species	25	X 3	75
FACU species	15	X 4	60
UPL species	55	X 5	275
Column Totals	95 (A)		410 (B)

Prevalence Index = B/A = 4.31579

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☐ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☐ NO ☑

Remarks:
Upland plant community dominated by primarily smooth brome.

SOIL

Sampling Point: DP02u

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-11	10YR 3/2	100					Clay	
11-16	10YR 4/2	97	7.5YR 4/6	3	C	M	Sandy Clay	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☐ No ☑

Remarks:

Redox features likely due to flood irrigation or lateral seepage from nearby ditch. Upland plant community and lack of hydrologic indicators observed during site visit.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☐ No ☑ Depth (inches): _____

Water Table Present? Yes ☐ No ☑ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ☐ No ☑ Depth (inches): _____

Wetland Hydrology Present? Yes ☐ No ☑

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

No convincing hydrologic indicators observed during site visit. The mottles observed are likely due to flood irrigation of this area.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton City/County: Park Sampling Date: 6/24/2020

Applicant/Owner: MDT State: Montana Sampling Point: DP02w

Investigator(s): R Quire, R Jones, S Weyant Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Floodplain Local relief (concave, convex, none): concave Slope (%): 1

Subregion (LRR): LRR E Lat: 46.055566 Long: -110.638759 Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☑ No ☐	**Is the Sampled Area within a Wetland?** Yes ☑ No ☐
Hydric Soil Present?	Yes ☑ No ☐	
Wetland Hydrology Present?	Yes ☑ No ☐	

Remarks:
PEM riverine wetland.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius) — Absolute % Cover: — Dominant Species? — Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Herbaceous Stratum Plot size (5 Foot Radius)

Carex pellita	5	☐	OBL
Carex utriculata	15	☑	OBL
Cirsium arvense	3	☐	FAC
Elymus repens	15	☑	FAC
Juncus balticus	5	☐	FACW
Juncus effusus	2	☐	FACW
Persicaria amphibia	5	☐	OBL
Scirpus microcarpus	25	☑	OBL

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 25

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 % (A/B)

Prevalence Index worksheet

Total % Cover of:			Multiply by:
OBL species	50	X 1	50
FACW species	7	X 2	14
FAC species	18	X 3	54
FACU species	0	X 4	0
UPL species	0	X 5	0
Column Totals	75 (A)		118 (B)

Prevalence Index = B/A = 1.57333

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☑ 2 - Dominance Test is >50%
- ☑ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☑ NO ☐

Remarks:
BG/litter/shallow ponded water=25%

SOIL

Sampling Point: DP02w

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-3	10YR 4/1	100					Clay	
3-6	10YR 4/2	90	7.5YR 5/8	10	C	M	Sandy Clay	
6-12	10YR 2/1	25					Sandy Clay	
6-12	10YR 4/1	60	10YR 4/2	15	C	M	Sandy Clay	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☑ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☑ No ☐

Remarks:

Distinct redoximorphic features common within the depleted matrix.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☑ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☑ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☑ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☑ No ☐ Depth (inches): 2

Water Table Present? Yes ☑ No ☐ Depth (inches): 0

Saturation Present? (includes capillary fringe) Yes ☑ No ☐ Depth (inches): 0

Wetland Hydrology Present? Yes ☑ No ☐

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

2in of surface water observed at soil pit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton City/County: Park Sampling Date: 6/24/2020

Applicant/Owner: MDT State: Montana Sampling Point: DP03u

Investigator(s): R Quire, R Jones, S Weyant Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Terrace Local relief (concave, convex, none): flat Slope (%): 5

Subregion (LRR): LRR E Lat: 46.058001 Long: -110.637841 Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☐ No ☑	**Is the Sampled Area within a Wetland?** Yes ☐ No ☑
Hydric Soil Present?	Yes ☐ No ☑	
Wetland Hydrology Present?	Yes ☐ No ☑	

Remarks:
Upland sample point, upslope of wetland boundary near east project boundary.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius)

	Absolute % Cover:	Domiant Species?	Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Herbaceous Stratum Plot size (5 Foot Radius)

Bromus inermis	45	☑	UPL
Elymus repens	30	☑	FAC
Phleum pratense	5	☐	FAC
Poa pratensis	10	☐	FAC

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 10

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 50 % (A/B)

Prevalence Index worksheet

Total % Cover of:		Multiply by:
OBL species	0 X 1	0
FACW species	0 X 2	0
FAC species	45 X 3	135
FACU species	0 X 4	0
UPL species	45 X 5	225
Column Totals	90 (A)	360 (B)

Prevalence Index = B/A = 4

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☐ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☐ NO ☑

Remarks:
BG/litter=10%

SOIL

Sampling Point: DP03u

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-13	10YR 3/2	100					Sandy Clay	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☐ No ☑

Remarks:

No hydric soil indicators observed during site visit.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☐ No ☑ Depth (inches): _____

Water Table Present? Yes ☐ No ☑ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ☐ No ☑ Depth (inches): _____

Wetland Hydrology Present? Yes ☐ No ☑

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

No hydrologic indicators observed during site visit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton | City/County: Park | Sampling Date: 6/24/2020

Applicant/Owner: MDT | State: Montana | Sampling Point: DP03w

Investigator(s): R Quire, R Jones, S Weyant | Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Floodplain | Local relief (concave, convex, none): concave | Slope (%): 3

Subregion (LRR): LRR E | Lat: 46.058002 | Long: -110.638117 | Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope | NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☑ No ☐	**Is the Sampled Area within a Wetland?** Yes ☑ No ☐
Hydric Soil Present?	Yes ☑ No ☐	
Wetland Hydrology Present?	Yes ☑ No ☐	

Remarks:
PEM riverine wetland

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius)

	Absolute % Cover:	Domiant Species?	Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Salix bebbiana	3	☑	FACW
Salix exigua	1	☑	FACW
Salix lutea	1	☑	OBL

Herbaceous Stratum Plot size (5 Foot Radius)

Alopecurus arundinaceus	10	☐	FAC
Carex nebrascensis	10	☐	OBL
Carex utriculata	10	☐	OBL
Juncus balticus	40	☑	FACW

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 30

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 % (A/B)

Prevalence Index worksheet

Total % Cover of:			Multiply by:
OBL species	21	X 1	21
FACW species	44	X 2	88
FAC species	10	X 3	30
FACU species	0	X 4	0
UPL species	0	X 5	0
Column Totals	75 (A)		139 (B)

Prevalence Index = B/A = 1.85333

Hydrophytic Vegetation Indicators

- ☑ 1 - Rapid Test for Hydrophytic Vegetation
- ☑ 2 - Dominance Test is >50%
- ☑ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☑ NO ☐

Remarks:
BG/litter/shallow ponded water=30%

SOIL

Sampling Point: DP03w

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-06	10YR 4/2	100					Sandy Clay	
06-10	10YR 4/2	97	10YR 3/6	3	C	M	Sandy Clay	**Gravelly/cobbly.**
10+							Cobbles	**Cobble bottom.**

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☑ No ☐

Remarks:

Prominent redoximorphic features common within the depleted matrix.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☑ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☑ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☑ No ☐ Depth (inches): 3

Water Table Present? Yes ☑ No ☐ Depth (inches): 0

Saturation Present? (includes capillary fringe) Yes ☑ No ☐ Depth (inches): 0

Wetland Hydrology Present? Yes ☑ No ☐

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

3in of surface water observed at soil pit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton City/County: Park Sampling Date: 6/23/2020

Applicant/Owner: MDT State: Montana Sampling Point: DP04u

Investigator(s): R Quire, R Jones, S Weyant Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Terrace Local relief (concave, convex, none): convex Slope (%): 5

Subregion (LRR): LRR E Lat: 46.059284 Long: -110.637706 Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☐ No ☑	**Is the Sampled Area within a Wetland?** Yes ☐ No ☑
Hydric Soil Present?	Yes ☐ No ☑	
Wetland Hydrology Present?	Yes ☐ No ☑	

Remarks:
Upland sample point.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius)

	Absolute % Cover:	Domiant Species?	Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Herbaceous Stratum Plot size (5 Foot Radius)

Bromus inermis	50	☑	UPL
Elymus repens	15	☐	FAC
Phleum pratense	15	☐	FAC
Poa pratensis	10	☐	FAC

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 10

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 % (A/B)

Prevalence Index worksheet

Total % Cover of:		Multiply by:	
OBL species	0	X 1	0
FACW species	0	X 2	0
FAC species	40	X 3	120
FACU species	0	X 4	0
UPL species	50	X 5	250
Column Totals	90 (A)		370 (B)

Prevalence Index = B/A = 4.11111

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☐ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☐ NO ☑

Remarks:
BG/litter=10%

SOIL

Sampling Point: DP04u

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-14	10YR 4/2	100					Silty Clay Loam	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☐ No ☑

Remarks:

No hydric soil indicators observed during site visit.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☐ No ☑ Depth (inches): _____

Water Table Present? Yes ☐ No ☑ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ☐ No ☑ Depth (inches): _____

Wetland Hydrology Present? Yes ☐ No ☑

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

No hydrologic indicators observed during site visit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton City/County: Park Sampling Date: 6/23/2020

Applicant/Owner: MDT State: Montana Sampling Point: DP04w

Investigator(s): R Jones, S Weyant Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Floodplain Local relief (concave, convex, none): concave Slope (%): 3

Subregion (LRR): LRR E Lat: 46.05939 Long: 110.638359 Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☑ No ☐	**Is the Sampled Area within a Wetland?** Yes ☑ No ☐
Hydric Soil Present?	Yes ☑ No ☐	
Wetland Hydrology Present?	Yes ☑ No ☐	

Remarks:
PEM/PSS riverine wetland.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius)

	Absolute % Cover:	Domiant Species?	Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Populus balsamifera	2	☑	FAC
Salix bebbiana	3	☑	FACW
Salix exigua	5	☑	FACW

Herbaceous Stratum Plot size (5 Foot Radius)

Agrostis stolonifera	2	☐	FAC
Alopecurus arundinaceus	5	☐	FAC
Juncus balticus	25	☑	FACW
Lotus corniculatus	10	☑	FAC
Potentilla gracilis	1	☐	FAC
Scirpus microcarpus	1	☐	OBL
Taraxacum officinale	1	☐	FACU

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 55

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 5 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 % (A/B)

Prevalence Index worksheet

Total % Cover of:			Multiply by:
OBL species	1	X 1	1
FACW species	33	X 2	66
FAC species	20	X 3	60
FACU species	1	X 4	4
UPL species	0	X 5	0
Column Totals	55	(A)	131 (B)

Prevalence Index = B/A = 2.38182

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☑ 2 - Dominance Test is >50%
- ☑ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☑ NO ☐

Remarks:
BG primarily standing water.

SOIL

Sampling Point: DP04w

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-3	10YR 2/2	100					Silty Clay Loam	**Roots throughout.**
3-10	10YR 2/2	85	7.5YR 3/4	15	C	M,	Silty Clay Loam	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☑ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☑ No ☐

Remarks:

Prominent redoximorphic features common within the matrix.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☑ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☑ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☑ No ☐ Depth (inches): 4

Water Table Present? Yes ☑ No ☐ Depth (inches): 0

Saturation Present? (includes capillary fringe) Yes ☑ No ☐ Depth (inches): 0

Wetland Hydrology Present? Yes ☑ No ☐

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

4 in of surface water observed at soil pit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton | City/County: Park | Sampling Date: 6/23/2020

Applicant/Owner: MDT | State: Montana | Sampling Point: DP05u

Investigator(s): R Jones, S Weyant | Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Terrace | Local relief (concave, convex, none): convex | Slope (%): 5

Subregion (LRR): LRR E | Lat: 46.059379 | Long: -110.638576 | Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope | NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☑ No ☐	**Is the Sampled Area within a Wetland?** Yes ☐ No ☑
Hydric Soil Present?	Yes ☐ No ☑	
Wetland Hydrology Present?	Yes ☐ No ☑	

Remarks:
Upland sample point upslope of wetland boundary and floodplain channel.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius) — Absolute % Cover: | Domiant Species? | Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Herbaceous Stratum Plot size (5 Foot Radius)

Agrostis stolonifera	5	☐	FAC
Bromus inermis	1	☐	UPL
Dactylis glomerata	2	☐	FACU
Elymus repens	78	☑	FAC
Poa pratensis	2	☐	FAC
Thlaspi arvense	2	☐	UPL

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 10

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 % (A/B)

Prevalence Index worksheet

Total % Cover of:		Multiply by:
OBL species	0 X 1	0
FACW species	0 X 2	0
FAC species	85 X 3	255
FACU species	2 X 4	8
UPL species	3 X 5	15
Column Totals	90 (A)	278 (B)

Prevalence Index = B/A = 3.08889

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☑ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☑ NO ☐

Remarks:
BG/litter=10%. Site is dominated by faculative species.

SOIL

Sampling Point: DP05u

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-14	10YR 3/2	100					Silty Clay Loam	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☐ No ☑

Remarks:

No hydric soil indicators observed during site visit.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☐ No ☑ Depth (inches): _____

Water Table Present? Yes ☐ No ☑ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ☐ No ☑ Depth (inches): _____

Wetland Hydrology Present? Yes ☐ No ☑

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

No hydrologic indicators observed during site visit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton | City/County: Park | Sampling Date: 6/23/2020

Applicant/Owner: MDT | State: Montana | Sampling Point: DP05w

Investigator(s): R Jones, S Weyant | Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Floodplain | Local relief (concave, convex, none): flat | Slope (%): 0

Subregion (LRR): LRR E | Lat: 46.059373 | Long: -110.63863 | Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope | NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☑ No ☐	**Is the Sampled Area within a Wetland?** Yes ☑ No ☐
Hydric Soil Present?	Yes ☑ No ☐	
Wetland Hydrology Present?	Yes ☑ No ☐	

Remarks:
PEM riverine wetland in center of the site, located within the constructed flood channel.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius)

	Absolute % Cover:	Domiant Species?	Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Alnus incana	10	☑	FACW

Herbaceous Stratum Plot size (5 Foot Radius)

Alopecurus arundinaceus	15	☑	FAC
Carex nebrascensis	1	☐	OBL
Carex pachystachya	2	☐	FAC
Carex pellita	15	☑	OBL
Carex scoparia	5	☐	FACW
Carex utriculata	5	☐	OBL
Carum carvi	3	☐	FACU
Juncus balticus	20	☑	FACW
Lotus corniculatus	10	☐	FAC
Taraxacum officinale	2	☐	FACU

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 22

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 % (A/B)

Prevalence Index worksheet

Total % Cover of:		Multiply by:
OBL species	21 X 1	21
FACW species	35 X 2	70
FAC species	27 X 3	81
FACU species	5 X 4	20
UPL species	0 X 5	0
Column Totals	88 (A)	192 (B)

Prevalence Index = B/A = 2.18182

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☑ 2 - Dominance Test is >50%
- ☑ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☑ NO ☐

Remarks:
BG/litter/shallow ponded water=22%

SOIL

Sampling Point: DP05w

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-7	10YR 4/2	100					Silty Clay Loam	**Gravelly/cobbly**
7-12	10YR 4/1	95	10YR 4/6	5	C	M	Sandy Clay	**Gravel throughout.**

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☑ No ☐

Remarks:

Prominent redoximorphic features common within the depleted matrix.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☑ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☑ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☑ No ☐ Depth (inches): 2

Water Table Present? Yes ☑ No ☐ Depth (inches): 0

Saturation Present? (includes capillary fringe) Yes ☑ No ☐ Depth (inches): 0

Wetland Hydrology Present? Yes ☑ No ☐

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

2 in surface water observed at soil pit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton City/County: Park Sampling Date: 6/23/2020

Applicant/Owner: MDT State: Montana Sampling Point: DP06u

Investigator(s): R Quire, R Jones, S Weyant Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Terrace Local relief (concave, convex, none): convex Slope (%): 2

Subregion (LRR): LRR E Lat: 46.059893 Long: -110.637715 Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☐ No ☑	**Is the Sampled Area within a Wetland?** Yes ☐ No ☑
Hydric Soil Present?	Yes ☐ No ☑	
Wetland Hydrology Present?	Yes ☐ No ☑	

Remarks:
Upland sample point upslope of wetland boundary and DP06w.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius)

	Absolute % Cover:	Domiant Species?	Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Populus balsamifera	10	☑	FAC

Herbaceous Stratum Plot size (5 Foot Radius)

Bromus inermis	50	☑	UPL
Carum carvi	5	☐	FACU
Elymus repens	3	☐	FAC
Leymus cinereus	5	☐	FAC
Lotus corniculatus	10	☐	FAC
Phleum pratense	5	☐	FAC
Poa pratensis	5	☐	FAC
Taraxacum officinale	7	☐	FACU

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 10

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 50 % (A/B)

Prevalence Index worksheet

Total % Cover of:		Multiply by:
OBL species	0 X 1	0
FACW species	0 X 2	0
FAC species	38 X 3	114
FACU species	12 X 4	48
UPL species	50 X 5	250
Column Totals	100 (A)	412 (B)

Prevalence Index = B/A = 4.12

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☐ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☐ NO ☑

Remarks:
BG/litter=10%

SOIL

Sampling Point: DP06u

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-13	10Y 3/2	100					Clay Loam	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☐ No ☑

Remarks:

No hydric soil indicators observed during site visit.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☐ No ☑ Depth (inches): _____

Water Table Present? Yes ☐ No ☑ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ☐ No ☑ Depth (inches): _____

Wetland Hydrology Present? Yes ☐ No ☑

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

No hydrologic indicators observed during site visit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton City/County: Park Sampling Date: 6/23/2020

Applicant/Owner: MDT State: Montana Sampling Point: DP06w

Investigator(s): R Jones, S Weyant Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Floodplain Local relief (concave, convex, none): concave Slope (%): 2

Subregion (LRR): LRR E Lat: 46.060322 Long: -110.637715 Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☑ No ☐	**Is the Sampled Area within a Wetland?** Yes ☑ No ☐
Hydric Soil Present?	Yes ☑ No ☐	
Wetland Hydrology Present?	Yes ☑ No ☐	

Remarks:
PEM riverine wetland.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius)

	Absolute % Cover:	Domiant Species?	Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Populus balsamifera	2	☑	FAC

Herbaceous Stratum Plot size (5 Foot Radius)

Agrostis stolonifera	5	☐	FAC
Alopecurus arundinaceus	5	☐	FAC
Cirsium arvense	2	☐	FAC
Equisetum arvense	30	☑	FAC
Lotus corniculatus	40	☑	FAC
Schedonorus pratensis	4	☐	FACU
Sisyrinchium idahoense	1	☐	FACW

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 13

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 % (A/B)

Prevalence Index worksheet

Total % Cover of:		Multiply by:
OBL species	0 X 1	0
FACW species	1 X 2	2
FAC species	84 X 3	252
FACU species	4 X 4	16
UPL species	0 X 5	0
Column Totals	89 (A)	270 (B)

Prevalence Index = B/A = 3.03371

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☑ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☑ NO ☐

Remarks:
BG/litter=13%

SOIL

Sampling Point: DP06w

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-6	10YR 4/1	60					Sandy Clay Loam	
0-6	10YR 4/4	40					Sandy Clay Loam	
6-12	10YR 4/2	70	10Y 3/1	10	C	M	Sandy Clay Loam	
6-12	10YR 4/4	20					Sandy Clay Loam	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☑ No ☐

Remarks:

Prominent gleyed features common within the depleted matrix. Matrix mixed

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☑ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☑ No ☐ Depth (inches): 2

Water Table Present? Yes ☑ No ☐ Depth (inches): 3

Saturation Present? (includes capillary fringe) Yes ☑ No ☐ Depth (inches): 0

Wetland Hydrology Present? Yes ☑ No ☐

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

2in of surface water observed at soil pit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton City/County: Park Sampling Date: 6/24/2020

Applicant/Owner: MDT State: Montana Sampling Point: DP07a-u

Investigator(s): R Quire, R Jones, S Weyant Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Terrace Local relief (concave, convex, none): convex Slope (%): 3

Subregion (LRR): LRR E Lat: 46.06093 Long: -110.638116 Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☐ No ☑	**Is the Sampled Area within a Wetland?** Yes ☐ No ☑
Hydric Soil Present?	Yes ☐ No ☑	
Wetland Hydrology Present?	Yes ☐ No ☑	

Remarks:
Upslope of recently flooded developing wetland.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius)

	Absolute % Cover:	Domiant Species?	Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Herbaceous Stratum Plot size (5 Foot Radius)

Bromus inermis	80	☑	UPL
Carum carvi	5	☐	FACU
Cirsium arvense	3	☐	FAC
Taraxacum officinale	7	☐	FACU

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 5

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 % (A/B)

Prevalence Index worksheet

Total % Cover of:			Multiply by:
OBL species	0	X 1	0
FACW species	0	X 2	0
FAC species	3	X 3	9
FACU species	12	X 4	48
UPL species	80	X 5	400
Column Totals	95 (A)		457 (B)

Prevalence Index = B/A = 4.81053

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☐ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☐ NO ☑

Remarks:
BG/litter=5%

SOIL

Sampling Point: DP07a-u

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-13	10YR 3/2	100					Silty Clay Loam	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☐ No ☑

Remarks:

No hydric soil indicators observed during site visit.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☐ No ☑ Depth (inches): _____

Water Table Present? Yes ☐ No ☑ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ☐ No ☑ Depth (inches): _____

Wetland Hydrology Present? Yes ☐ No ☑

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

No hydrologic indicators observed during site visit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton City/County: Park Sampling Date: 6/24/2020

Applicant/Owner: MDT State: Montana Sampling Point: DP07a-w

Investigator(s): R Quire, R Jones, S Weyant Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Floodplain Local relief (concave, convex, none): concave Slope (%): 2

Subregion (LRR): LRR E Lat: 46.060895 Long: -110.638244 Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☑ significantly disturbed? Are "Normal Circumstances" present? Yes ☐ No ☑

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☑ No ☐	**Is the Sampled Area within a Wetland?** Yes ☑ No ☐
Hydric Soil Present?	Yes ☑ No ☐	
Wetland Hydrology Present?	Yes ☑ No ☐	

Remarks:
Recent flooding has occurred at point, newly developing PEM riverine wetland.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius) — Absolute % Cover: — Domiant Species? — Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Herbaceous Stratum Plot size (5 Foot Radius)

Carum carvi	5	☐	FACU
Equisetum arvense	35	☑	FAC
Juncus balticus	20	☑	FACW
Poa pratensis	15	☐	FAC
Potentilla gracilis	1	☐	FAC
Sisyrinchium idahoense	1	☐	FACW
Taraxacum officinale	1	☐	FACU
Trifolium pratense	2	☐	FACU

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 20

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 % (A/B)

Prevalence Index worksheet

Total % Cover of:			Multiply by:
OBL species	0	X 1	0
FACW species	21	X 2	42
FAC species	51	X 3	153
FACU species	8	X 4	32
UPL species	0	X 5	0
Column Totals	80	(A)	227 (B)

Prevalence Index = B/A = 2.8375

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☑ 2 - Dominance Test is >50%
- ☑ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☑ NO ☐

Remarks:
BG/litter/shallow ponded water=20%

SOIL

Sampling Point: DP07a-w

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	10YR 2/2	100					Clay	
8-12	10YR 4/1	93	7.5YR 3/4	7	C	M	Silty Clay	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☑ No ☐

Remarks:

Prominent redoximorphic features common within the depleted matrix.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☑ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☑ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☑ No ☐ Depth (inches): 3

Water Table Present? Yes ☑ No ☐ Depth (inches): 0

Saturation Present? (includes capillary fringe) Yes ☑ No ☐ Depth (inches): 0

Wetland Hydrology Present? Yes ☑ No ☐

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

3in of surface water observed at soil pit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton City/County: Park Sampling Date: 6/24/2020

Applicant/Owner: MDT State: Montana Sampling Point: DP07b-u

Investigator(s): R Quire, R Jones, S Weyant Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Terrace Local relief (concave, convex, none): convex Slope (%): 3

Subregion (LRR): LRR E Lat: 46.061091 Long: -110.63846 Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☐ No ☑	**Is the Sampled Area within a Wetland?** Yes ☐ No ☑
Hydric Soil Present?	Yes ☐ No ☑	
Wetland Hydrology Present?	Yes ☐ No ☑	

Remarks:
Upland sample point upslope of wetland boundary.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius)

	Absolute % Cover:	Domiant Species?	Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Populus tremuloides	4	☑	FACU
Salix exigua	1	☑	FACW

Herbaceous Stratum Plot size (5 Foot Radius)

Bromus inermis	85	☑	UPL
Cirsium arvense	5	☐	FAC

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 10

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 33.3 % (A/B)

Prevalence Index worksheet

Total % Cover of:		Multiply by:
OBL species	0 X 1	0
FACW species	1 X 2	2
FAC species	5 X 3	15
FACU species	4 X 4	16
UPL species	85 X 5	425
Column Totals	95 (A)	458 (B)

Prevalence Index = B/A = 4.82105

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☐ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☐ NO ☑

Remarks:
BG/litter=10%

SOIL

Sampling Point: DP07b-u

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-16	10YR 3/2	100					Clay Loam	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☐ No ☑

Remarks:

No hydric soil indicators observed during site visit.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☐ No ☑ Depth (inches): _____

Water Table Present? Yes ☐ No ☑ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ☐ No ☑ Depth (inches): _____

Wetland Hydrology Present? Yes ☐ No ☑

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

No hydrologic indicators observed during site visit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton City/County: Park Sampling Date: 6/24/2020

Applicant/Owner: MDT State: Montana Sampling Point: DP07b-w

Investigator(s): R Quire, R Jones, S Weyant Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Floodplain Local relief (concave, convex, none): concave Slope (%): 3

Subregion (LRR): LRR E Lat: 46.061129 Long: -110.6387 Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☑ No ☐	**Is the Sampled Area within a Wetland?** Yes ☑ No ☐
Hydric Soil Present?	Yes ☑ No ☐	
Wetland Hydrology Present?	Yes ☑ No ☐	

Remarks:
PEM/PSS riverine wetland.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius)

	Absolute % Cover:	Domiant Species?	Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Populus tremuloides	2	☐	FACU
Salix exigua	10	☑	FACW
Symphoricarpos occidentalis	3	☑	FAC

Herbaceous Stratum Plot size (5 Foot Radius)

Agrostis stolonifera	2	☐	FAC
Bromus inermis	3	☐	UPL
Carex pellita	30	☑	OBL
Cirsium arvense	5	☐	FAC
Deschampsia elongata	5	☐	FACW
Scirpus microcarpus	35	☑	OBL

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 20

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 % (A/B)

Prevalence Index worksheet

Total % Cover of:			Multiply by:
OBL species	65	X 1	65
FACW species	15	X 2	30
FAC species	10	X 3	30
FACU species	2	X 4	8
UPL species	3	X 5	15
Column Totals	95 (A)		148 (B)

Prevalence Index = B/A = 1.55789

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☑ 2 - Dominance Test is >50%
- ☑ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☑ NO ☐

Remarks:
BG/litter/shallow ponded water=20%

SOIL

Sampling Point: DP07b-w

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-10	10YR 2/2	100					Silty Clay Loam	
10+							Cobbles	**Cobble bottom.**

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☑ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☑ No ☐

Remarks:

Although no hydric soil indicators were observed during the site visit, wetland hydrology was present, all dominant plant species were hydrophytic, and the wetland boundary had an abrupt edge (1987 COE Wetland Delineation Manual).

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☑ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☑ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☑ No ☐ Depth (inches): 2

Water Table Present? Yes ☑ No ☐ Depth (inches): 5

Saturation Present? (includes capillary fringe) Yes ☑ No ☐ Depth (inches): 0

Wetland Hydrology Present? Yes ☑ No ☐

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

2in of surface water observed at soil pit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton City/County: Park Sampling Date: 6/24/2020

Applicant/Owner: MDT State: Montana Sampling Point: DP08u

Investigator(s): R Quire, R Jones, S Weyant Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Terrace Local relief (concave, convex, none): flat Slope (%): 1

Subregion (LRR): LRR E Lat: 46.060443 Long: -110.640103 Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☐ No ☑	**Is the Sampled Area within a Wetland?** Yes ☐ No ☑
Hydric Soil Present?	Yes ☐ No ☑	
Wetland Hydrology Present?	Yes ☐ No ☑	

Remarks:
Upslope of wetland boundary in the SW portion of site.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius)

	Absolute % Cover:	Domiant Species?	Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Herbaceous Stratum Plot size (5 Foot Radius)

Bromus inermis	55	☑	UPL
Elymus repens	10	☐	FAC
Phleum pratense	5	☐	FAC
Poa pratensis	25	☑	FAC

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 5

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 50 % (A/B)

Prevalence Index worksheet

Total % Cover of:			Multiply by:
OBL species	0	X 1	0
FACW species	0	X 2	0
FAC species	40	X 3	120
FACU species	0	X 4	0
UPL species	55	X 5	275
Column Totals	95	(A)	395 (B)

Prevalence Index = B/A = 4.15789

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☐ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☐ NO ☑

Remarks:
BG/litter=5%

SOIL

Sampling Point: DP08u

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-16	10YR 3/2	100					Silty Clay Loam	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☐ No ☑

Remarks:

No hydric soil indicators observed during site visit.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☐ No ☑ Depth (inches): _____

Water Table Present? Yes ☐ No ☑ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ☐ No ☑ Depth (inches): _____

Wetland Hydrology Present? Yes ☐ No ☑

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

No hydrologic indicators observed during site visit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton City/County: Park Sampling Date: 6/24/2020

Applicant/Owner: MDT State: Montana Sampling Point: DP08w

Investigator(s): R Quire, R Jones, S Weyant Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Floodplain Local relief (concave, convex, none): concave Slope (%): 3

Subregion (LRR): LRR E Lat: 46.060532 Long: -110.640056 Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☑ No ☐	**Is the Sampled Area within a Wetland?** Yes ☑ No ☐
Hydric Soil Present?	Yes ☑ No ☐	
Wetland Hydrology Present?	Yes ☑ No ☐	

Remarks:
PEM/PSS riverine wetland in the SW portion of site.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius)

	Absolute % Cover:	Domiant Species?	Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Salix drummondiana	10	☑	FACW

Herbaceous Stratum Plot size (5 Foot Radius)

Phalaris arundinacea	75	☑	FACW

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 25

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 % (A/B)

Prevalence Index worksheet

Total % Cover of:		Multiply by:	
OBL species	0	X 1	0
FACW species	85	X 2	170
FAC species	0	X 3	0
FACU species	0	X 4	0
UPL species	0	X 5	0
Column Totals	85 (A)		170 (B)

Prevalence Index = B/A = 2

Hydrophytic Vegetation Indicators

- ☑ 1 - Rapid Test for Hydrophytic Vegetation
- ☑ 2 - Dominance Test is >50%
- ☑ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☑ NO ☐

Remarks:
Dominated by hydrophytic plant species.

SOIL

Sampling Point: DP08w

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	10YR 2/2						Sandy Clay Loam	
8-16	10YR 4/2	73	10Y 3/1	20	C	M	Sandy Clay Loam	
8-16	10YR 4/2	73	7.5YR 4/6	7	C	M	Sandy Clay Loam	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☑ No ☐

Remarks:

Distinct redoximorphic and gleyed features many within the depleted matrix.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☑ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☐ No ☑ Depth (inches): _____

Water Table Present? Yes ☐ No ☑ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ☐ No ☑ Depth (inches): _____

Wetland Hydrology Present? Yes ☑ No ☐

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Soil very moist.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton City/County: Park Sampling Date: 6/24/2020

Applicant/Owner: MDT State: Montana Sampling Point: DP09u

Investigator(s): R Quire, R Jones, S Weyant Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Terrace Local relief (concave, convex, none): convex Slope (%): 5

Subregion (LRR): LRR E Lat: 46.059745 Long: -110.638874 Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☐ No ☑	**Is the Sampled Area within a Wetland?** Yes ☐ No ☑
Hydric Soil Present?	Yes ☐ No ☑	
Wetland Hydrology Present?	Yes ☐ No ☑	

Remarks:
Upland sample point upslope of wetland boundary.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius)

	Absolute % Cover:	Domiant Species?	Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Herbaceous Stratum Plot size (5 Foot Radius)

Bromus inermis	40	☑	UPL
Elymus repens	30	☑	FAC
Phleum pratense	10	☐	FAC
Poa pratensis	10	☐	FAC

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 10

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 50 % (A/B)

Prevalence Index worksheet

Total % Cover of:			Multiply by:
OBL species	0	X 1	0
FACW species	0	X 2	0
FAC species	50	X 3	150
FACU species	0	X 4	0
UPL species	40	X 5	200
Column Totals	90	(A)	350 (B)

Prevalence Index = B/A = 3.88889

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☐ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☐ NO ☑

Remarks:
BG/litter=10%

SOIL

Sampling Point: DP09u

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-14	10YR 3/2	100					Silty Clay Loam	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☐ No ☑

Remarks:

No hydric soil indicators observed during site visit.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☐ No ☑ Depth (inches): _____

Water Table Present? Yes ☐ No ☑ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ☐ No ☑ Depth (inches): _____

Wetland Hydrology Present? Yes ☐ No ☑

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

No hydrologic indicators observed during site visit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton City/County: Park Sampling Date: 6/24/2020

Applicant/Owner: MDT State: Montana Sampling Point: DP09w

Investigator(s): R Quire, R Jones, S Weyant Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Floodplain Local relief (concave, convex, none): concave Slope (%): 3

Subregion (LRR): LRR E Lat: 46.059832 Long: -110.638998 Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☑ No ☐	**Is the Sampled Area within a Wetland?** Yes ☑ No ☐
Hydric Soil Present?	Yes ☑ No ☐	
Wetland Hydrology Present?	Yes ☑ No ☐	

Remarks:
PEM/PSS riverine wetland in the center of site.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius)

	Absolute % Cover:	Domiant Species?	Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Populus balsamifera	15	☑	FAC
Salix bebbiana	1	☐	FACW

Herbaceous Stratum Plot size (5 Foot Radius)

Carex nebrascensis	5	☐	OBL
Juncus balticus	30	☑	FACW
Juncus effusus	10	☐	FACW
Lotus corniculatus	25	☑	FAC

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 30

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 % (A/B)

Prevalence Index worksheet

Total % Cover of:			Multiply by:
OBL species	5	X 1	5
FACW species	41	X 2	82
FAC species	40	X 3	120
FACU species	0	X 4	0
UPL species	0	X 5	0
Column Totals	86 (A)		207 (B)

Prevalence Index = B/A = 2.40698

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☑ 2 - Dominance Test is >50%
- ☑ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☑ NO ☐

Remarks:
BG/litter/shallow ponded water=30%

SOIL

Sampling Point: DP09w

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-03	10YR 4/2	100					Clay	
03-10	10YR 4/2	100					Loamy Sand	**Gravelly.**
10+							Cobbles	**Cobble bottom.**

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☑ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☑ No ☐

Remarks:

Although no hydric soil indicators were observed during the site visit, wetland hydrology was present, all dominant plant species were hydrophytic, and the wetland boundary had an abrupt edge (1987 COE Wetland Delineation Manual).

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☑ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☑ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☑ No ☐ Depth (inches): 4

Water Table Present? Yes ☑ No ☐ Depth (inches): 0

Saturation Present? (includes capillary fringe) Yes ☑ No ☐ Depth (inches): 0

Wetland Hydrology Present? Yes ☑ No ☐

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

4in of surface water observed at soil pit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton City/County: Park Sampling Date: 6/24/2020

Applicant/Owner: MDT State: Montana Sampling Point: DP10u

Investigator(s): R Quire, R Jones, S Weyant Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Terrace Local relief (concave, convex, none): convex Slope (%): 5

Subregion (LRR): LRR E Lat: 46.058857 Long: -110.639093 Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☐ No ☑	**Is the Sampled Area within a Wetland?** Yes ☐ No ☑
Hydric Soil Present?	Yes ☐ No ☑	
Wetland Hydrology Present?	Yes ☐ No ☑	

Remarks:
Upslope of wetland boundary in the center of site.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius)

	Absolute % Cover:	Domiant Species?	Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Herbaceous Stratum Plot size (5 Foot Radius)

Bromus inermis	75	☑	UPL
Poa pratensis	10	☐	FAC

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 15

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 % (A/B)

Prevalence Index worksheet

Total % Cover of:		Multiply by:
OBL species	0 X 1	0
FACW species	0 X 2	0
FAC species	10 X 3	30
FACU species	0 X 4	0
UPL species	75 X 5	375
Column Totals	85 (A)	405 (B)

Prevalence Index = B/A = 4.76471

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☐ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☐ NO ☑

Remarks:
BG/litter=15%

SOIL

Sampling Point: DP10u

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-16	10YR 3/2	100					Silty Clay Loam	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☐ No ☑

Remarks:

No hydric soil indicators observed during site visit.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☐ No ☑ Depth (inches): _____

Water Table Present? Yes ☐ No ☑ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ☐ No ☑ Depth (inches): _____

Wetland Hydrology Present? Yes ☐ No ☑

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

No hydrologic indicators observed during site visit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton | City/County: Park | Sampling Date: 6/24/2020

Applicant/Owner: MDT | State: Montana | Sampling Point: DP10w

Investigator(s): R Quire, R Jones, S Weyant | Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Floodplain | Local relief (concave, convex, none): concave | Slope (%): 2

Subregion (LRR): LRR E | Lat: 46.058954 | Long: -110.639147 | Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope | NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☑ No ☐	**Is the Sampled Area within a Wetland?** Yes ☑ No ☐
Hydric Soil Present?	Yes ☑ No ☐	
Wetland Hydrology Present?	Yes ☑ No ☐	

Remarks:
PEM riverine wetland in the center of site.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius)

	Absolute % Cover:	Domiant Species?	Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Populus balsamifera	5	☑	FAC
Salix bebbiana	1	☑	FACW

Herbaceous Stratum Plot size (5 Foot Radius)

Alopecurus arundinaceus	5	☐	FAC
Carex nebrascensis	15	☑	OBL
Carex pachystachya	5	☐	FAC
Carex pellita	10	☐	OBL
Equisetum arvense	30	☑	FAC
Juncus balticus	7	☐	FACW
Lotus corniculatus	3	☐	FAC

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 25

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 % (A/B)

Prevalence Index worksheet

Total % Cover of:		Multiply by:	
OBL species	25	X 1	25
FACW species	8	X 2	16
FAC species	48	X 3	144
FACU species	0	X 4	0
UPL species	0	X 5	0
Column Totals	81 (A)		185 (B)

Prevalence Index = B/A = 2.28395

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☑ 2 - Dominance Test is >50%
- ☑ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☑ NO ☐

Remarks:
Dominated by hydrophytic species.

SOIL

Sampling Point: DP10w

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-6	10YR 4/2	100					Silty Clay Loam	
6-14	10Y 4/1	70	10YR 4/6	30	C	M	Silty Clay Loam	**Gleyed.**

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☑ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☑ No ☐

Remarks:

Prominent redoximorphic features many within the loamy gleyed matrix.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☑ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☐ No ☑ Depth (inches): _____

Water Table Present? Yes ☑ No ☐ Depth (inches): 0

Saturation Present? (includes capillary fringe) Yes ☑ No ☐ Depth (inches): 0

Wetland Hydrology Present? Yes ☑ No ☐

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

High water table observed to surface of soil pit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton City/County: Park Sampling Date: 6/24/2020

Applicant/Owner: MDT State: Montana Sampling Point: DP11u

Investigator(s): R Quire, R Jones, S Weyant Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Terrace Local relief (concave, convex, none): convex Slope (%): 7

Subregion (LRR): LRR E Lat: 46.057998 Long: -110.640537 Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☑ No ☐	**Is the Sampled Area within a Wetland?** Yes ☐ No ☑
Hydric Soil Present?	Yes ☐ No ☑	
Wetland Hydrology Present?	Yes ☐ No ☑	

Remarks:
Upslope of wetland boundary, at south western project boundary edge.

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius)

	Absolute % Cover:	Domiant Species?	Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Herbaceous Stratum Plot size (5 Foot Radius)

Bromus inermis	5	☐	UPL
Cirsium arvense	5	☐	FAC
Elymus repens	70	☑	FAC
Poa pratensis	10	☐	FAC

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 10

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 % (A/B)

Prevalence Index worksheet

Total % Cover of:		Multiply by:
OBL species	0 X 1	0
FACW species	0 X 2	0
FAC species	85 X 3	255
FACU species	0 X 4	0
UPL species	5 X 5	25
Column Totals	90 (A)	280 (B)

Prevalence Index = B/A = 3.11111

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☑ 2 - Dominance Test is >50%
- ☐ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☑ NO ☐

Remarks:
BG/litter=10%

US Army Corps of Engineers — Western Mountains, Valleys, and Coasts - Version 2.0

SOIL

Sampling Point: DP11u

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-13	10YR 3/2	100					Clay Loam	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☐ No ☑

Remarks:

No hydric soil indicators observed during site visit.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☐ No ☑ Depth (inches): _____

Water Table Present? Yes ☐ No ☑ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ☐ No ☑ Depth (inches): _____

Wetland Hydrology Present? Yes ☐ No ☑

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

No hydrologic indicators observed during site visit.

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Easton City/County: Park Sampling Date: 6/24/2020

Applicant/Owner: MDT State: Montana Sampling Point: DP11w

Investigator(s): R Quire, R Jones, S Weyant Section, Township, Range: S 32 T 4N R 9E

Landform (hillslope, terrace, etc.): Floodplain Local relief (concave, convex, none): concave Slope (%): 3

Subregion (LRR): LRR E Lat: 46.057964 Long: -110.640424 Datum: NAD 83

Soil Map Unit Name: 155A: Meadowcreek, rarely flooded-Nesda complex, 0 to 2 percent slope NWI classification: Not Mapped

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☑ No ☐ (If no, explain in Remarks.)

Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☑ No ☐

Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☑ No ☐	**Is the Sampled Area within a Wetland?** Yes ☑ No ☐
Hydric Soil Present?	Yes ☑ No ☐	
Wetland Hydrology Present?	Yes ☑ No ☐	

Remarks:
PSS riverine wetland

VEGETATION - Use scientific names of plants

Tree Stratum Plot size (30 Foot Radius)

	Absolute % Cover:	Domiant Species?	Indicator Status

Sapling/Shrub Stratum Plot size (15 Foot Radius)

Populus balsamifera	30	☑	FAC
Salix bebbiana	3	☐	FACW
Salix exigua	2	☐	FACW
Salix lasiandra	5	☐	FACW

Herbaceous Stratum Plot size (5 Foot Radius)

Alopecurus arundinaceus	5	☐	FAC
Carex pellita	15	☑	OBL
Deschampsia caespitosa	10	☑	FACW
Elymus repens	5	☐	FAC
Juncus balticus	15	☑	FACW
Lotus corniculatus	7	☐	FAC
Lysimachia ciliata	5	☐	FACW
Taraxacum officinale	3	☐	FACU

Woody Vine Stratum Plot size (30 Foot Radius)

Percent Bare Ground 15

Dominance Test worksheet

Number of Dominant Species that are OBL, FACW or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 % (A/B)

Prevalence Index worksheet

Total % Cover of:		Multiply by:
OBL species	15 X 1	15
FACW species	40 X 2	80
FAC species	47 X 3	141
FACU species	3 X 4	12
UPL species	0 X 5	0
Column Totals	105 (A)	248 (B)

Prevalence Index = B/A = 2.36190

Hydrophytic Vegetation Indicators

- ☐ 1 - Rapid Test for Hydrophytic Vegetation
- ☑ 2 - Dominance Test is >50%
- ☑ 3 - Prevalence Index is <= 3.0
- ☐ 4 - Morphological Adaptations (Provide supporting data in remarks or on separate sheet.
- ☐ 5 - Wetland Non-Vascular Plants
- ☐ Problematic Hydrophytic Vegetation (Explain)

Indicators of hydric sil and wetland hydrology must be present, unless disturbed or problematic for #3, 4, 5.

Hydrophytic Vegetation Present? Yes ☑ NO ☐

Remarks:
BG/litter=15%, shrub cover in herb stratum

SOIL

Sampling Point: DP11w

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	10YR 2/2						Silty Clay	
8-13	10YR 4/2	93	7.5YR 4/6	7	C	M	Sandy Clay Loam	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Mucky Mineral (S1)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Loamy Mucky Mineral (F1) (**except MLRA 1**)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ☐ 2 cm Muck (A10)
- ☐ Red Parent Material (TF2)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☑ No ☐

Remarks:

Prominent redoximorphic features common within the depleted matrix.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift Deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Surface Soil Cracks (B6)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Water-Stained Leaves (B9) (**except MLRA 1, 2, 4A, and 4B**)
- ☐ Salt Crust (B11)
- ☐ Aquatic Invertebrates (B13)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Stunted or Stressed Plants (D1) (**LRR A**)
- ☐ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ☐ Water-Stained Leaves (B9) (**MLRA 1, 2, 4A, and 4B**)
- ☐ Drainage Patterns (B10)
- ☐ Dry-Season Water Table (C2)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☑ FAC-Neutral Test (D5)
- ☐ Raised Ant Mounds (D6) (**LRR A**)
- ☐ Frost-Heave Hummocks (D7)

Field Observations:

Surface Water Present? Yes ☐ No ☑ Depth (inches): _____

Water Table Present? Yes ☑ No ☐ Depth (inches): 11

Saturation Present? (includes capillary fringe) Yes ☑ No ☐ Depth (inches): 0

Wetland Hydrology Present? Yes ☑ No ☐

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

High water table observed at 11in in soil pit.

MDT Montana Wetland Assessment Form (revised March 2008)

1. Project name Easton Ranch **2. MDT project#** STPP STWD (756) **Control#** 9680000

3. Evaluation Date 6/24/2020 **4. Evaluators** R Quire, R Jones, S Weyant **5. Wetland/Site# (s)** Creation

6. Wetland Location(s): **T** 4N **R** 9E **Sec1** 32 **T** **R** **Sec2**

Approx Stationing or Mileposts NA

Watershed 13 - Upper Yellowstone **Watershed/County** Park

7. Evaluating Agency Confluence Consulting

8. Wetland size acres 11.15

Purpose of Evaluation

- ☐ **Wetlands potentially affected by MDT project**
- ☐ **Mitigation Wetlands: pre-construction**
- ☑ **Mitigation Wetlands: post construction**
- ☐ **Other**

How assessed: Measured e.g. by GPS

9. Assesssment area (AA) size (acres) 11.15

How assessed: Measured e.g. by GPS

10. Classification of Wetland and Aquatic Habitats in AA

HGM Class (Brinson)	Class (Cowardin)	Modifier (Cowardin)	Water Regime	% of AA
Riverine	Emergent Wetland	Excavated	Seasonal/Intermittent	70
Depressional	Aquatic Bed	Excavated	Seasonal/Intermittent	2
Riverine	Scrub-Shrub Wetland	Excavated	Seasonal/Intermittent	28

11. Estimated Relative Abundance Common

12. General Condition of AA

i. Disturbance: (use matrix below to determine [circle] appropriate response – see instructions for Montana-listed noxious weed and aquatic nuisance vegetation species (**ANVS**) lists)

Conditions within AA	*Predominant conditions adjacent to (within 500 feet of) AA*		
	Managed in predominantly natural state; is not grazed, hayed, logged, or otherwise converted; does not contain roads or buildings; and noxious weed or ANVS cover is <=15%.	Land not cultivated, but may be moderately grazed or hayed or selectively logged; or has been subject to minor clearing; contains few roads or buildings; noxious weed or ANVS cover is <=30%.	Land cultivated or heavily grazed or logged; subject to substantial fill placement, grading, clearing, or hydrological alteration; high road or building density; or noxious weed or ANVS cover is >=30%.
AA occurs and is managed in predominantly natural state; is not grazed, hayed, logged, or otherwise converted; does not contain roads or occupied buildings; and noxious weed or ANVS cover is <=15%.	low disturbance	low disturbance	moderate disturbance
AA not cultivated, but may be moderately grazed or hayed or selectively logged; or has been subject to relatively minor clearing, fill placement, or hydrological alteration; contains few roads or buildings; noxious weed or ANVS cover is <=30%.	moderate disturbance	moderate disturbance	high disturbance
AA cultivated or heavily grazed or logged; subject to relatively substantial fill placement, grading, clearing, or hydrological alteration; high road or building density; or noxious weed or ANVS cover is >=30%.	high disturbance	high disturbance	high disturbance

Comments: (types of disturbance, intensity, season, etc)

Limited agriculture (hay) and a few ranch structures to the east. Undeveloped riparian corridor and herbaceous uplands to north, south, and west. A new house was built west of the Shield River on an upland terrace. Two species of noxious weeds were present within the AA. The AA is managed in a natural state, as are most of the lands within 500 feet of the AA.

ii. Prominent noxious, aquatic nuisance, other exotic species:

Cirsium arvense and Cynoglossum officinale

iii. Provide brief descriptive summary of AA and surrounding land use/habitat

The AA consists of five constructed wetland cells. The lowest contours of the wetland cells are seasonally inundated and have developed wetland characteristics. The majority of higher elevations within the site lack wetland characteristics and support upland plant communities. The cells are bordered by limited agriculture (hay and food plots) and an undeveloped riparian corridor.

13. Structural Diversity: (based on number of "Cowardin" ***vegetated*** classes present [do not include unvegetated classes], see #10 above)

Existing # of "Cowardin" Vegetated Classes in AA	Initial Rating	Is current management preventing (passive) existence of additional vegetated classes?		Modified Rating
>=3 (or 2 if 1 is forested) classes	H	NA	NA	NA
2 (or 1 if forested) classes	M	NA	NA	NA
1 class, but not a monoculture	M	<NO	YES>	L
1 class, monoculture (1 species comprises>=90% of total cover)	L	NA	NA	NA

Comments: The AA consists of palustrine emergent wetlands (PEM), scrub-shrub (young PSS) and aquatic beds in the deeper depressions.

SECTION PERTAINING to FUNCTIONS VALUES ASSESSMENT

14A. Habitat for Federally Listed or Proposed Threatened or Endangered Plants or Animals:

i. AA is Documented (D) or Suspected (S) to contain (check one based on definitions contained in instructions):

Primary or critical habitat (list species)	○ D ○ S	
Secondary habitat (list Species)	○ D ○ S	
Incidental habitat (list species)	○ D ○ S	
No usable habitat	☑ S	

ii. Rating (use the conclusions from i above and the matrix below to arrive at [check] the functional points and rating)

Highest Habitat Level	doc/primary	sus/primary	doc/secondary	sus/secondary	doc/incidental	sus/incidental	None
Functional Points and Rating	1H	.9H	.8H	.7M	.3L	.1L	0L

Sources for documented use

14B. Habitat for plant or animals rated S1, S2, or S3 by the Montana Natural Heritage Program: (not including species listed in14A above)

i. AA is Documented (D) or Suspected (S) to contain (check one based on definitions contained in instructions):

Primary or critical habitat (list species)	◉ D ○ S	Sandhill Crane (S5B,S2N)
Secondary habitat (list Species)	○ D ○ S	
Incidental habitat (list species)	◉ D ○ S	Golden Eagle (S3)
No usable habitat	☐ S	

ii. Rating (use the conclusions from i above and the matrix below to arrive at [check] the functional points and rating)

Highest Habitat Level	doc/primary	sus/primary	doc/secondary	sus/secondary	doc/incidental	sus/incidental	None
S1 Species: *Functional Points and Rating*	1H	.8H	.7M	.6M	.2L	.1L	0L
S2 and S3 Species: *Functional Points and Rating*	.9H	.7M	.6M	.5M	.2L	.1L	0L

Sources for documented use MTNHP, 2013 and 2019-2020 field observations. Sandhill Crane nesting documented by MDT staff in 2019.

14C. General Wildlife Habitat Rating:

i. Evidence of overall wildlife use in the AA (check substantial, moderate, or low based on supporting evidence):

Moderate

Substantial (based on any of the following [check]):

- ☐ observations of abundant wildlife #s or high species diversity (during any period)
- ☐ abundant wildlife sign such as scat, tracks, nest structures, game trails, etc.
- ☐ presence of extremely limiting habitat features not available in the surrounding area
- ☐ interviews with local biologists with knowledge of the AA

Minimal (based on any of the following [check]):

- ☐ few or no wildlife observations during peak use periods
- ☐ little to no wildlife sign
- ☐ sparse adjacent upland food sources
- ☐ interviews with local biologists with knowledge of the AA

Moderate (based on any of the following [check]):

- ☑ observations of scattered wildlife groups or individuals or relatively few species during peak periods
- ☑ common occurrence of wildlife sign such as scat, tracks, nest structures, game trails, etc.
- ☑ adequate adjacent upland food sources
- ☐ interviews with local biologists with knowledge of the AA

ii. Wildlife habitat features (Working from top to bottom, check appropriate AA attributes in matrix to arrive at rating. Structural diversity is from #13. For class cover to be considered evenly distributed, the most and least prevalent **vegetated** classes must be within 20% of each other in terms of their percent composition of the AA (see #10). Abbreviations for surface water durations are as follows: P/P = permanent/perennial; S/I = seasonal/intermittent; T/E = temporary/ephemeral; and A = absent [see instructions for further definitions of these terms])

Structural diversity (see #13)	High								Moderate								Low			
Class cover distribution (all vegetated classes)	Even				Uneven				Even				Uneven				Even			
Duration of surface water in ≥ 10% of AA	P/P	S/I	T/E	A	P/P	S/I	T/E	A	P/P	S/I	T/E	A	P/P	S/I	T/E	A	P/P	S/I	T/E	A
Low disturbance at AA (see #12i)	E	E	E	H	E	E	H	H	E	H	H	M	E	H	M	M	E	H	M	M
Moderate disturbance at AA (see #12i)	H	H	H	H	H	H	H	M	H	H	M	M	H	M	M	L	H	M	L	L
High disturbance at AA (see #12i)	M	M	M	L	M	M	L	L	M	M	L	L	M	L	L	L	L	L	L	L

iii. Rating (use the conclusions from i and ii above and the matrix below to arrive at [check] the functional points and rating)

Evidence of wildlife use (i)	*Wildlife habitat features rating (ii)*			
	Exceptional	High	Moderate	Low
Substantial	1E	.9H	.8H	.7M
Moderate	.9H	.7M	.5M	.3L
Minimal	.6M	.4M	.2L	.1L

Comments There is a bald eagle (Haliaeetus leucocephalus) nest directly southwest of the site on the west side of the Shields River, the project site is within the primary habitat zone for bald eagles. In 2020 observed wild turkeys near the eastern project boundary as well as several white-tailed deer. Food plots located along portions of the eastern property boundary provide a

14D. General Fish Habitat Rating: (Assess this function if the AA is used by fish or the existing situation is "correctable" such that the AA could be used by fish [i.e., fish use is precluded by perched culvert or other barrier, etc.]. If the AA is not used by fish, fish use is not restorable due to habitat constraints, or is not desired from a management perspective [such as fish entrapped in a canal], then check ☑ **NA** here and proceed to 14E.)

i. Habitat Quality and Known / Suspected Fish Species in AA (use matrix to arrive at [check the functional points and rating)

Duration of surface water in AA	Permanent / Perennial						Seasonal / Intermittent						Temporary / Ephemeral					
Aquatic hiding / resting / escape cover	Optimal		Adequate		Poor		Optimal		Adequate		Poor		Optimal		Adequate		Poor	
Thermal cover optimal / suboptimal	O	S	O	S	O	S	O	S	O	S	O	S	O	S	O	S	O	S
FWP Tier I fish species	1E	.9H	.8H	.7M	.6M	.5M	.9H	.8H	.7M	.6M	.5M	.4M	.7M	.6M	.5M	.4M	.3L	.3L
FWP Tier II or Native Game fish species	.9H	.8H	.7M	.6M	.5M	.5M	.8H	.7M	.6M	.5M	.4M	.4M	.6M	.5M	.4M	.3L	.2L	.2L
FWP Tier III or Introduced Game fish	.8H	.7M	.6M	.5M	.5M	.4M	.7M	.6M	.5M	.4M	.4M	.3L	.5M	.4M	.3L	.2L	.2L	.1L
FWP Non-Game Tier IV or No fish species	.5M	.5M	.5M	.4M	.4M	.3L	.4M	.4M	.4M	.3L	.3L	.2L	.2L	.2L	.2L	.1L	.1L	.1L

Sources used for identifying fish sp. potentially found in AA:

ii. Modified Rating (**NOTE:** Modified score cannot exceed 1 or be less than 0.1)
a) Is fish use of the AA significantly reduced by a culvert, dike, or other man-made structure or activity ***or*** *is the waterbody included on the current final MDEQ list of waterbodies in need of TMDL development with listed "Probable Impaired Uses" including cold or warm water fishery or aquatic life support,* ***or*** *do aquatic nuisance plant or animal species (see* ***Appendix E****) occur in fish habitat?* **Y** ◯ **N** ◉ *If yes, reduce score in* ***i*** *above by 0.1:* **Modified Rating**


b) Does the AA contain a documented spawning area or other critical habitat feature (i.e., sanctuary pool, upwelling area, etc.- specify in comments) for native fish or introduced game fish? ◯ **Y** ◉ **N** *If yes, add 0.1 to the adjusted score in* ***i*** *or* ***iia*** *above:*
Modifed Rating


iii. Final Score and Rating: 0 NA **Comments:** Wetland cells are isolated from Shields River with no fish habitat present.

14E. Flood Attenuation: (Applies only to wetlands subject to flooding via in-channel or overbank flow. If wetlands in AA are not flooded from in-channel or overbank flow, click ☐ **NA** here and proceed to 14F.)

i. Rating (working from top to bottom, use the matrix below to arrive at [check] the functional points and rating)

Estimated or Calculated Entrenchment (Rosgen 1994, 1996)	Slightly entrenched - C, D, E stream types			Moderately entrenched – B stream type			Entrenched-A, F, G stream types		
% of flooded wetland classified as forested and/or scrub/shrub	75%	25-75%	<25%	75%	25-75%	<25%	75%	25-75%	<25%
AA contains **no outlet or restricted outlet**	1H	.9H	.6M	.8H	.7M	.5M	.4M	.3L	.2L
AA contains **unrestricted outlet**	.9H	.8H	.5M	.7M	.6M	.4M	.3L	.2L	.1L





Floodprone width 133 / **Bankfull width** 28 = **Entrenchment ratio** 4.75

ii. Are ≥10 acres of wetland in the AA subject to flooding **AND** are man-made features which may be significantly damaged by floods located within 0.5 mile downstream of the AA (check)? **Y** ◯ **N** ◉

Comments: AA receives overbank flow from Shields River during high flow events.

14F. Short and Long Term Surface Water Storage: (Applies to wetlands that flood or pond from overbank or in-channel flow, precipitation, upland surface flow, or groundwater flow. If no wetlands in the AA are subject to flooding or ponding, click ☐ **NA** here and proceed to 14G.)

i. Rating (Working from top to bottom, use the matrix below to arrive at [check] the functional points and rating. Abbreviations for surface water durations are as follows: P/P = permanent/perennial; S/I = seasonal/intermittent; and T/E = temporary/ephemeral [see instructions for further definitions of these terms].)

Estimated maximum acre feet of water contained in wetlands within the AA that are subject to periodic flooding or ponding	>5 acre feet			1.1 to 5 acre feet			≤1 acre foot		
Duration of surface water at wetlands within the AA	P/P	S/I	T/E	P/P	S/I	T/E	P/P	S/I	T/E
Wetlands in AA flood or pond **≥ 5 out of 10 years**	1H	.9H	.8H	.8H	.6M	.5M	.4M	.3L	.2L
Wetlands in AA flood or pond **< 5 out of 10 years**	.9H	.8H	.7M	.7M	.5M	.4M	.3L	.2L	.1L

Comments: (11.15 acre wetland) * (1 ft. max depth at highwater) = 11.15 acre feet

14G. Sediment/Nutrient/Toxicant Retention and Removal: (Applies to wetlands with potential to receive sediments, nutrients, or toxicants through influx of surface or ground water or direct input. If no wetlands in the AA are subject to such input, click ☐ **NA** here and proceed to 14H.)

i. Rating (working from top to bottom, use the matrix below to arrive at [check] the functional points and rating [H = high, M = moderate, or L = low])

Sediment, nutrient, and toxicant input levels within AA	AA receives or surrounding land use with potential to deliver levels of sediments, nutrients, or compounds at levels such that other functions are not substantially impaired. Minor sedimentation, sources of nutrients or toxicants, or signs of eutrophication present.				Waterbody on MDEQ list of waterbodies in need of TMDL development for "probable causes" related to sediment, nutrients, or toxicants **or** AA receives or surrounding land use with potential to deliver high levels of sediments, nutrients, or compounds such that other functions are substantially impaired. Major sedimentation, sources of nutrients or toxicants, or signs of eutrophication present.			
% cover of wetland vegetation in AA	≥ 70%		< 70%		≥ 70%		< 70%	
Evidence of flooding / ponding in AA	Yes	No	Yes	No	Yes	No	Yes	No
AA contains **no or restricted outlet**	1H	.8H	.7M	.5M	.5M	.4M	.3L	.2L
AA contains **unrestricted outlet**	.9H	.7M	.6M	.4M	.4M	.3L	.2L	.1L

Comments: There was evidence of ponding and flooding in 2011, 2012, 2014, 2015, 2016, 2017, 2018, 2019, and 2020. There was no evidence of ponding or flooding in 2013.

14H Sediment/Shoreline Stabilization: (Applies only if AA occurs on or within the banks or a river, stream, or other natural or man-made drainage, or on the shoreline of a standing water body which is subject to wave action. If 14H does not apply, click ☐ **NA** here and proceed to 14I.)

i. Rating (working from top to bottom, use the matrix below to arrive at [check] the functional points and rating)

*% Cover of **wetland** streambank or shoreline by species with stability ratings of ≥6 (see **Appendix F**).*	*Duration of surface water adjacent to rooted vegetation*		
	Permanent / Perennial	Seasonal / Intermittent	Temporary / Ephemeral
≥ 65%	1H	.9H	.7M
35-64%	.7M	.6M	.5M
< 35%	.3L	.2L	.1L

Comments: Deep-rooted species observed in 2020 include willows, cattails, bulrush, spikerush, sedges, and rushes.

14I. Production Export/Food Chain Support:

i. Level of Biological Activity (synthesis of wildlife and fish habitat ratings [check])

General Fish Habitat Rating (14D.iii.)	**General Wildlife Habitat Rating (14C.iii.)**		
	E/H	M	L
E/H	H	H	M
M	H	M	M
L	M	M	L
N/A	H	M	L

ii. Rating (Working from top to bottom, use the matrix below to arrive at [check] the functional points and rating. Factor A = acreage of vegetated wetland component in the AA; Factor B = level of biological activity rating from above (14I.i.); Factor C = whether or not the AA contains a surface or subsurface outlet; the final three rows pertain to duration of surface water in the AA, where P/P, S/I, and T/E are as previously defined, and A = "absent" [see instructions for further definitions of these terms].)

A	Vegetated component >5 acres						Vegetated component 1-5 acres						Vegetated component <1 acre					
B	High		Moderate		Low		High		Moderate		Low		High		Moderate		Low	
C	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
P/P	1E	.7H	.8H	.5M	.6M	.4M	.9H	.6M	.7H	.4M	.5M	.3L	.8H	.6M	.6M	.4M	.3L	.2L
S/I	.9H	.6M	.7H	.4M	.5M	.3L	.8H	.5M	.6M	.3L	.4M	.2L	.7H	.5M	.5M	.3L	.3L	.2L
T/E/A	.8H	.5M	.6M	.3L	.4M	.2L	.7H	.4M	.5M	.2L	.3L	.1L	.6M	.4M	.4M	.2L	.2L	.1L

iii. Modified Rating (**NOTE:** Modified score cannot exceed 1 or be less than 0.1.) **Vegetated Upland Buffer (VUB)**: Area with ≥ 30% plant cover, ≤ 15% noxious weed or ANVS cover, and that is not subjected to periodic mechanical mowing or clearing (unless for weed control).

a) Is there an average ≥ 50 foot-wide vegetated upland buffer around ≥ 75% of the AA circumference? **Y** ◉ **N** ○ *If yes, add 0.1 to the score in **ii** above and adjust rating accordingly:* **Modified Rating** .8H

Comments: Vegetated area greater than 5 acres with moderate level of biological activity and seasonal hydrology.

14J. Groundwater Discharge/Recharge: (check the appropriate indicators in i & ii below)

i. Discharge Indicators

- ☐ The AA is a slope wetland
- ☑ Springs or seeps are known or observed
- ☐ Vegetation growing during dormant season/drought
- ☐ Wetland occurs at the toe of a natural slope
- ☐ Seeps are present at the wetland edge
- ☐ AA permanently flooded during drought periods
- ☐ Wetland contains an outlet, but no inlet
- ☑ Shallow water table and the site is saturated to the surface
- ☐ Other:

ii. Recharge Indicators

- ☑ Permeable substrate present without underlying impeding layer
- ☐ Wetland contains inlet but no outlet
- ☐ Stream is a known 'losing' stream; discharge volume decreases
- ☐ Other:

iii. Rating (use the information from i and ii above and the table below to arrive at [check] the functional points and rating)

	Duration of saturation at AA Wetlands *FROM GROUNDWATER DISCHARGE OR WITH WATER THAT IS RECHARGING THE GROUNDWATER SYSTEM*			
Criteria	P/P	S/I	T	None
Groundwater Discharge or Recharge	1H	.7M	.4M	.1L
Insufficient Data/Information		NA		

Comments: Shallow surface water or soil saturation across most of the constructed wetlands in 2020.

14K. Uniqueness:

i. Rating (working from top to bottom, use the matrix below to arrive at [check] the functional points and rating)

Replacement potential	AA contains fen, bog, warm springs or mature (>80 yr-old) forested wetland **or** plant association listed as "S1" by the MTNHP			AA does not contain previously cited rare types **and** structural diversity (#13) is high **or** contains plant association listed as "S2" by the MTNHP			AA does not contain previously cited rare types or associations **and** structural diversity (#13) is low-moderate		
Estimated relative abundance (#11)	rare	common	abundant	rare	common	abundant	rare	common	abundant
Low disturbance at AA (#12i)	1H	.9H	.8H	.8H	.6M	.5M	.5M	.4M	.3L
Moderate disturbance at AA (#12i)	.9H	.8H	.7M	.7M	.5M	.4M	.4M	.3L	.2L
High disturbance at AA (#12i)	.8H	.7H	.6M	.6M	.4M	.3L	.3L	.2L	.1L

Comments: Trees and shrubs are establishing well across the AA. Site disturbance is low.

14L. Recreation/Education Potential: (affords "bonus" points if AA provides recreation or education opportunity)

i. Is the AA a known or potential rec./ed. site: (check) **Y** ◉ **N** ○ (if 'Yes' continue with the evaluation; if 'No' then click ☐ **NA** here and proceed to the overall summary and rating page)

ii. Check categories that apply to the AA: ☑ Educational/scientific study; ☑ Consumptive rec.; ☐ Non-consumptive rec.; ☐ Other

iii. Rating (use the matrix below to arrive at [check] the functional points and rating)

Known or Potential Recreation or Education Area	Known	Potential
Public ownership or public easement with general public access (no permission required)	.2H	.15H
Private ownership with general public access (no permission required)	.15H	.1M
Private or public ownership without general public access, or requiring permission for public access	.1M	.05L

Comments:

Permission is required for access to this site.

General Site Notes

FUNCTION & VALUE SUMMARY & OVERALL RATING FOR WETLAND/SITE #(S): Creation

Function & Value Variables	Rating	Actual Functional Points	Possible Functional Points	Functional Units: (Actual Points x Estimated AA Acreage)	Indicate the four most prominent functions with an asterisk (*)
A. Listed/Proposed T&E Species Habitat	L	0	1	0.00	☐
B. MT Natural Heritage Program Species Habitat	H	.9	1	10.04	☐
C. General Wildlife Habitat	H	.9	1	10.04	☑
D. General Fish Habitat	NA	0	0	0.00	☐
E. Flood Attenuation	H	.8	1	8.92	☑
F. Short and Long Term Surface Water Storage	H	.8	1	8.92	☑
G. Sediment/Nutrient/Toxicant Removal	H	.9	1	10.04	☑
H. Sediment/Shoreline Stabilization	M	.6	1	6.69	☐
I. Production Export/Food Chain Support	H	.8	1	8.92	☐
J. Groundwater Discharge/Recharge	M	.7	1	7.81	☐
K. Uniqueness	M	.6	1	6.69	☐
L. Recreation/Education Potential (bonus points)	L	.05	NA	0.56	☐
Totals:		7.05	10	78.61	
Percent of Possible Score			**70.5** %		

Category I Wetland: (must satisfy **one** of the following criteria; otherwise go to Category II)
- ☐ Score of 1 functional point for Listed/Proposed Threatened or Endangered Species; **or**
- ☐ Score of 1 functional point for Uniqueness; **or**
- ☐ Score of 1 functional point for Flood Attenuation **and** answer to Question 14E.ii is "yes"; **or**
- ☐ Percent of possible score > 80% (round to nearest whole #).

Category II Wetland: (Criteria for Category I not satisfied **and** meets any **one** of the following criteria; otherwise go to Category IV)
- ☐ Score of 1 functional point for MT Natural Heritage Program Species Habitat; **or**
- ☑ Score of .9 or 1 functional point for General Wildlife Habitat; **or**
- ☐ Score of .9 or 1 functional point for General Fish Habitat; **or**
- ☐ "High" to "Exceptional" ratings for **both** General Wildlife Habitat **and** General Fish/Aquatic Habitat; **or**
- ☐ Score of .9 functional point for Uniqueness; **or**
- ☑ Percent of possible score > 65% (round to nearest whole #).

Category III Wetland: (Criteria for Categories I, II, or IV not satisfied)

☐

Category IV Wetland: (Criteria for Categories I or II are not satisfied and all of the following criteria are met; otherwise go to Category III)
- ☐ "Low" rating for Uniqueness; **and**
- ☐ Vegetated wetland component < 1 acre (do not include upland vegetated buffer); **and**
- ☐ Percent of possible score < 35% (round to nearest whole #).

OVERALL ANALYSIS AREA RATING:
(check appropriate category based on the criteria outlined above)

I	II	III	IV

MDT Montana Wetland Assessment Form (revised March 2008)

1. Project name Easton Ranch **2. MDT project#** STPP STWD (756) **Control#** 9680000

3. Evaluation Date 6/24/2020 **4. Evaluators** R Quire, R Jones, S Weyant **5. Wetland/Site# (s)** Preservation

6. Wetland Location(s): **T** 4N **R** 9E **Sec1** 32 **T** **R** **Sec2**

Approx Stationing or Mileposts NA

Watershed 13 - Upper Yellowstone **Watershed/County** Park

7. Evaluating Agency Confluence Consulting Inc

8. Wetland size acres 1.1

Purpose of Evaluation

How assessed: Measured e.g. by GPS

☐ **Wetlands potentially affected by MDT project**

9. Assesssment area (AA) size (acres) 1.1

☐ **Mitigation Wetlands: pre-construction**

How assessed: Measured e.g. by GPS

☐ **Mitigation Wetlands: post construction**

☑ **Other** Preserved PSS/PFO/PEM Habitat

10. Classification of Wetland and Aquatic Habitats in AA

HGM Class (Brinson)	Class (Cowardin)	Modifier (Cowardin)	Water Regime	% of AA
Riverine	Scrub-Shrub Wetland		Seasonal/Intermittent	10
Riverine	Forested Wetland		Seasonal/Intermittent	20
Riverine	Emergent Wetland		Seasonal/Intermittent	70

11. Estimated Relative Abundance Common

12. General Condition of AA

i. Disturbance: (use matrix below to determine [circle] appropriate response – see instructions for Montana-listed noxious weed and aquatic nuisance vegetation species (**ANVS**) lists)

Conditions within AA	*Predominant conditions adjacent to (within 500 feet of) AA*		
	Managed in predominantly natural state; is not grazed, hayed, logged, or otherwise converted; does not contain roads or buildings; and noxious weed or ANVS cover is <=15%.	Land not cultivated, but may be moderately grazed or hayed or selectively logged; or has been subject to minor clearing; contains few roads or buildings; noxious weed or ANVS cover is <=30%.	Land cultivated or heavily grazed or logged; subject to substantial fill placement, grading, clearing, or hydrological alteration; high road or building density; or noxious weed or ANVS cover is >=30%.
AA occurs and is managed in predominantly natural state; is not grazed, hayed, logged, or otherwise converted; does not contain roads or occupied buildings; and noxious weed or ANVS cover is <=15%.	low disturbance	low disturbance	moderate disturbance
AA not cultivated, but may be moderately grazed or hayed or selectively logged; or has been subject to relatively minor clearing, fill placement, or hydrological alteration; contains few roads or buildings; noxious weed or ANVS cover is <=30%.	moderate disturbance	moderate disturbance	high disturbance
AA cultivated or heavily grazed or logged; subject to relatively substantial fill placement, grading, clearing, or hydrological alteration; high road or building density; or noxious weed or ANVS cover is >=30%.	high disturbance	high disturbance	high disturbance

Comments: (types of disturbance, intensity, season, etc)

AA consists of existing riverine PFO/PSS/PEM wetlands located adjacent to the created depressional wetlands and flood channel. AA and adjacent areas are managed in a natural state, disturbance is low

ii. Prominent noxious, aquatic nuisance, other exotic species:

Cirsium arvense, Cynoglossum officinale

iii. Provide brief descriptive summary of AA and surrounding land use/habitat

AA contains small areas of existing PFO/PSS/PEM wetlands located at the northwest (Shields River) and southcentral ends of the mitigation area. The existing PFO/PEM habitat located at the southern end of the AA receives direct hydrologic inputs from the created flood channel. Both wetland features are bordered by created wetlands and the Shields River riparian corridor.

13. Structural Diversity: (based on number of "Cowardin" ***vegetated*** classes present [do not include unvegetated classes], see #10 above)

Existing # of "Cowardin" Vegetated Classes in AA	Initial Rating	Is current management preventing (passive) existence of additional vegetated classes?		Modified Rating
>=3 (or 2 if 1 is forested) classes	H	NA	NA	NA
2 (or 1 if forested) classes	M	NA	NA	NA
1 class, but not a monoculture	M	<NO	YES>	L
1 class, monoculture (1 species comprises>=90% of total cover)	L	NA	NA	NA

Comments: PEM, PFO and PSS vegetated communties are present on site.

SECTION PERTAINING to FUNCTIONS VALUES ASSESSMENT

14A. Habitat for Federally Listed or Proposed Threatened or Endangered Plants or Animals:

i. AA is Documented (D) or Suspected (S) to contain (check one based on definitions contained in instructions):

Primary or critical habitat (list species)	○ D ○ S	
Secondary habitat (list Species)	○ D ○ S	
Incidental habitat (list species)	○ D ○ S	
No usable habitat	☑ S	

ii. Rating (use the conclusions from i above and the matrix below to arrive at [check] the functional points and rating)

Highest Habitat Level	doc/primary	sus/primary	doc/secondary	sus/secondary	doc/incidental	sus/incidental	None
Functional Points and Rating	1H	.9H	.8H	.7M	.3L	.1L	0L

Sources for documented use

14B. Habitat for plant or animals rated S1, S2, or S3 by the Montana Natural Heritage Program: (not including species listed in14A above)

i. AA is Documented (D) or Suspected (S) to contain (check one based on definitions contained in instructions):

Primary or critical habitat (list species)	◉ D ○ S	Sandhill Crane (S5B,S2N)
Secondary habitat (list Species)	○ D ○ S	
Incidental habitat (list species)	◉ D ○ S	Golden Eagle (S3)
No usable habitat	☐ S	

ii. Rating (use the conclusions from i above and the matrix below to arrive at [check] the functional points and rating)

Highest Habitat Level	doc/primary	sus/primary	doc/secondary	sus/secondary	doc/incidental	sus/incidental	None
S1 Species: *Functional Points and Rating*	1H	.8H	.7M	.6M	.2L	.1L	0L
S2 and S3 Species: *Functional Points and Rating*	.9H	.7M	.6M	.5M	.2L	.1L	0L

Sources for documented use MTNHP, 2013 and 2020 field observations. Sandhill Crane nesting documented by MDT staff in 2019.

14C. General Wildlife Habitat Rating:

i. Evidence of overall wildlife use in the AA (check substantial, moderate, or low based on supporting evidence): Moderate

Substantial (based on any of the following [check]):

- ☐ observations of abundant wildlife #s or high species diversity (during any period)
- ☐ abundant wildlife sign such as scat, tracks, nest structures, game trails, etc.
- ☐ presence of extremely limiting habitat features not available in the surrounding area
- ☐ interviews with local biologists with knowledge of the AA

Minimal (based on any of the following [check]):

- ☐ few or no wildlife observations during peak use periods
- ☐ little to no wildlife sign
- ☐ sparse adjacent upland food sources
- ☐ interviews with local biologists with knowledge of the AA

Moderate (based on any of the following [check]):

- ☑ observations of scattered wildlife groups or individuals or relatively few species during peak periods
- ☑ common occurrence of wildlife sign such as scat, tracks, nest structures, game trails, etc.
- ☑ adequate adjacent upland food sources
- ☐ interviews with local biologists with knowledge of the AA

ii. Wildlife habitat features (Working from top to bottom, check appropriate AA attributes in matrix to arrive at rating. Structural diversity is from #13. For class cover to be considered evenly distributed, the most and least prevalent **vegetated** classes must be within 20% of each other in terms of their percent composition of the AA (see #10). Abbreviations for surface water durations are as follows: P/P = permanent/perennial; S/I = seasonal/intermittent; T/E = temporary/ephemeral; and A = absent [see instructions for further definitions of these terms])

Structural diversity (see #13)	High								Moderate								Low			
Class cover distribution (all vegetated classes)	Even				Uneven				Even				Uneven				Even			
Duration of surface water in ≥ 10% of AA	P/P	S/I	T/E	A	P/P	S/I	T/E	A	P/P	S/I	T/E	A	P/P	S/I	T/E	A	P/P	S/I	T/E	A
Low disturbance at AA (see #12i)	E	E	E	H	E	E	H	H	E	H	H	M	E	H	M	M	E	H	M	M
Moderate disturbance at AA (see #12i)	H	H	H	H	H	H	H	M	H	H	M	M	H	M	M	L	H	M	L	L
High disturbance at AA (see #12i)	M	M	M	L	M	M	L	L	M	M	L	L	M	L	L	L	L	L	L	L

iii. Rating (use the conclusions from i and ii above and the matrix below to arrive at [check] the functional points and rating)

Evidence of wildlife use (i)	*Wildlife habitat features rating (ii)*			
	Exceptional	High	Moderate	Low
Substantial	1E	.9H	.8H	.7M
Moderate	.9H	.7M	.5M	.3L
Minimal	.6M	.4M	.2L	.1L

Comments Moderate use of site by moose, deer, golden eagle, and other avian species. There is a bald eagle (Haliaeetus leucocephalus) nest directly southwest of the site on the west side of the Shields River. The project site is within the primary habitat zone for bald eagles. Food plots east of the mitigation site will also encourage use by wildlife.

14D. General Fish Habitat Rating: (Assess this function if the AA is used by fish or the existing situation is "correctable" such that the AA could be used by fish [i.e., fish use is precluded by perched culvert or other barrier, etc.]. If the AA is not used by fish, fish use is not restorable due to habitat constraints, or is not desired from a management perspective [such as fish entrapped in a canal], then check ☑ **NA** here and proceed to 14E.)

i. Habitat Quality and Known / Suspected Fish Species in AA (use matrix to arrive at [check the functional points and rating)

Duration of surface water in AA	Permanent / Perennial						Seasonal / Intermittent						Temporary / Ephemeral					
Aquatic hiding / resting / escape cover	Optimal		Adequate		Poor		Optimal		Adequate		Poor		Optimal		Adequate		Poor	
Thermal cover optimal / suboptimal	O	S	O	S	O	S	O	S	O	S	O	S	O	S	O	S	O	S
FWP Tier I fish species	1E	.9H	.8H	.7M	.6M	.5M	.9H	.8H	.7M	.6M	.5M	.4M	.7M	.6M	.5M	.4M	.3L	.3L
FWP Tier II or Native Game fish species	.9H	.8H	.7M	.6M	.5M	.5M	.8H	.7M	.6M	.5M	.4M	.4M	.6M	.5M	.4M	.3L	.2L	.2L
FWP Tier III or Introduced Game fish	.8H	.7M	.6M	.5M	.5M	.4M	.7M	.6M	.5M	.4M	.4M	.3L	.5M	.4M	.3L	.2L	.2L	.1L
FWP Non-Game Tier IV or No fish species	.5M	.5M	.5M	.4M	.4M	.3L	.4M	.4M	.4M	.3L	.3L	.2L	.2L	.2L	.2L	.1L	.1L	.1L

Sources used for identifying fish sp. potentially found in AA:

ii. Modified Rating (**NOTE:** Modified score cannot exceed 1 or be less than 0.1)
a) Is fish use of the AA significantly reduced by a culvert, dike, or other man-made structure or activity ***or*** *is the waterbody included on the current final MDEQ list of waterbodies in need of TMDL development with listed "Probable Impaired Uses" including cold or warm water fishery or aquatic life support,* ***or*** *do aquatic nuisance plant or animal species (see* ***Appendix E****) occur in fish habitat?* **Y** ◯ **N** ◉ *If yes, reduce score in* ***i*** *above by 0.1:* **Modified Rating**


b) Does the AA contain a documented spawning area or other critical habitat feature (i.e., sanctuary pool, upwelling area, etc.- specify in comments) for native fish or introduced game fish? ◯ **Y** ◉ **N** *If yes, add 0.1 to the adjusted score in* ***i*** *or* ***iia*** *above:*
Modifed Rating


iii. Final Score and Rating: 0 NA **Comments:** No fish habitat on site.

14E. Flood Attenuation: (Applies only to wetlands subject to flooding via in-channel or overbank flow. If wetlands in AA are not flooded from in-channel or overbank flow, click ☐ **NA** here and proceed to 14F.)

i. Rating (working from top to bottom, use the matrix below to arrive at [check] the functional points and rating)

Estimated or Calculated Entrenchment (Rosgen 1994, 1996)	Slightly entrenched - C, D, E stream types			Moderately entrenched – B stream type			Entrenched-A, F, G stream types		
% of flooded wetland classified as forested and/or scrub/shrub	75%	25-75%	<25%	75%	25-75%	<25%	75%	25-75%	<25%
AA contains **no outlet or restricted outlet**	1H	.9H	.6M	.8H	.7M	.5M	.4M	.3L	.2L
AA contains **unrestricted outlet**	.9H	.8H	.5M	.7M	.6M	.4M	.3L	.2L	.1L





Floodprone width 133 / **Bankfull width** 28 = **Entrenchment ratio** 4.75

ii. Are ≥10 acres of wetland in the AA subject to flooding **AND** are man-made features which may be significantly damaged by floods located within 0.5 mile downstream of the AA (check)? **Y** ◯ **N** ◉

Comments: Approximately 30% of the preservation AA contains forested and/or scrub/shrub wetland with surface water outlet to the south into relict isolated channel. The Shields River is slightly entrenched at this location.

14F. Short and Long Term Surface Water Storage: (Applies to wetlands that flood or pond from overbank or in-channel flow, precipitation, upland surface flow, or groundwater flow. If no wetlands in the AA are subject to flooding or ponding, click ☐ **NA** here and proceed to 14G.)

i. Rating (Working from top to bottom, use the matrix below to arrive at [check] the functional points and rating. Abbreviations for surface water durations are as follows: P/P = permanent/perennial; S/I = seasonal/intermittent; and T/E = temporary/ephemeral [see instructions for further definitions of these terms].)

Estimated maximum acre feet of water contained in wetlands within the AA that are subject to periodic flooding or ponding	>5 acre feet			1.1 to 5 acre feet			≤1 acre foot		
Duration of surface water at wetlands within the AA	P/P	S/I	T/E	P/P	S/I	T/E	P/P	S/I	T/E
Wetlands in AA flood or pond **≥ 5 out of 10 years**	1H	.9H	.8H	.8H	.6M	.5M	.4M	.3L	.2L
Wetlands in AA flood or pond **< 5 out of 10 years**	.9H	.8H	.7M	.7M	.5M	.4M	.3L	.2L	.1L

Comments: (1.10 acre of preserved wetland) x (approximate average of 1.0 ft. of inundation during high water) = 1.10 acre feet

14G. Sediment/Nutrient/Toxicant Retention and Removal: (Applies to wetlands with potential to receive sediments, nutrients, or toxicants through influx of surface or ground water or direct input. If no wetlands in the AA are subject to such input, click ☐ **NA** here and proceed to 14H.)

i. Rating (working from top to bottom, use the matrix below to arrive at [check] the functional points and rating [H = high, M = moderate, or L = low])

Sediment, nutrient, and toxicant input levels within AA	AA receives or surrounding land use with potential to deliver levels of sediments, nutrients, or compounds at levels such that other functions are not substantially impaired. Minor sedimentation, sources of nutrients or toxicants, or signs of eutrophication present.				Waterbody on MDEQ list of waterbodies in need of TMDL development for "probable causes" related to sediment, nutrients, or toxicants **or** AA receives or surrounding land use with potential to deliver high levels of sediments, nutrients, or compounds such that other functions are substantially impaired. Major sedimentation, sources of nutrients or toxicants, or signs of eutrophication present.			
% cover of wetland vegetation in AA	≥ 70%		< 70%		≥ 70%		< 70%	
Evidence of flooding / ponding in AA	Yes	No	Yes	No	Yes	No	Yes	No
AA contains **no or restricted outlet**	1H	.8H	.7M	.5M	.5M	.4M	.3L	.2L
AA contains **unrestricted outlet**	.9H	.7M	.6M	.4M	.4M	.3L	.2L	.1L

Comments: Hydrophytic vegetation cover exceeds 70%. AA contains restricted outlet.

14H Sediment/Shoreline Stabilization: (Applies only if AA occurs on or within the banks or a river, stream, or other natural or man-made drainage, or on the shoreline of a standing water body which is subject to wave action. If 14H does not apply, click ☑ **NA** here and proceed to 14I.)

i. Rating (working from top to bottom, use the matrix below to arrive at [check] the functional points and rating)

*% Cover of **wetland** streambank or shoreline by species with stability ratings of ≥6 (see **Appendix F**).*	*Duration of surface water adjacent to rooted vegetation*		
	Permanent / Perennial	Seasonal / Intermittent	Temporary / Ephemeral
≥ 65%	1H	.9H	.7M
35-64%	.7M	.6M	.5M
< 35%	.3L	.2L	.1L

Comments: No shoreline in the project area.

14I. Production Export/Food Chain Support:

i. Level of Biological Activity (synthesis of wildlife and fish habitat ratings [check])

General Fish Habitat Rating (14D.iii.)	**General Wildlife Habitat Rating (14C.iii.)**		
	E/H	M	L
E/H	H	H	M
M	H	M	M
L	M	M	L
N/A	H	M	L

ii. Rating (Working from top to bottom, use the matrix below to arrive at [check] the functional points and rating. Factor A = acreage of vegetated wetland component in the AA; Factor B = level of biological activity rating from above (14I.i.); Factor C = whether or not the AA contains a surface or subsurface outlet; the final three rows pertain to duration of surface water in the AA, where P/P, S/I, and T/E are as previously defined, and A = "absent" [see instructions for further definitions of these terms].)

A	Vegetated component >5 acres						Vegetated component 1-5 acres						Vegetated component <1 acre					
B	High		Moderate		Low		High		Moderate		Low		High		Moderate		Low	
C	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
P/P	1E	.7H	.8H	.5M	.6M	.4M	.9H	.6M	.7H	.4M	.5M	.3L	.8H	.6M	.6M	.4M	.3L	.2L
S/I	.9H	.6M	.7H	.4M	.5M	.3L	.8H	.5M	.6M	.3L	.4M	.2L	.7H	.5M	.5M	.3L	.3L	.2L
T/E/A	.8H	.5M	.6M	.3L	.4M	.2L	.7H	.4M	.5M	.2L	.3L	.1L	.6M	.4M	.4M	.2L	.2L	.1L

iii. Modified Rating (**NOTE:** Modified score cannot exceed 1 or be less than 0.1.) **Vegetated Upland Buffer (VUB)**: Area with ≥ 30% plant cover, ≤ 15% noxious weed or ANVS cover, and that is not subjected to periodic mechanical mowing or clearing (unless for weed control).

a) Is there an average ≥ 50 foot-wide vegetated upland buffer around ≥ 75% of the AA circumference? **Y** ◉ **N** ○ *If yes, add 0.1 to the score in **ii** above and adjust rating accordingly:* **Modified Rating** .9H

Comments: A restricted surface water outlet is present to the south.

14J. Groundwater Discharge/Recharge: (check the appropriate indicators in i & ii below)

i. Discharge Indicators

- ☐ The AA is a slope wetland
- ☐ Springs or seeps are known or observed
- ☐ Vegetation growing during dormant season/drought
- ☐ Wetland occurs at the toe of a natural slope
- ☐ Seeps are present at the wetland edge
- ☐ AA permanently flooded during drought periods
- ☐ Wetland contains an outlet, but no inlet
- ☑ Shallow water table and the site is saturated to the surface
- ☐ Other:

ii. Recharge Indicators

- ☑ Permeable substrate present without underlying impeding layer
- ☐ Wetland contains inlet but no outlet
- ☐ Stream is a known 'losing' stream; discharge volume decreases
- ☐ Other:

iii. Rating (use the information from i and ii above and the table below to arrive at [check] the functional points and rating)

	Duration of saturation at AA Wetlands *FROM GROUNDWATER DISCHARGE OR WITH WATER THAT IS RECHARGING THE GROUNDWATER SYSTEM*			
Criteria	P/P	S/I	T	None
Groundwater Discharge or Recharge	1H	.7M	.4M	.1L
Insufficient Data/Information		NA		

Comments: Shallow groundwater table documented during field investigations.

14K. Uniqueness:

i. Rating (working from top to bottom, use the matrix below to arrive at [check] the functional points and rating)

Replacement potential	AA contains fen, bog, warm springs or mature (>80 yr-old) forested wetland **or** plant association listed as "S1" by the MTNHP			AA does not contain previously cited rare types **and** structural diversity (#13) is high **or** contains plant association listed as "S2" by the MTNHP			AA does not contain previously cited rare types or associations **and** structural diversity (#13) is low-moderate		
Estimated relative abundance (#11)	rare	common	abundant	rare	common	abundant	rare	common	abundant
Low disturbance at AA (#12i)	1H	.9H	.8H	.8H	.6M	.5M	.5M	.4M	.3L
Moderate disturbance at AA (#12i)	.9H	.8H	.7M	.7M	.5M	.4M	.4M	.3L	.2L
High disturbance at AA (#12i)	.8H	.7H	.6M	.6M	.4M	.3L	.3L	.2L	.1L

Comments: Site disturbance is low and structural diversity is high.

14L. Recreation/Education Potential: (affords "bonus" points if AA provides recreation or education opportunity)

i. Is the AA a known or potential rec./ed. site: (check) **Y** ◉ **N** ○ (if 'Yes' continue with the evaluation; if 'No' then click ☐ **NA** here and proceed to the overall summary and rating page)

ii. Check categories that apply to the AA: ☐ Educational/scientific study; ☐ Consumptive rec.; ☑ Non-consumptive rec.; ☐ Other

iii. Rating (use the matrix below to arrive at [check] the functional points and rating)

Known or Potential Recreation or Education Area	Known	Potential
Public ownership or public easement with general public access (no permission required)	.2H	.15H
Private ownership with general public access (no permission required)	.15H	.1M
Private or public ownership without general public access, or requiring permission for public access	.1M	.05L

Comments:

Permission is required for access to this site.

General Site Notes

FUNCTION & VALUE SUMMARY & OVERALL RATING FOR WETLAND/SITE #(S): Preservation

Function & Value Variables	Rating	Actual Functional Points	Possible Functional Points	Functional Units: (Actual Points x Estimated AA Acreage)	Indicate the four most prominent functions with an asterisk (*)
A. Listed/Proposed T&E Species Habitat	L	0	1	0.00	☐
B. MT Natural Heritage Program Species Habitat	H	.9	1	0.99	☐
C. General Wildlife Habitat	H	.9	1	0.99	☑
D. General Fish Habitat	NA	0	0	0.00	☐
E. Flood Attenuation	H	.9	1	0.99	☐
F. Short and Long Term Surface Water Storage	M	.6	1	0.66	☐
G. Sediment/Nutrient/Toxicant Removal	H	1	1	1.10	☑
H. Sediment/Shoreline Stabilization	NA	0	0	0.00	☐
I. Production Export/Food Chain Support	H	.9	1	0.99	☑
J. Groundwater Discharge/Recharge	M	.7	1	0.77	☑
K. Uniqueness	M	.6	1	0.66	☐
L. Recreation/Education Potential (bonus points)	L	.05	NA	0.06	☐
Totals:		6.55	9	7.21	
Percent of Possible Score			**72.78** %		

Category I Wetland: (must satisfy **one** of the following criteria; otherwise go to Category II)
- ☐ Score of 1 functional point for Listed/Proposed Threatened or Endangered Species; **or**
- ☐ Score of 1 functional point for Uniqueness; **or**
- ☐ Score of 1 functional point for Flood Attenuation **and** answer to Question 14E.ii is "yes"; **or**
- ☐ Percent of possible score > 80% (round to nearest whole #).

Category II Wetland: (Criteria for Category I not satisfied **and** meets any **one** of the following criteria; otherwise go to Category IV)
- ☐ Score of 1 functional point for MT Natural Heritage Program Species Habitat; **or**
- ☑ Score of .9 or 1 functional point for General Wildlife Habitat; **or**
- ☐ Score of .9 or 1 functional point for General Fish Habitat; **or**
- ☐ "High" to "Exceptional" ratings for **both** General Wildlife Habitat **and** General Fish/Aquatic Habitat; **or**
- ☐ Score of .9 functional point for Uniqueness; **or**
- ☑ Percent of possible score > 65% (round to nearest whole #).

Category III Wetland: (Criteria for Categories I, II, or IV not satisfied)

☐

Category IV Wetland: (Criteria for Categories I or II are not satisfied and all of the following criteria are met; otherwise go to Category III)
- ☐ "Low" rating for Uniqueness; **and**
- ☐ Vegetated wetland component < 1 acre (do not include upland vegetated buffer); **and**
- ☐ Percent of possible score < 35% (round to nearest whole #).

OVERALL ANALYSIS AREA RATING:
(check appropriate category based on the criteria outlined above)

I	II	III	IV

MDT Montana Wetland Assessment Form (revised March 2008)

1. Project name Easton Ranch **2. MDT project#** STPP STWD (756) **Control#** 9680000

3. Evaluation Date 6/24/2020 **4. Evaluators** R Quire, R Jones, S Weyant **5. Wetland/Site# (s)** Restoration

6. Wetland Location(s): **T** 4N **R** 9E **Sec1** 32 **T** **R** **Sec2**

Approx Stationing or Mileposts NA

Watershed 13 - Upper Yellowstone **Watershed/County** Park

7. Evaluating Agency Confluence Consulting Inc

8. Wetland size acres 1.64

Purpose of Evaluation

How assessed: Measured e.g. by GPS

☐ **Wetlands potentially affected by MDT project**

9. Assesssment area (AA) size (acres) 1.64

☐ **Mitigation Wetlands: pre-construction**

How assessed: Measured e.g. by GPS

☐ **Mitigation Wetlands: post construction**

☑ **Other** Restored channel

10. Classification of Wetland and Aquatic Habitats in AA

HGM Class (Brinson)	Class (Cowardin)	Modifier (Cowardin)	Water Regime	% of AA
Riverine	Emergent Wetland	Excavated	Seasonal/Intermittent	95
Riverine	Scrub-Shrub Wetland	Excavated	Seasonal/Intermittent	5

11. Estimated Relative Abundance Common

12. General Condition of AA

i. Disturbance: (use matrix below to determine [circle] appropriate response – see instructions for Montana-listed noxious weed and aquatic nuisance vegetation species (**ANVS**) lists)

Conditions within AA	*Predominant conditions adjacent to (within 500 feet of) AA*		
	Managed in predominantly natural state; is not grazed, hayed, logged, or otherwise converted; does not contain roads or buildings; and noxious weed or ANVS cover is <=15%.	Land not cultivated, but may be moderately grazed or hayed or selectively logged; or has been subject to minor clearing; contains few roads or buildings; noxious weed or ANVS cover is <=30%.	Land cultivated or heavily grazed or logged; subject to substantial fill placement, grading, clearing, or hydrological alteration; high road or building density; or noxious weed or ANVS cover is >=30%.
AA occurs and is managed in predominantly natural state; is not grazed, hayed, logged, or otherwise converted; does not contain roads or occupied buildings; and noxious weed or ANVS cover is <=15%.	low disturbance	low disturbance	moderate disturbance
AA not cultivated, but may be moderately grazed or hayed or selectively logged; or has been subject to relatively minor clearing, fill placement, or hydrological alteration; contains few roads or buildings; noxious weed or ANVS cover is <=30%.	moderate disturbance	moderate disturbance	high disturbance
AA cultivated or heavily grazed or logged; subject to relatively substantial fill placement, grading, clearing, or hydrological alteration; high road or building density; or noxious weed or ANVS cover is >=30%.	high disturbance	high disturbance	high disturbance

Comments: (types of disturbance, intensity, season, etc)

Limited agriculture (hay) and ranch structures to the east. Undeveloped riparian corridor and herbaceous uplands to north, south, and west. Two species of noxious weeds present within the AA. The AA is managed in a natural state, as are most of the lands within 500 feet of the AA.

ii. Prominent noxious, aquatic nuisance, other exotic species:

Cirsium arvense, Cynoglossum officinale

iii. Provide brief descriptive summary of AA and surrounding land use/habitat

The AA consists of one constructed secondary stream channel which bisects the mitigation area. The channel is active during high flow events, is seasonally inundated by shallow ground water early in the growing season, and has developed wetland characteristics.

13. Structural Diversity: (based on number of "Cowardin" ***vegetated*** classes present [do not include unvegetated classes], see #10 above)

Existing # of "Cowardin" Vegetated Classes in AA	Initial Rating	Is current management preventing (passive) existence of additional vegetated classes?		Modified Rating
>=3 (or 2 if 1 is forested) classes	H	NA	NA	NA
2 (or 1 if forested) classes	M	NA	NA	NA
1 class, but not a monoculture	M	<NO	YES>	L
1 class, monoculture (1 species comprises>=90% of total cover)	L	NA	NA	NA

Comments: Planted shrubs along channel are surviving and establishing well. Cottonwood and willow seedlings/root suckers were noted along the channel.

SECTION PERTAINING to FUNCTIONS VALUES ASSESSMENT

14A. Habitat for Federally Listed or Proposed Threatened or Endangered Plants or Animals:

i. AA is Documented (D) or Suspected (S) to contain (check one based on definitions contained in instructions):

Primary or critical habitat (list species)	○ D ○ S	
Secondary habitat (list Species)	○ D ○ S	
Incidental habitat (list species)	○ D ○ S	
No usable habitat	☑ S	

ii. Rating (use the conclusions from i above and the matrix below to arrive at [check] the functional points and rating)

Highest Habitat Level	doc/primary	sus/primary	doc/secondary	sus/secondary	doc/incidental	sus/incidental	None
Functional Points and Rating	1H	.9H	.8H	.7M	.3L	.1L	0L

Sources for documented use

14B. Habitat for plant or animals rated S1, S2, or S3 by the Montana Natural Heritage Program: (not including species listed in14A above)

i. AA is Documented (D) or Suspected (S) to contain (check one based on definitions contained in instructions):

Primary or critical habitat (list species)	○ D ○ S	Sandhill Crane (S5B,S2N)
Secondary habitat (list Species)	○ D ○ S	
Incidental habitat (list species)	◉ D ○ S	Golden Eagle (S3)
No usable habitat	☐ S	

ii. Rating (use the conclusions from i above and the matrix below to arrive at [check] the functional points and rating)

Highest Habitat Level	doc/primary	sus/primary	doc/secondary	sus/secondary	doc/incidental	sus/incidental	None
S1 Species: *Functional Points and Rating*	1H	.8H	.7M	.6M	.2L	.1L	0L
S2 and S3 Species: *Functional Points and Rating*	.9H	.7M	.6M	.5M	.2L	.1L	0L

Sources for documented use MTNHP; observed on site in 2013 and 2020. Sandhill Crane nesting documented by MDT staff in 2019.

14C. General Wildlife Habitat Rating:

i. Evidence of overall wildlife use in the AA (check substantial, moderate, or low based on supporting evidence): Moderate

Substantial (based on any of the following [check]):

- ☐ observations of abundant wildlife #s or high species diversity (during any period)
- ☐ abundant wildlife sign such as scat, tracks, nest structures, game trails, etc.
- ☐ presence of extremely limiting habitat features not available in the surrounding area
- ☐ interviews with local biologists with knowledge of the AA

Minimal (based on any of the following [check]):

- ☐ few or no wildlife observations during peak use periods
- ☐ little to no wildlife sign
- ☐ sparse adjacent upland food sources
- ☐ interviews with local biologists with knowledge of the AA

Moderate (based on any of the following [check]):

- ☑ observations of scattered wildlife groups or individuals or relatively few species during peak periods
- ☑ common occurrence of wildlife sign such as scat, tracks, nest structures, game trails, etc.
- ☑ adequate adjacent upland food sources
- ☐ interviews with local biologists with knowledge of the AA

ii. Wildlife habitat features (Working from top to bottom, check appropriate AA attributes in matrix to arrive at rating. Structural diversity is from #13. For class cover to be considered evenly distributed, the most and least prevalent **vegetated** classes must be within 20% of each other in terms of their percent composition of the AA (see #10). Abbreviations for surface water durations are as follows: P/P = permanent/perennial; S/I = seasonal/intermittent; T/E = temporary/ephemeral; and A = absent [see instructions for further definitions of these terms])

Structural diversity (see #13)	High								Moderate								Low			
Class cover distribution (all vegetated classes)	Even				Uneven				Even				Uneven				Even			
Duration of surface water in ≥ 10% of AA	P/P	S/I	T/E	A	P/P	S/I	T/E	A	P/P	S/I	T/E	A	P/P	S/I	T/E	A	P/P	S/I	T/E	A
Low disturbance at AA (see #12i)	E	E	E	H	E	E	H	H	E	H	H	M	E	H	M	M	E	H	M	M
Moderate disturbance at AA (see #12i)	H	H	H	H	H	H	H	M	H	H	M	M	H	M	M	L	H	M	L	L
High disturbance at AA (see #12i)	M	M	M	L	M	M	L	L	M	M	L	L	M	L	L	L	L	L	L	L

iii. Rating (use the conclusions from i and ii above and the matrix below to arrive at [check] the functional points and rating)

Evidence of wildlife use (i)	*Wildlife habitat features rating (ii)*			
	Exceptional	High	Moderate	Low
Substantial	1E	.9H	.8H	.7M
Moderate	.9H	.7M	.5M	.3L
Minimal	.6M	.4M	.2L	.1L

Comments AA has frequent deer and moose sightings. Food plots located adjacent/east of the project boundary provide supplemental food for wildlife. There is a bald eagle (Haliaeetus leucocephalus) nest directly southwest of the site on the west side of the Shields River, the project site is within the primary habitat zone for bald eagles.

14D. General Fish Habitat Rating: (Assess this function if the AA is used by fish or the existing situation is "correctable" such that the AA could be used by fish [i.e., fish use is precluded by perched culvert or other barrier, etc.]. If the AA is not used by fish, fish use is not restorable due to habitat constraints, or is not desired from a management perspective [such as fish entrapped in a canal], then check ☑ **NA** here and proceed to 14E.)

i. Habitat Quality and Known / Suspected Fish Species in AA (use matrix to arrive at [check the functional points and rating)

Duration of surface water in AA	Permanent / Perennial						Seasonal / Intermittent						Temporary / Ephemeral					
Aquatic hiding / resting / escape cover	Optimal		Adequate		Poor		Optimal		Adequate		Poor		Optimal		Adequate		Poor	
Thermal cover optimal / suboptimal	O	S	O	S	O	S	O	S	O	S	O	S	O	S	O	S	O	S
FWP Tier I fish species	1E	.9H	.8H	.7M	.6M	.5M	.9H	.8H	.7M	.6M	.5M	.4M	.7M	.6M	.5M	.4M	.3L	.3L
FWP Tier II or Native Game fish species	.9H	.8H	.7M	.6M	.5M	.5M	.8H	.7M	.6M	.5M	.4M	.4M	.6M	.5M	.4M	.3L	.2L	.2L
FWP Tier III or Introduced Game fish	.8H	.7M	.6M	.5M	.5M	.4M	.7M	.6M	.5M	.4M	.4M	.3L	.5M	.4M	.3L	.2L	.2L	.1L
FWP Non-Game Tier IV or No fish species	.5M	.5M	.5M	.4M	.4M	.3L	.4M	.4M	.4M	.3L	.3L	.2L	.2L	.2L	.2L	.1L	.1L	.1L

Sources used for identifying fish sp. potentially found in AA:

ii. Modified Rating (**NOTE:** Modified score cannot exceed 1 or be less than 0.1)
a) Is fish use of the AA significantly reduced by a culvert, dike, or other man-made structure or activity ***or*** *is the waterbody included on the current final MDEQ list of waterbodies in need of TMDL development with listed "Probable Impaired Uses" including cold or warm water fishery or aquatic life support,* ***or*** *do aquatic nuisance plant or animal species (see* ***Appendix E****) occur in fish habitat?* **Y** ◯ **N** ◉ *If yes, reduce score in* ***i*** *above by 0.1:* **Modified Rating**







b) Does the AA contain a documented spawning area or other critical habitat feature (i.e., sanctuary pool, upwelling area, etc.- specify in comments) for native fish or introduced game fish? ◯ **Y** ◉ **N** *If yes, add 0.1 to the adjusted score in* ***i*** *or* ***iia*** *above:*
Modifed Rating


iii. Final Score and Rating: 0 NA **Comments:** Although activated during high-flow events within the Shields River, no permanent fish habitat is present within AA.

14E. Flood Attenuation: (Applies only to wetlands subject to flooding via in-channel or overbank flow. If wetlands in AA are not flooded from in-channel or overbank flow, click ☐ **NA** here and proceed to 14F.)

i. Rating (working from top to bottom, use the matrix below to arrive at [check] the functional points and rating)

Estimated or Calculated Entrenchment (Rosgen 1994, 1996)	Slightly entrenched - C, D, E stream types			Moderately entrenched – B stream type			Entrenched-A, F, G stream types		
% of flooded wetland classified as forested and/or scrub/shrub	75%	25-75%	<25%	75%	25-75%	<25%	75%	25-75%	<25%
AA contains **no outlet or restricted outlet**	1H	.9H	.6M	.8H	.7M	.5M	.4M	.3L	.2L
AA contains **unrestricted outlet**	.9H	.8H	.5M	.7M	.6M	.4M	.3L	.2L	.1L

Slightly Entrenched ER = >2.2			**Moderately Entrenched ER = 1.41 – 2.2**	**Entrenched ER = 1.0 – 1.4**		
C stream type	D stream type	E stream type	B stream type	A stream type	F stream type	G stream type
						



Floodprone width 133 / **Bankfull width** 28 = **Entrenchment ratio** 4.75

ii. Are ≥10 acres of wetland in the AA subject to flooding **AND** are man-made features which may be significantly damaged by floods located within 0.5 mile downstream of the AA (check)? **Y** ◯ **N** ◉

Comments: Outlet is restricted. AA subject to overflow from Shields River and empties into old meanders of the Shields River at the south end of AA. 5% of AA is classified as scrub/shrub.

14F. Short and Long Term Surface Water Storage: (Applies to wetlands that flood or pond from overbank or in-channel flow, precipitation, upland surface flow, or groundwater flow. If no wetlands in the AA are subject to flooding or ponding, click ☐ **NA** here and proceed to 14G.)

i. Rating (Working from top to bottom, use the matrix below to arrive at [check] the functional points and rating. Abbreviations for surface water durations are as follows: P/P = permanent/perennial; S/I = seasonal/intermittent; and T/E = temporary/ephemeral [see instructions for further definitions of these terms].)

Estimated maximum acre feet of water contained in wetlands within the AA that are subject to periodic flooding or ponding	>5 acre feet			1.1 to 5 acre feet			≤1 acre foot		
Duration of surface water at wetlands within the AA	P/P	S/I	T/E	P/P	S/I	T/E	P/P	S/I	T/E
Wetlands in AA flood or pond **≥ 5 out of 10 years**	1H	.9H	.8H	.8H	.6M	.5M	.4M	.3L	.2L
Wetlands in AA flood or pond **< 5 out of 10 years**	.9H	.8H	.7M	.7M	.5M	.4M	.3L	.2L	.1L

Comments: (1.64 acre of restoration) x (average 1 ft. ponding/flow at high water) = 1.64 acre feet

14G. Sediment/Nutrient/Toxicant Retention and Removal: (Applies to wetlands with potential to receive sediments, nutrients, or toxicants through influx of surface or ground water or direct input. If no wetlands in the AA are subject to such input, click ☐ **NA** here and proceed to 14H.)

i. Rating (working from top to bottom, use the matrix below to arrive at [check] the functional points and rating [H = high, M = moderate, or L = low])

Sediment, nutrient, and toxicant input levels within AA	AA receives or surrounding land use with potential to deliver levels of sediments, nutrients, or compounds at levels such that other functions are not substantially impaired. Minor sedimentation, sources of nutrients or toxicants, or signs of eutrophication present.				Waterbody on MDEQ list of waterbodies in need of TMDL development for "probable causes" related to sediment, nutrients, or toxicants **or** AA receives or surrounding land use with potential to deliver high levels of sediments, nutrients, or compounds such that other functions are substantially impaired. Major sedimentation, sources of nutrients or toxicants, or signs of eutrophication present.			
% cover of wetland vegetation in AA	≥ 70%		< 70%		≥ 70%		< 70%	
Evidence of flooding / ponding in AA	Yes	No	Yes	No	Yes	No	Yes	No
AA contains **no or restricted outlet**	1H	.8H	.7M	.5M	.5M	.4M	.3L	.2L
AA contains **unrestricted outlet**	.9H	.7M	.6M	.4M	.4M	.3L	.2L	.1L

Comments: Cover in AA is greater than 70% and outlet is topographically restricted.

14H Sediment/Shoreline Stabilization: (Applies only if AA occurs on or within the banks or a river, stream, or other natural or man-made drainage, or on the shoreline of a standing water body which is subject to wave action. If 14H does not apply, click ☐ **NA** here and proceed to 14I.)

i. Rating (working from top to bottom, use the matrix below to arrive at [check] the functional points and rating)

*% Cover of **wetland** streambank or shoreline by species with stability ratings of ≥6 (see **Appendix F**).*	*Duration of surface water adjacent to rooted vegetation*		
	Permanent / Perennial	Seasonal / Intermittent	Temporary / Ephemeral
≥ 65%	1H	.9H	.7M
35-64%	.7M	.6M	.5M
< 35%	.3L	.2L	.1L

Comments: Increased vegetation development from 2013 to 2020 of species with high stability ratings including Salix, Populus, Carex, and Juncus species.

14I. Production Export/Food Chain Support:

i. Level of Biological Activity (synthesis of wildlife and fish habitat ratings [check])

General Fish Habitat Rating (14D.iii.)	**General Wildlife Habitat Rating (14C.iii.)**		
	E/H	M	L
E/H	H	H	M
M	H	M	M
L	M	M	L
N/A	H	M	L

ii. Rating (Working from top to bottom, use the matrix below to arrive at [check] the functional points and rating. Factor A = acreage of vegetated wetland component in the AA; Factor B = level of biological activity rating from above (14I.i.); Factor C = whether or not the AA contains a surface or subsurface outlet; the final three rows pertain to duration of surface water in the AA, where P/P, S/I, and T/E are as previously defined, and A = "absent" [see instructions for further definitions of these terms].)

A	Vegetated component >5 acres						Vegetated component 1-5 acres						Vegetated component <1 acre					
B	High		Moderate		Low		High		Moderate		Low		High		Moderate		Low	
C	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
P/P	1E	.7H	.8H	.5M	.6M	.4M	.9H	.6M	.7H	.4M	.5M	.3L	.8H	.6M	.6M	.4M	.3L	.2L
S/I	.9H	.6M	.7H	.4M	.5M	.3L	.8H	.5M	.6M	.3L	.4M	.2L	.7H	.5M	.5M	.3L	.3L	.2L
T/E/A	.8H	.5M	.6M	.3L	.4M	.2L	.7H	.4M	.5M	.2L	.3L	.1L	.6M	.4M	.4M	.2L	.2L	.1L

iii. Modified Rating (**NOTE:** Modified score cannot exceed 1 or be less than 0.1.) **Vegetated Upland Buffer (VUB)**: Area with ≥ 30% plant cover, ≤ 15% noxious weed or ANVS cover, and that is not subjected to periodic mechanical mowing or clearing (unless for weed control).

a) Is there an average ≥ 50 foot-wide vegetated upland buffer around ≥ 75% of the AA circumference? **Y** ◉ **N** ○ *If yes, add 0.1 to the score in **ii** above and adjust rating accordingly:* **Modified Rating** .7M

Comments: Channel is seasonally inundated and has a restricted outlet at the southern end of the mitigation site.

14J. Groundwater Discharge/Recharge: (check the appropriate indicators in i & ii below)

i. Discharge Indicators

- ☐ The AA is a slope wetland
- ☑ Springs or seeps are known or observed
- ☐ Vegetation growing during dormant season/drought
- ☐ Wetland occurs at the toe of a natural slope
- ☐ Seeps are present at the wetland edge
- ☐ AA permanently flooded during drought periods
- ☐ Wetland contains an outlet, but no inlet
- ☑ Shallow water table and the site is saturated to the surface
- ☐ Other:

ii. Recharge Indicators

- ☑ Permeable substrate present without underlying impeding layer
- ☐ Wetland contains inlet but no outlet
- ☐ Stream is a known 'losing' stream; discharge volume decreases
- ☐ Other:

iii. Rating (use the information from i and ii above and the table below to arrive at [check] the functional points and rating)

	Duration of saturation at AA Wetlands *FROM GROUNDWATER DISCHARGE OR WITH WATER THAT IS RECHARGING THE GROUNDWATER SYSTEM*			
Criteria	P/P	S/I	T	None
Groundwater Discharge or Recharge	1H	.7M	.4M	.1L
Insufficient Data/Information		NA		

Comments: Channel is intermittently inundated by shallow groundwater and high flows from the Shields River.

14K. Uniqueness:

i. Rating (working from top to bottom, use the matrix below to arrive at [check] the functional points and rating)

Replacement potential	AA contains fen, bog, warm springs or mature (>80 yr-old) forested wetland **or** plant association listed as "S1" by the MTNHP			AA does not contain previously cited rare types **and** structural diversity (#13) is high **or** contains plant association listed as "S2" by the MTNHP			AA does not contain previously cited rare types or associations **and** structural diversity (#13) is low-moderate		
Estimated relative abundance (#11)	rare	common	abundant	rare	common	abundant	rare	common	abundant
Low disturbance at AA (#12i)	1H	.9H	.8H	.8H	.6M	.5M	.5M	.4M	.3L
Moderate disturbance at AA (#12i)	.9H	.8H	.7M	.7M	.5M	.4M	.4M	.3L	.2L
High disturbance at AA (#12i)	.8H	.7H	.6M	.6M	.4M	.3L	.3L	.2L	.1L

Comments: PEM/PSS wetland within seasonal flood channel. Common wetland type within basin with 10-50% of area wetlands similar to t

14L. Recreation/Education Potential: (affords "bonus" points if AA provides recreation or education opportunity)

i. Is the AA a known or potential rec./ed. site: (check) **Y** ◉ **N** ○ (if 'Yes' continue with the evaluation; if 'No' then click ☐ **NA** here and proceed to the overall summary and rating page)

ii. Check categories that apply to the AA: ☑ Educational/scientific study; ☐ Consumptive rec.; ☐ Non-consumptive rec.; ☐ Other

iii. Rating (use the matrix below to arrive at [check] the functional points and rating)

Known or Potential Recreation or Education Area	Known	Potential
Public ownership or public easement with general public access (no permission required)	.2H	.15H
Private ownership with general public access (no permission required)	.15H	.1M
Private or public ownership without general public access, or requiring permission for public access	.1M	.05L

Comments:

Permission is required for site access.

General Site Notes

FUNCTION & VALUE SUMMARY & OVERALL RATING FOR WETLAND/SITE #(S): Restoration

Function & Value Variables	Rating	Actual Functional Points	Possible Functional Points	Functional Units: (Actual Points x Estimated AA Acreage)	Indicate the four most prominent functions with an asterisk (*)
A. Listed/Proposed T&E Species Habitat	L	0	1	0.00	☐
B. MT Natural Heritage Program Species Habitat	H	.9	1	1.48	☑
C. General Wildlife Habitat	M	.7	1	1.15	☑
D. General Fish Habitat	NA	0	0	0.00	☐
E. Flood Attenuation	M	.6	1	0.98	☐
F. Short and Long Term Surface Water Storage	M	.6	1	0.98	☐
G. Sediment/Nutrient/Toxicant Removal	H	1	1	1.64	☑
H. Sediment/Shoreline Stabilization	H	.9	1	1.48	☑
I. Production Export/Food Chain Support	M	.7	1	1.15	☐
J. Groundwater Discharge/Recharge	M	.7	1	1.15	☐
K. Uniqueness	M	.4	1	0.66	☐
L. Recreation/Education Potential (bonus points)	L	.05	NA	0.08	☐
Totals:		6.55	10	10.74	
Percent of Possible Score			**65.5** %		

Category I Wetland: (must satisfy **one** of the following criteria; otherwise go to Category II)
- ☐ Score of 1 functional point for Listed/Proposed Threatened or Endangered Species; **or**
- ☐ Score of 1 functional point for Uniqueness; **or**
- ☐ Score of 1 functional point for Flood Attenuation **and** answer to Question 14E.ii is "yes"; **or**
- ☐ Percent of possible score > 80% (round to nearest whole #).

Category II Wetland: (Criteria for Category I not satisfied **and** meets any **one** of the following criteria; otherwise go to Category IV)
- ☐ Score of 1 functional point for MT Natural Heritage Program Species Habitat; **or**
- ☑ Score of .9 or 1 functional point for General Wildlife Habitat; **or**
- ☐ Score of .9 or 1 functional point for General Fish Habitat; **or**
- ☐ "High" to "Exceptional" ratings for **both** General Wildlife Habitat **and** General Fish/Aquatic Habitat; **or**
- ☐ Score of .9 functional point for Uniqueness; **or**
- ☑ Percent of possible score > 65% (round to nearest whole #).

Category III Wetland: (Criteria for Categories I, II, or IV not satisfied)

☐

Category IV Wetland: (Criteria for Categories I or II are not satisfied and all of the following criteria are met; otherwise go to Category III)
- ☐ "Low" rating for Uniqueness; **and**
- ☐ Vegetated wetland component < 1 acre (do not include upland vegetated buffer); **and**
- ☐ Percent of possible score < 35% (round to nearest whole #).

OVERALL ANALYSIS AREA RATING:
(check appropriate category based on the criteria outlined above)

I | II | III | IV

Easton Ranch Wetland Mitigation Site – 2011 – 2020 Vegetation Species List

Scientific Names	Common Names	WMVC Indicator Status[1]
Achillea millefolium	Common Yarrow	FACU
Agrostis gigantea	Black Bent	FAC
Agrostis stolonifera	Spreading Bent	FAC
Algae, green	Algae, green	NL
Alisma gramineum	Narrow-Leaf Water-Plantain	OBL
Alnus incana	Speckled Alder	FACW
Alopecurus geniculatus	Marsh Meadow-Foxtail	OBL
Alopecurus arundinaceus	Creeping Meadow-Foxtail	FAC
Alopecurus pratensis	Field Meadow-Foxtail	FAC
Alyssum alyssoides	Pale Alyssum	UPL
Amaranthus retroflexus	Red-Root	FACU
Arctium sp.	Burrdock	UPL
Asclepias speciosa	Showy Milkweed	FAC
Astragalus cicer	Cicer Milkvetch	UPL
Avena fatua	Wild Oats	UPL
Bassia scoparia	Mexican-Fireweed	FAC
Beckmannia syzigachne	American Slough Grass	OBL
Berteroa incana	Hoary False Alyssum	UPL
Bidens cernua	Nodding Burr-Marigold	OBL
Brassica kaber	Brassica kaber	UPL
Brassica napus	Turnip	UPL
Bromus arvensis	Field Brome	UPL
Bromus carinatus	California Brome	UPL
Bromus ciliatus	Fringed Brome	FAC
Bromus inermis	Smooth Brome	UPL
Bromus tectorum	Cheatgrass	UPL
Calamagrostis canadensis	Bluejoint	FACW
Camelina microcarpa	**Little-Pod False Flax**	**FACU**
Carduus nutans	Nodding Plumeless-Thistle	UPL
Carex aquatilis	Leafy Tussock Sedge	OBL
Carex atherodes	Wheat Sedge	OBL
Carex aurea	Golden-Fruit Sedge	FACW
Carex bebbii	Bebb's Sedge	OBL
Carex limosa	Mud Sedge	OBL
Carex microptera	Small-winged Sedge	FACU
Carex nebrascensis	Nebraska Sedge	OBL
Carex pachystachya	Thick-Head Sedge	FAC
Carex parryana	Parry's Sedge	FACW
Carex pellita	Woolly Sedge	OBL
Carex praegracilis	Clustered Field Sedge	FACW
Carex rostrata	Swollen Beaked Sedge	OBL
Carex scoparia	Pointed Broom Sedge	FACW
Carex sp.	Sedge	NA

Easton Ranch Wetland Mitigation Site – 2011 – 2020 Vegetation Species List

Scientific Names	Common Names	WMVC Indicator Status[1]
Carex stipata	Stalk-Grain Sedge	OBL
Carex utriculata	Northwest Territory Sedge	OBL
Carex vesicaria	Lesser Bladder Sedge	OBL
Carum carvi	Caraway	FACU
Cassiope mertensiana	Western Moss-Heather	FACU
Chenopodium album	Lamb's-Quarters	FACU
Chenopodium leptophyllum	Narrow-Leaf Goosefoot	FACU
Cicuta douglasii	Western Water-Hemlock	OBL
Cirsium arvense	Canadian Thistle	FAC
Cirsium douglasii	Douglas' Thistle	OBL
Cirsium vulgare	Bull Thistle	FACU
Conium maculatum	Poison-Hemlock	FAC
Convolvulus arvensis	Field Bindweed	UPL
Cornus alba	Red Osier	FACW
Cynoglossum officinale	Gypsy-Flower	FACU
Dactylis glomerata	Orchard Grass	FACU
Dasiphora fruticosa	Golden-Hardhack	FAC
Deschampsia caespitosa	Tufted Hair Grass	FACW
Descurainia sophia	Herb Sophia	UPL
Dracocephalum sp.	Dragonhead	UPL
Eleocharis palustris	Common Spike-Rush	OBL
Elodea sp.	Waterweed	NA
Elymus cinereus	Great Basin Wildrye	UPL
Elymus repens	Creeping Wild Rye	FAC
Elymus sp.	Wild Rye	NA
Elymus trachycaulus	Slender Wild Rye	FAC
Epilobium ciliatum	Fringed Willowherb	FACW
Equisetum arvense	Field Horsetail	FAC
Equisetum hyemale	Tall Scouring-Rush	FACW
Equisetum laevigatum	Smooth Scouring-Rush	FACW
Fragaria virginiana	Virginia Strawberry	FACU
Galium palustre	Common Marsh Bedstraw	OBL
Geum macrophyllum	Large-Leaf Avens	FAC
Glyceria elata	Tall Manna Grass	FACW
Glyceria grandis	American Manna Grass	OBL
Glyceria striata	Fowl Manna Grass	OBL
Glycyrrhiza lepidota	American Licorice	FAC
Helianthus annuus	Common Sunflower	FACU
Hordeum jubatum	Fox-Tail Barley	FAC
Juncus balticus	Baltic Rush	FACW
Juncus bufonius	Toad Rush	FACW
Juncus effusus	Lamp Rush	FACW
Juncus ensifolius	Dagger-Leaf Rush	FACW
Juncus longistylis	Long-Style Rush	FACW

Easton Ranch Wetland Mitigation Site – 2011 – 2020 Vegetation Species List

Scientific Names	Common Names	WMVC Indicator Status[1]
Juncus nevadensis	Sierran Rush	FACW
Juncus tenuis	Lesser Poverty Rush	FAC
Juncus torreyi	Torrey's Rush	FACW
Lappula occidentalis	Flatspine Stickseed	UPL
Larix occidentalis	Western Larch	FACU
Lepidium campestre	Field Pepperweed	UPL
Lepidium perfoliatum	Clasping Pepperwort	FACU
Leymus cinereus	Great Basin Lyme Grass	FAC
Lotus corniculatus	Garden Bird's-Foot-Trefoil	FAC
Lupinus argenteus	Silvery Lupine	UPL
Lycopus asper	Rough Water-Horehound	OBL
Lysimachia ciliata	Fringed Yellow-Loosestrife	FACW
Medicago lupulina	Black Medick	FACU
Medicago sativa	Alfalfa	UPL
Melilotus officinalis	Yellow Sweet-Clover	FACU
Mentha arvensis	American Wild Mint	FACW
Mimulus guttatus	Seep Monkey-Flower	OBL
Myriophyllum sp.	Water-Milfoil	NA
Panicum miliaceum	Proso Millet	UPL
Pascopyrum smithii	Western-Wheat Grass	FACU
Persicaria amphibia	Water Smartweed	OBL
Persicaria lapathifolia	Dock-Leaf Smartweed	FACW
Persicaria maculosa	Spotted Lady's-Thumb	FACW
Phalaris arundinacea	Reed Canary Grass	FACW
Phleum pratense	Common Timothy	FAC
Plantago major	Great Plantain	FAC
Poa compressa	Flat-Stem Blue Grass	FACU
Poa palustris	Fowl Blue Grass	FAC
Poa pratensis	Kentucky Blue Grass	FAC
Polypogon monspeliensis	Annual Rabbit's-Foot Grass	FACW
Polypogon viridis	Beardless Rabbit's-Foot Grass	FACW
Populus angustifolia	Narrow-Leaf Cottonwood	FACW
Populus balsamifera	Balsam Poplar	FAC
Populus tremuloides	Quaking Aspen	FACU
Potamogeton gramineus	Grassy Pondweed	OBL
Potamogeton praelongus	White-Stem Pondweed	OBL
Potentilla anserina	Silverweed	OBL
Potentilla gracilis	Graceful Cinquefoil	FAC
Prunus virginiana	Choke Cherry	FACU
Pseudoroegneria spicata	Bluebunch Wheatgrass	UPL
Ranunculus aquatilis	White Water-Crowfoot	OBL
Ranunculus macounii	Macoun's Buttercup	OBL
Rhamnus alnifolia	Alder-Leaf Buckthorn	FACW

Easton Ranch Wetland Mitigation Site – 2011 – 2020 Vegetation Species List

Scientific Names	Common Names	WMVC Indicator Status[1]
Ribes inerme	**White-Stem Gooseberry**	**FAC**
Ribes lacustre	Bristly Black Gooseberry	FAC
Rosa woodsii	Woods' Rose	FACU
Rumex crispus	Curly Dock	FAC
Rumex salicifolius	Willow Dock	FACW
Ruppia maritima	Beaked Ditch-Grass	OBL
Salix amygdaloides	Peach-Leaf Willow	FACW
Salix bebbiana	Gray Willow	FACW
Salix boothii	Booth's Willow	FACW
Salix drummondiana	Drummond's Willow	FACW
Salix exigua	Narrow-Leaf Willow	FACW
Salix lasiandra	Pacific Willow	FACW
Salix lutea	Yellow Willow	OBL
Schedonorus arundinaceus	Tall False Rye Grass	FAC
Schedonorus pratensis	Meadow False Rye Grass	FACU
Schoenoplectus pungens	**Three-square**	**OBL**
Scirpus microcarpus	Red-Tinge Bulrush	OBL
Scirpus pallidus	Pale Bulrush	OBL
Scutellaria galericulata	Hooded Skullcap	OBL
Scutellaria lateriflora	Mad Dog Skullcap	FACW
Silene latifolia	White Cockle or Campion	UPL
Sinapis arvensis	Corn Mustard	UPL
Sisymbrium altissimum	Tall Hedge-Mustard	FACU
Sisymbrium loeselii	Small Hedge Mustard	UPL
Sisyrinchium idahoense	Idaho Blue-eyed-Grass	FACW
Sisyrinchium montanum	Strict Blue-eyed-Grass	FAC
Solidago canadensis	Canadian Goldenrod	FACU
Solidago gigantea	Late Goldenrod	FACW
Sonchus arvensis	Field Sow-Thistle	FACU
Stachys palustris	Hairy Hedge-Nettle	FACW
Stellaria graminea	Grass-Leaf Starwort	FACU
Symphoricarpos albus	Common Snowberry	FACU
Symphyotrichum subspicatum	Leafy-Bract American-Aster	FACW
Taraxacum officinale	Common Dandelion	FACU
Thlaspi arvense	Field Pennycress	UPL
Tragopogon dubius	Meadow Goat's-beard	UPL
Trifolium arvense	Rabbit-foot Clover	UPL
Trifolium hybridum	Alsike Clover	FAC
Trifolium pratense	Red Clover	FACU
Trifolium repens	White Clover	FAC
Triglochin maritima	Seaside Arrow-Grass	OBL
Typha latifolia	Broad-Leaf Cat-Tail	OBL
Urtica dioica	Stinging Nettle	FAC

Easton Ranch Wetland Mitigation Site – 2011 – 2020 Vegetation Species List

Scientific Names	Common Names	WMVC Indicator Status[1]
Verbascum thapsus	Great Mullein	FACU
Vicia americana	American Purple Vetch	FAC
Xanthium strumarium	Rough Cockleburr	FAC

[1] 2018 NWPL (USACE 2018)

New species identified in 2020 are **bolded.**

APPENDIX C
PROJECT AREA PHOTOGRAPHS

MDT Wetland Mitigation Monitoring
Easton Ranch
Park County, Montana

Easton Ranch: Photo Point Photos



Photo Point: 1 Location: East Boundary
Bearing: 250 degrees Year: 2010



Photo Point: 1 Location: East Boundary
Bearing: 250 degrees Year: 2020



Photo Point: 2 Location: Northeast Corner
Bearing: 200 degrees Year: 2010



Photo Point: 2 Location: Northeast Corner
Bearing: 200 degrees Year: 2020



Photo Point: 3 Location: Northwest Corner
Bearing: 100 degrees Year: 2010



Photo Point: 3 Location: Northwest Corner
Bearing: 100 degrees Year: 2020

Easton Ranch: Photo Point Photos



Photo Point: 4A Location: Shields Bank DS
Bearing: 170 degrees Year: 2010



Photo Point: 4A Location: Shields Bank DS
Bearing: 170 degrees Year: 2020



Photo Point: 4B Location: Shields Bank US
Bearing: 20 degrees Year: 2010



Photo Point: 4B Location: Shields Bank US
Bearing: 20 degrees Year: 2020 – New location*



Photo Point: 5 Location: West Boundary
Bearing: 90 degrees Year: 2010



Photo Point: 5 Location: West Boundary
Bearing: 90 degrees Year: 2020

* new photo point location due to bank loss during high flows in 2018.

Easton Ranch: Photo Point Photos



Photo Point: 6 Location: Southwest Corner
Bearing: 0 degrees Year: 2010



Photo Point: 6 Location: Southwest Corner
Bearing: 0 degrees Year: 2020



Photo Point: 7 Location: Southeast Corner
Bearing: 340 degrees Year: 2010



Photo Point: 7 Location: Southeast Corner
Bearing: 340 degrees Year: 2020

Easton Ranch: Transect Photos



Transect 1: Start
Bearing: 5 degrees
Location: Veg Com 8 foreground
Year: 2010



Transect 1: Start
Bearing: 5 degrees
Location: Veg Com 21 foreground
Year: 2020



Transect 1: End
Bearing: 185 degrees
Location: Veg Com 8 foreground
Year: 2010



Transect 1: End
Bearing: 185 degrees
Location: Veg Com 10 foreground
Year: 2020



Transect 2: Start
Bearing: 185 degrees
Location: Veg Com 1 foreground
Year: 2010



Transect 2: Start
Bearing: 185 degrees
Location: Veg Com 3 foreground
Year: 2020

Easton Ranch: Transect Photos



Transect 2: End Location: Veg Com 1 foreground
Bearing: 0 degrees Year: 2010



Transect 2: End Location: Veg Com 13 foreground
Bearing: 0 degrees Year: 2020



Transect 3: Start Location: Veg Com 1 foreground
Bearing: 95 degrees Year: 2010



Transect 3: Start Location: Veg Com 13 foreground
Bearing: 95 degrees Year: 2020



Transect 3: End Location: Veg Com 1 foreground
Bearing: 265 degrees Year: 2010



Transect 3: End Location: Veg Com 1 foreground
Bearing: 265 degrees Year: 2020

Easton Ranch: Data Point Photos



Data Point: DP01w Location: Veg Com 14
Year: 2020



Data Point: DP01u Location: Veg Com 13
Year: 2020



Data Point: DP02w Location: Veg Com 11
Year: 2020



Data Point: DP02u Location: Veg Com 1
Year: 2020



Data Point: DP03w Location: Veg Com 21
Year: 2020



Data Point: DP03u Location: Veg Com 16
Year: 2020

Easton Ranch: Data Point Photos



Data Point: DP04w Location: Veg Com 15
Year: 2020



Data Point: DP04u Location: Veg Com 13
Year: 2020



Data Point: DP05w Location: Veg Com 15
Year: 2020



Data Point: DP05u Location: Veg Com 1
Year: 2020



Data Point: DP06w Location: Veg Com 20
Year: 2020



Data Point: DP06u Location: Veg Com 18
Year: 2020

Easton Ranch: Data Point Photos



Data Point: DP07a-w Location: Veg Com 17
Year: 2020



Data Point: DP07a-u Location: Veg Com 17
Year: 2020



Data Point: DP07b-w Location: Veg Com 10
Year: 2020



Data Point: DP07b-u Location: Veg Com 3
Year: 2020



Data Point: DP08w Location: Veg Com 4
Year: 2020



Data Point: DP08u Location: Veg Com 1
Year: 2020

Easton Ranch: Data Point Photos



Data Point: DP09w Location: Veg Com 14
Year: 2020



Data Point: DP09u Location: Veg Com 1
Year: 2020



Data Point: DP10w Location: Veg Com 11
Year: 2020



Data Point: DP10u Location: Veg Com 13
Year: 2020



Data Point: DP11w Location: Veg Com 14
Year: 2020



Data Point: DP11u Location: Veg Com 1
Year: 2020